Total vegetation cover soil protection Region:LGA Albury_(C) NSW

Date: January 2025

This report describes vegetation protecting the soil surface from erosion during a chosen month compared to previous years. This report has been generated using MODIS fractional vegetation cover information available in Rangelands and Pasture Productivity (RAPP) map tool https://map.geo-rapp.org/#australia. The report is based on 500 metre pixel data on monthly time steps. Land use forest cover:

Results can be shown for the whole region (polygon), and separated by land use and forest cover classes which are likely to show different cover patterns and targets. Land use is divided into four broad classes: Conservation and natural environments, Agriculture, production native forests and plantation forests (no report), and other (no report). Agriculture is divided into grazing, crops and horticulture which are sub-divided into non-irrigated and irrigated. If forest is present land use is further divided into: non-forest, woodland forest and non-woodland forest. The area of each land use and forest class are shown as a map and chart. The report content is repeated for each land use and forest covers at least 1% of the area of the chosen region. Total vegetation Cover:

The total vegetation cover indicates where soil is likely to be protected from wind and or water hillslope erosion. Total vegetation cover for this month is shown on a map and chart classified into 4 classes.

• 71-100% High cover - protected from wind and usually water erosion (high rainfall, steep slopes, and erodible soils may need greater than 80, 90, 95 and up to 100% cover)

- 51-70% Moderate cover protected from wind erosion
- 31-50% Low cover not protected
- 0-30% Very Low cover not protected

Erosion protection: Wind erosion 50% total vegetation cover

The vegetation cover threshold required to prevent soil erosion is usually 50% to reduce wind erosion, 70% or 80% to reduce water (hillslope) erosion depending on the steepness and rainfall. Areas protected from erosion for the month:

• Map: water erosion protection (>70% cover) percentage area and hectares.

• Map: wind erosion protection (>50% cover) percentage area and hectares. Comparison with previous years:

• Map: anomaly comparing this month to the average cover from the same month in previous years.

• Map: deciles rank of month against the same month in previous years.

Anomalies and deciles until September 2019 are calculated comparing to the same months 2001 to 2019. Extra monthly data will be used to calculate anomalies and deciles post September 2019 as they become available. Time series monthly from January 2001 to current:

Erosion protection

- Wind erosion protection time series: percentage of the area of the region with greater than 50% cover for each month (orange lines). Horizontal lines are 10th (cover target) and 50th percentiles.
- Water erosion protection time series: percentage of the area of the region with greater than 70% cover for each month (blue line). Horizontal lines are 10th (cover target) and 50th percentiles.

Rainfall

• Millimetres rainfall each month (black line).

Each time series is also stacked by year. The black line shows the current year of data. Water erosion protection for higher rainfall and steeper slopes:

Water erosion protection on higher slopes. As slope increases, more cover is required to control water erosion. The thresholds reported are:

- the percentage area with pixels greater than 80% total cover.
- the percentage area with pixels greater than 90% total cover.
- the percentage area with pixels greater than 95% total cover.

Acknowledgment of data:

- 1. http://www.agriculture.gov.au/abares/aclump/land-use/alum-classification
- 2. http://www.agriculture.gov.au/abares/forestsaustralia/sofr/sofr-2018
- 3. https://www.dpi.nsw.gov.au/agriculture/pastures-and-rangelands/establishment-mgmt/production-management2/groundcover
- 4. MODIS Fractional cover algorithm:


https://doi.org/10.4225/08/5848a3f19a7b3



Vegetation Cover Jan 2025

Land use and forest cover

Proportion of each land class in area




12%200%

52010-70010


32%50%


· 0.30%

Total Vegetation Cover [%]




% Area protected from water erosion (>70%)







Proportion of vegetation cover class in area





% Area protected from wind erosion (>50%)




Total Vegetation Cover Anomaly [%]









Total Vegetation Cover Decile [%]













Agriculture

Catchment Scale Land Use and Forests of Australia (2018) Derived from Catchment Scale Land Use of Australia (2018) and Forests of Australia (2018)





Land use and forest cover

Total Vegetation Cover [%]




% Area protected from water erosion (>70%)














Proportion of vegetation cover class in area




% Area protected from wind erosion (>50%)



Total Vegetation Cover Decile [%]



Total Vegetation Cover Anomaly [%]




Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.









Anomaly show how many percetage points each pixel is from the mean. That is, red pixels are about 20% lower than the mean of that pixel. The mean is only for the month of the map using baseline from 2001 to 2019.




Proportion of the area protected from wind erosion (Total Vegetation Cover > 50%)







Wind erosion historical monthly area protected (Total Veg Cov >50%)

Water erosion historical monthly area protected (Total Veg Cov>70%)











Grazing

Catchment Scale Land Use and Forests of Australia (2018) Derived from Catchment Scale Land Use of Australia (2018) and Forests of Australia (2018)





Land use and forest cover


Total Vegetation Cover [%]



% Area protected from water erosion (>70%)









82.0% 80 70 60 Area (%) 40 30 20 14.6% 10 3.4% 0 -0.5 1.0 0.5 1.5 2.0 2.5 0.0 Land use class

Proportion of each land class in area


Proportion of vegetation cover class in area




% Area protected from wind erosion (>50%)



Total Vegetation Cover Decile [%]



Total Vegetation Cover Anomaly [%]




Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.







pixel is from the mean. That is, red pixels are about 20% lower than the mean of that pixel. The mean is only for the month of the map using baseline from 2001 to 2019.




Proportion of the area protected from wind erosion (Total Vegetation Cover > 50%)







Wind erosion historical monthly area protected (Total Veg Cov >50%)

Water erosion historical monthly area protected (Total Veg Cov>70%)












Grazing non forest




Total Vegetation Cover [%]




% Area protected from water erosion (>70%)







Proportion of vegetation cover class in area




% Area protected from wind erosion (>50%)



Total Vegetation Cover Decile [%]



Total Vegetation Cover Anomaly [%]




Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the man using baseline the map using baseline from 2001 to 2019.






Anomaly show how many percetage points each pixel is from the mean. That is, red pixels are about 20% lower than the lower than the mean of that pixel. The mean is only for the month of the map using baseline from 2001 to 2019.





Proportion of the area protected from wind erosion (Total Vegetation Cover > 50%)







Wind erosion historical monthly area protected (Total Veg Cov >50%)














Grazing Woodland forest




Total Vegetation Cover [%]






% Area protected from water erosion (>70%)




Proportion of vegetation cover class in area




% Area protected from wind erosion (>50%)




Total Vegetation Cover Anomaly [%]



Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.



Total Vegetation Cover Decile [%]





-10


-20




Anomaly show how many percetage points each pixel is from the mean. That is, red pixels are about 20% lower than the mean of that pixel. The mean is only for the month of the map using baseline from 2001 to 2019.



Grazing Woodland forest timeseries



Proportion of the area protected from water erosion (Total Vegetation Cover > 70%)





15

Australian Government

Programm

Water erosion historical monthly area protected (Total Veg Cov>70%)







Programm

NSW


Grazing - Forest (non woodland)

120/010000


52°1070°10

320050010


0.30%




Total Vegetation Cover [%]



% Area protected from water erosion (>70%)



Proportion of vegetation cover class in area




% Area protected from wind erosion (>50%)




Total Vegetation Cover Anomaly [%]


Anomaly show how many percetage points each pixel is from the mean. That is, red pixels are about 20% lower than the mean of that pixel. The mean is only for the month of the map using baseline from 2001 to 2019.



Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.





Total Vegetation Cover Decile [%]














Water erosion historical monthly area protected (Total Veg Cov>70%)








Cropping

12% 100%


52010010

320050010


0.30%




Total Vegetation Cover [%]








Proportion of vegetation cover class in area




% Area protected from wind erosion (>50%)




Total Vegetation Cover Anomaly [%]



Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.




Total Vegetation Cover Decile [%]









Anomaly show how many percetage points each pixel is from the mean. That is, red pixels are about 20% lower than the mean of that pixel. The mean is only for the month of the map using baseline from 2001 to 2019.



20




Proportion of the area protected from water erosion (Total Vegetation Cover > 70%)




Cropping timeseries

___100.0 ---- above_70 **——** 10th **——** 50th **——** 2025 Jan



Water erosion historical monthly area protected (Total Veg Cov>70%)





Programm

Irrigation

12%100%

· 52°1070°10


32005000

· 0.30%


Catchment Scale Land Use and Forests of Australia (2018) Derived from Catchment Scale Land Use of Australia (2018) and Forests of Australia (2018)


Land use and forest cover

Total Vegetation Cover [%]










Proportion of each land class in area


Proportion of vegetation cover class in area




% Area protected from wind erosion (>50%)




Total Vegetation Cover Anomaly [%]



Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.



Total Vegetation Cover Decile [%]





- 20

10

0


-10


-20




Anomaly show how many percetage points each pixel is from the mean. That is, red pixels are about 20% lower than the mean of that pixel. The mean is only for the month of the map using baseline from 2001 to 2019.








Irrigation timeseries



Water erosion historical monthly area protected (Total Veg Cov>70%)




Australian Government


Programm

Ecosystem Research Infrastructure

Historical monthly area protected (Total Veg Cov>80%)



Production native forests and plantation forests



12%100%


52%70%

320050010


0-30%

Land use and forest cover


Total Vegetation Cover [%]



% Area protected from water erosion (>70%)









% Area protected from wind erosion (>50%)




Total Vegetation Cover Anomaly [%]



Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.



Total Vegetation Cover Decile [%]











Anomaly show how many percetage points each pixel is from the mean. That is, red pixels are about 20% lower than the mean of that pixel. The mean is only for the month of the map using baseline from 2001 to 2019.











Albury_(C) (29,800 ha and no data 775 ha) Percentage area and hectares protected with TVC threshold 30,50,70,80,90 and 95%

Land use and forest cover Class	area(ha)	above_30	above_50	above_70	above_80	above_90	above_95
Entire region	29,800	100.0% 29,800	99.4% 29,625	89.2% 26,575	76.9% 22,925	30.6% 9,125	5.6% 1,675
Agriculture	18,600	100.0% 18,600	99.9% 18,575	98.8% 18,375	91.7% 17,050	39.9% 7,425	7.8% 1,450
Grazing	16,125	100.0% 16,125	99.8% 16,100	98.8% 15,925	91.6% 14,775	44.2% 7,125	8.5% 1,375
Grazing non forest	13,225	100.0% 13,225	99.8% 13,200	98.7% 13,050	90.5% 11,975	37.8% 5,000	5.5% 725
Grazing Woodland forest	550	100.0% 550	100.0% 550	95.5% 525	81.8% 450	50.0% 275	4.5% 25
Grazing - Forest (non woodland)	2,350	100.0% 2,350	100.0% 2,350	100.0% 2,350	100.0% 2,350	78.7% 1,850	26.6% 625
Cropping	2,075	100.0% 2,075	100.0% 2,075	98.8% 2,050	92.8% 1,925	12.0% 250	3.6% 75
Irrigation	400	$\begin{array}{c} 100.0\%\\ 400\end{array}$	$\begin{array}{c} 100.0\%\\ 400\end{array}$	$\begin{array}{c} 100.0\%\\ 400 \end{array}$	87.5% 350	12.5% 50	0.0% 0
Production native forests and plantation forests	400	$\begin{array}{c} 100.0\%\\ 400\end{array}$	$\begin{array}{c} 100.0\%\\ 400\end{array}$	$\begin{array}{c} 100.0\%\\ 400 \end{array}$	93.8% 375	25.0% 100	6.2% 25

