### Total vegetation cover soil protection Region:LGA Bellingen (A) NSW

This report describes vegetation protecting the soil surface from erosion during a chosen month compared to previous years. This report has been generated using MODIS fractional vegetation cover information available in Rangelands and Pasture Productivity (RAPP) map tool https://map.geo-rapp.org/#australia. The report is based on 500 metre pixel data on monthly time steps.

Land use forest cover:

Date: January 2021

Results can be shown for the whole region (polygon), and separated by land use and forest cover classes which are likely to show different cover patterns and targets. Land use is divided into four broad classes: Conservation and natural environments, Agriculture, production native forests and plantation forests (no report), and other (no report). Agriculture is divided into grazing, crops and horticulture which are sub-divided into non-irrigated and irrigated. If forest is present land use is further divided into: non-forest, woodland forest and non-woodland forest. The area of each land use and forest class are shown as a map and chart. The report content is repeated for each land use and forest cover class that covers at least 1% of the area of the chosen region. Total vegetation Cover:

The total vegetation cover indicates where soil is likely to be protected from wind and or water hillslope erosion. Total vegetation cover for this month is shown on a map and chart classified into 4 classes.

- 71-100% High cover protected from wind and usually water erosion (high rainfall, steep slopes, and erodible soils may need greater than 80, 90, 95 and up to 100% cover)
  - 51-70% Moderate cover protected from wind erosion
  - 31-50% Low cover not protected
  - 0-30% Very Low cover not protected

Erosion protection: Wind erosion 50% total vegetation cover

The vegetation cover threshold required to prevent soil erosion is usually 50% to reduce wind erosion, 70% or 80% to reduce water (hillslope) erosion depending on the steepness and rainfall. Areas protected from erosion for the month:

- Map: water erosion protection (>70% cover) percentage area and hectares.
- Map: wind erosion protection (>50% cover) percentage area and hectares.

Comparison with previous years:

- Map: anomaly comparing this month to the average cover from the same month in previous years.
- Map: deciles rank of month against the same month in previous years.

Anomalies and deciles until September 2019 are calculated comparing to the same months 2001 to 2019. Extra monthly data will be used to calculate anomalies and deciles post September 2019 as they become available. Time series monthly from January 2001 to current:

### **Erosion protection**

- Wind erosion protection time series: percentage of the area of the region with greater than 50% cover for each month (orange lines). Horizontal lines are 10th (cover target) and 50th percentiles.
- Water erosion protection time series: percentage of the area of the region with greater than 70% cover for each month (blue line). Horizontal lines are 10th (cover target) and 50th percentiles.

### Rainfall

• Millimetres rainfall each month (black line).

Each time series is also stacked by year. The black line shows the current year of data.

Water erosion protection for higher rainfall and steeper slopes:

Water erosion protection on higher slopes. As slope increases, more cover is required to control water erosion. The thresholds reported are:

- the percentage area with pixels greater than 80% total cover.
- the percentage area with pixels greater than 90% total cover.
- the percentage area with pixels greater than 95% total cover.

### **Acknowledgment of data:**

- 1. http://www.agriculture.gov.au/abares/aclump/land-use/alum-classification
- 2. http://www.agriculture.gov.au/abares/forestsaustralia/sofr/sofr-2018
- 3. https://www.dpi.nsw.gov.au/agriculture/pastures-and-rangelands/establishment-mgmt/production-management2/groundcover
- 4. MODIS Fractional cover algorithm:

https://doi.org/10.4225/08/5848a3f19a7b3











### **Vegetation Cover Jan 2021**


### Land use and forest cover




### Proportion of each land class in area




### Total Vegetation Cover [%]




Proportion of vegetation cover class in area




### % Area protected from water erosion (>70%)




% Area protected from wind erosion (>50%)



Total Vegetation Cover Anomaly [%]



Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.





### tern Ecosystem Research Infrastructure















### **Conservation and natural environments**




### **Conservation and natural environments timeseries**









### **Conservation and natural environments Forest (non woodland)**





## Total Vegetation Cover [%] Tiple Tuble Tip






### Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.



















### Conservation and natural environments Forest (non woodland) timeseries








### **Agriculture**



### 87.6% 80 - 60 - 60 - 20 - 7.0% 3.3% 7.0% 1.5% 0.7%


**Proportion of each land class in area** 






Proportion of vegetation cover class in area


Land use class




### % Area protected from water erosion (>70%)




% Area protected from wind erosion (>50%)



### Total Vegetation Cover Anomaly [%]



Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.




### tern Ecosystem Research Infrastructure










### **Agriculture timeseries**










### **Grazing**



### **Grazing timeseries**








### **Grazing non forest**


### Catchment Scale Land Use and Forests of Australia (2018) Derived from Catchment Scale Land Use of Australia (2018) and Forests of Australia (2018)

## Total Vegetation Cover [%] Total Vegetation Cover [%] Total Vegetation Cover [%]


## Area not protected 0.1% of region (35 ha) Area protected 99.9% of region (35,539 ha)




Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.



% Area protected from wind erosion (>50%)
















### **Grazing non forest timeseries**








### **Grazing - Forest (non woodland)**

## Catchment Scale Land Use and Forests of Australia (2018) Derived from Catchment Scale Land Use of Australia (2018) Australia (2018) and Forests of Australia (2018)


## Total Vegetation Cover [%]


## % Area protected from water erosion (>70%) Area not protected 0.9% of region (25 ha) Area protected 99.1% of region (2,799 ha)



Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.

# Proportion of vegetation cover class in area 99.1% 80 80 99.1% 40 20 0-30% 31%-50% Total Vegetation Cover class
























### **Production native forests and plantation forests**


### Catchment Scale Land Use and Forests of Australia (2018) Derived from Catchment Scale Land Use of Australia (2018) Australia (2018) and Forests of Australia (2018)

# Total Vegetation Cover [%]

### % Area protected from water erosion (>70%) Area protected 100.0% of region (35,175 ha)








% Area protected from wind erosion (>50%)

Area protected 100.0% of region (35,175 ha)














### **Production native forests and plantation forests timeseries**







### Bellingen\_(A) (159,925 ha and no data 215 ha) Percentage area and hectares protected with TVC threshold 30,50,70,80,90 and 95%

Land use and forest cover Class	area(ha)	above_30	above_50	above_70	above_80	above_90	above_95
Entire region	159,925	100.0% 159,900	100.0% 159,850	99.7% 159,525	99.1% 158,475	81.8% 130,775	29.9% 47,850
Conservation and natural environments	79,350	100.0% 79,325	99.9% 79,275	99.8% 79,175	99.8% 79,175	88.3% 70,050	33.7% 26,775
Conservation and natural environments Forest (non woodland)	78,175	100.0% 78,175	99.9% 78,125	99.9% 78,075	99.9% 78,075	88.4% 69,100	33.8% 26,450
Agriculture	40,600	100.0% 40,600	100.0% 40,600	99.9% 40,550	99.1% 40,250	70.5% 28,625	24.7% 10,025
Grazing	39,725	100.0% 39,725	100.0% 39,725	99.9% 39,675	99.2% 39,400	70.6% 28,050	24.5% 9,750
Grazing non forest	35,575	100.0% 35,575	100.0% 35,575	99.9% 35,550	99.2% 35,275	70.3% 25,000	25.3% 9,000
Grazing - Forest (non woodland)	2,825	100.0% 2,825	100.0% 2,825	99.1% 2,800	99.1% 2,800	75.2% 2,125	20.4% 575
Production native forests and plantation forests	35,175	100.0% 35,175	100.0% 35,175	100.0% 35,175	99.9% 35,125	87.3% 30,700	31.1% 10,950







