### Total vegetation cover soil protection Region:LGA Bellingen\_(A) NSW

This report describes vegetation protecting the soil surface from erosion during a chosen month compared to previous years. This report has been generated using MODIS fractional vegetation cover information available in Rangelands and Pasture Productivity (RAPP) map tool https://map.geo-rapp.org/#australia. The report is based on 500 metre pixel data on monthly time steps.

Land use forest cover:

Date: January 2024

Results can be shown for the whole region (polygon), and separated by land use and forest cover classes which are likely to show different cover patterns and targets. Land use is divided into four broad classes: Conservation and natural environments, Agriculture, production native forests and plantation forests (no report), and other (no report). Agriculture is divided into grazing, crops and horticulture which are sub-divided into non-irrigated and irrigated. If forest is present land use is further divided into: non-forest, woodland forest and non-woodland forest. The area of each land use and forest class are shown as a map and chart. The report content is repeated for each land use and forest cover class that covers at least 1% of the area of the chosen region. Total vegetation Cover:

The total vegetation cover indicates where soil is likely to be protected from wind and or water hillslope erosion. Total vegetation cover for this month is shown on a map and chart classified into 4 classes.

- 71-100% High cover protected from wind and usually water erosion (high rainfall, steep slopes, and erodible soils may need greater than 80, 90, 95 and up to 100% cover)
  - 51-70% Moderate cover protected from wind erosion
  - 31-50% Low cover not protected
  - 0-30% Very Low cover not protected

Erosion protection: Wind erosion 50% total vegetation cover

The vegetation cover threshold required to prevent soil erosion is usually 50% to reduce wind erosion, 70% or 80% to reduce water (hillslope) erosion depending on the steepness and rainfall. Areas protected from erosion for the month:

- Map: water erosion protection (>70% cover) percentage area and hectares.
- Map: wind erosion protection (>50% cover) percentage area and hectares.

Comparison with previous years:

- Map: anomaly comparing this month to the average cover from the same month in previous years.
- Map: deciles rank of month against the same month in previous years.

Anomalies and deciles until September 2019 are calculated comparing to the same months 2001 to 2019. Extra monthly data will be used to calculate anomalies and deciles post September 2019 as they become available. Time series monthly from January 2001 to current:

### **Erosion protection**

- Wind erosion protection time series: percentage of the area of the region with greater than 50% cover for each month (orange lines). Horizontal lines are 10th (cover target) and 50th percentiles.
- Water erosion protection time series: percentage of the area of the region with greater than 70% cover for each month (blue line). Horizontal lines are 10th (cover target) and 50th percentiles.

### Rainfall

• Millimetres rainfall each month (black line).

Each time series is also stacked by year. The black line shows the current year of data.

Water erosion protection for higher rainfall and steeper slopes:

Water erosion protection on higher slopes. As slope increases, more cover is required to control water erosion. The thresholds reported are:

- the percentage area with pixels greater than 80% total cover.
- the percentage area with pixels greater than 90% total cover.
- the percentage area with pixels greater than 95% total cover.

### **Acknowledgment of data:**

- 1. http://www.agriculture.gov.au/abares/aclump/land-use/alum-classification
- 2. http://www.agriculture.gov.au/abares/forestsaustralia/sofr/sofr-2018
- 3. https://www.dpi.nsw.gov.au/agriculture/pastures-and-rangelands/establishment-mgmt/production-management2/groundcover
- 4. MODIS Fractional cover algorithm:

https://doi.org/10.4225/08/5848a3f19a7b3











### **Vegetation Cover Jan 2024**


### Land use and forest cover




### Proportion of each land class in area




### Total Vegetation Cover [%]




Proportion of vegetation cover class in area




### % Area protected from water erosion (>70%)



% Area protected from wind erosion (>50%)



### Total Vegetation Cover Anomaly [%]



Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.


**Total Vegetation Cover Decile [%]** 


### tern Ecosystem Research Infrastructure















### **Conservation and natural environments**




### **Conservation and natural environments timeseries**









### **Conservation and natural environments Forest (non woodland)**





## Total Vegetation Cover [%] Typlotagelo Typ






Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.



















### Conservation and natural environments Forest (non woodland) timeseries








### **Agriculture**




## 80 - 87.6% 80 - 60 - 60 - 20 - 20 - 3.3% 7.0% 1.5% 0.7%






Proportion of vegetation cover class in area


Land use class




### % Area protected from water erosion (>70%)




% Area protected from wind erosion (>50%)



### Total Vegetation Cover Anomaly [%]



Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.




### tern Ecosystem Research Infrastructure










### **Agriculture timeseries**










### **Grazing**



### **Grazing timeseries**








### **Grazing non forest**


### Catchment Scale Land Use and Forests of Australia (2018) Derived from Catchment Scale Land Use of Australia (2018) and Forests of Australia (2018)


## Total Vegetation Cover [%] Total Vegetation Cover [%] Tolor notice Total Vegetation Cover [%]


## Area not protected 0.1% of region (36 ha) Area protected 99.9% of region (35,539 ha)



Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.


















### **Grazing non forest timeseries**








### **Grazing - Forest (non woodland)**

### Catchment Scale Land Use and Forests of Australia (2018) Derived from Catchment Scale Land Use of Australia (2018) Australia (2018) and Forests of Australia (2018)


### Total Vegetation Cover [%]


### % Area protected from water erosion (>70%) Area not protected 0.9% of region (25 ha) Area protected 99.1% of



Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.

# Proportion of vegetation cover class in area 100 - 99.1% 80 - 99.1% 40 - 20 - 0.0% 0.0% 0.9% 0-30% 31%-50% 51%-70% 71%-100% Total Vegetation Cover class
















region (2,800 ha)








### **Production native forests and plantation forests**


### Catchment Scale Land Use and Forests of Australia (2018) Derived from Catchment Scale Land Use of Australia (2018) Australia (2018) and Forests of Australia (2018)


## Total Vegetation Cover [%] Total Vegetation Cover [%] Tipological Cover [%] Tipological Cover [%] Tipological Cover [%] Tipological Cover [%]


### % Area protected from water erosion (>70%) Area protected 100.0% of region (35,175 ha)



Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.


















### **Production native forests and plantation forests timeseries**







### Bellingen\_(A) (159,975 ha and no data 165 ha) Percentage area and hectares protected with TVC threshold 30,50,70,80,90 and 95%

Land use and forest cover Class	area(ha)	above_30	above_50	above_70	above_80	above_90	above_95
Entire region	159,975	100.0% 159,975	99.9% 159,875	99.8% 159,600	99.2% 158,625	77.0% 123,175	30.7% 49,100
Conservation and natural environments	79,400	100.0% 79,400	100.0% 79,400	99.9% 79,325	99.6% 79,075	80.9% 64,225	32.4% 25,750
Conservation and natural environments Forest (non woodland)	78,200	100.0% 78,200	100.0% 78,200	99.9% 78,150	99.7% 77,950	81.3% 63,575	32.5% 25,450
Agriculture	40,625	100.0% 40,625	100.0% 40,625	99.9% 40,575	99.1% 40,275	73.5% 29,875	31.0% 12,600
Grazing	39,750	100.0% 39,750	100.0% 39,750	99.9% 39,700	99.2% 39,450	73.9% 29,375	30.9% 12,300
Grazing non forest	35,575	100.0% 35,575	100.0% 35,575	99.9% 35,550	99.3% 35,325	74.1% 26,375	31.1% 11,050
Grazing - Forest (non woodland)	2,825	100.0% 2,825	100.0% 2,825	99.1% 2,800	99.1% 2,800	73.5% 2,075	34.5% 975
Production native forests and plantation forests	35,175	100.0% 35,175	100.0% 35,175	100.0% 35,175	99.9% 35,125	77.8% 27,350	29.6% 10,400







