# Total vegetation cover soil protection Region:LGA Bourke\_(A) NSW

# Date: May 2025

This report describes vegetation protecting the soil surface from erosion during a chosen month compared to previous years. This report has been generated using MODIS fractional vegetation cover information available in Rangelands and Pasture Productivity (RAPP) map tool https://map.geo-rapp.org/#australia. The report is based on 500 metre pixel data on monthly time steps. Land use forest cover:

Results can be shown for the whole region (polygon), and separated by land use and forest cover classes which are likely to show different cover patterns and targets. Land use is divided into four broad classes: Conservation and natural environments, Agriculture, production native forests and plantation forests (no report), and other (no report). Agriculture is divided into grazing, crops and horticulture which are sub-divided into non-irrigated and irrigated. If forest is present land use is further divided into: non-forest, woodland forest and non-woodland forest. The area of each land use and forest class are shown as a map and chart. The report content is repeated for each land use and forest covers at least 1% of the area of the chosen region. Total vegetation Cover:

The total vegetation cover indicates where soil is likely to be protected from wind and or water hillslope erosion. Total vegetation cover for this month is shown on a map and chart classified into 4 classes.

• 71-100% High cover - protected from wind and usually water erosion (high rainfall, steep slopes, and erodible soils may need greater than 80, 90, 95 and up to 100% cover)

- 51-70% Moderate cover protected from wind erosion
- 31-50% Low cover not protected
- 0-30% Very Low cover not protected

Erosion protection: Wind erosion 50% total vegetation cover

The vegetation cover threshold required to prevent soil erosion is usually 50% to reduce wind erosion, 70% or 80% to reduce water (hillslope) erosion depending on the steepness and rainfall. Areas protected from erosion for the month:

- Map: water erosion protection (>70% cover) percentage area and hectares.
- Map: wind erosion protection (>50% cover) percentage area and hectares. Comparison with previous years:
  - Map: anomaly comparing this month to the average cover from the same month in previous years.
  - Map: deciles rank of month against the same month in previous years.

Anomalies and deciles until September 2019 are calculated comparing to the same months 2001 to 2019. Extra monthly data will be used to calculate anomalies and deciles post September 2019 as they become available. Time series monthly from January 2001 to current:

#### **Erosion protection**

- Wind erosion protection time series: percentage of the area of the region with greater than 50% cover for each month (orange lines). Horizontal lines are 10th (cover target) and 50th percentiles.
- Water erosion protection time series: percentage of the area of the region with greater than 70% cover for each month (blue line). Horizontal lines are 10th (cover target) and 50th percentiles.

#### Rainfall

• Millimetres rainfall each month (black line).

Each time series is also stacked by year. The black line shows the current year of data. Water erosion protection for higher rainfall and steeper slopes:

Water erosion protection on higher slopes. As slope increases, more cover is required to control water erosion. The thresholds reported are:

- the percentage area with pixels greater than 80% total cover.
- the percentage area with pixels greater than 90% total cover.
- the percentage area with pixels greater than 95% total cover.

### Acknowledgment of data:

- 1. http://www.agriculture.gov.au/abares/aclump/land-use/alum-classification
- 2. http://www.agriculture.gov.au/abares/forestsaustralia/sofr/sofr-2018
- 3. https://www.dpi.nsw.gov.au/agriculture/pastures-and-rangelands/establishment-mgmt/production-management2/groundcover
- 4. MODIS Fractional cover algorithm:


https://doi.org/10.4225/08/5848a3f19a7b3




# **Vegetation Cover May 2025**

#### Land use and forest cover


#### Proportion of each land class in area




#### **Total Vegetation Cover [%]**




#### % Area protected from water erosion (>70%)






#### Proportion of vegetation cover class in area



#### % Area protected from wind erosion (>50%)



Area protected 55.2% of region (2,291,462


12%200%

520107001

32%50%

0.30%

**Total Vegetation Cover Anomaly [%]** 



Catchment Scale


of Australia (2018)

(2018) and Forests


of Australia (2018)

Derived from

Use of Australia




Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019. **Total Vegetation Cover Decile [%]** 












Australian Government


#### **Conservation and natural environments**

Land use and forest cover


Proportion of each land class in area





**Total Vegetation Cover [%]** 


















#### % Area protected from wind erosion (>50%)




**Total Vegetation Cover Anomaly [%]** 




Derived from

Use of Australia




Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.

**Total Vegetation Cover Decile [%]** 









Proportion of the area protected from wind erosion (Total Vegetation Cover > 50%)


Proportion of the area protected from water erosion (Total Vegetation Cover > 70%)



# Wind erosion historical monthly area protected (Total Veg Cov >50%)


Water erosion historical monthly area protected (Total Veg Cov>70%)







#### **Conservation and natural environments non forest**

Land use and forest cover




**Total Vegetation Cover [%]** 







% Area protected from water erosion (>70%)



Proportion of vegetation cover class in area




% Area protected from wind erosion (>50%)




**Total Vegetation Cover Anomaly [%]** 

Anomaly show how many percetage points each pixel is from the mean. That is, red pixels are about 20% lower than the mean of that pixel. The mean is only for the month of the map using baseline from 2001 to 2019.




Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.

Total Vegetation Cover Decile [%]








Proportion of the area protected from wind erosion (Total Vegetation Cover > 50%)


Proportion of the area protected from water erosion (Total Vegetation Cover > 70%)



80-60 40-20-0 -4eb In Jan Wai Way 1) 26, month tern Ecosystem Research Infrastructure Australian Government

Wind erosion historical monthly area protected (Total Veg Cov >50%)

Water erosion historical monthly area protected (Total Veg Cov>70%)









### Agriculture

Land use and forest cover


Proportion of each land class in area




Total Vegetation Cover [%]




% Area protected from water erosion (>70%)











Proportion of vegetation cover class in area



#### % Area protected from wind erosion (>50%)




**Total Vegetation Cover Anomaly [%]** 



Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.

protected 4.0% of region (153,439 ha) Area protected 96.0% of region (3,682,536 ha)

**Total Vegetation Cover Decile [%]** 








Anomaly show how many percetage points each pixel is from the mean. That is, red pixels are about 20% lower than the mean of that pixel. The mean is only for the month of the map from 2001 to 2019.

Derived from

Use of Australia




8




Proportion of the area protected from wind erosion (Total Vegetation Cover > 50%)

Proportion of the area protected from water erosion (Total Vegetation Cover > 70%)



# **Agriculture timeseries**




Wind erosion historical monthly area protected (Total Veg Cov >50%)

80-60-40-20-0-Jan 4eb In May 1<sup>1</sup> Mai 26, month tern Ecosystem Research Infrastructure Australian Government

→ 2001
→ 2002
→ 2003 → 2004
 → 2005 **---** 2006 **----** 2007 ---- 2008 ---- 2009 --- 2010 → 2011
→ 2012
→ 2013 ---- 2014 ---- 2015 --- 2016 **—** 2017 ---- 2018 **—** 2019 ---- 2020 → 2021
→ 2022
→ 2023 → 2024→ 2025 404 AUG OČ Dec Sel

Water erosion historical monthly area protected (Total Veg Cov>70%)







#### Grazing


Catchment Scale Land Use and Forests of Australia (2018) Catchment Scale Land Use of Australia

Land use and forest cover





Derived from (2018) and Forests of Australia (2018)


Total Vegetation Cover [%]




% Area protected from water erosion (>70%)












Proportion of vegetation cover class in area




% Area protected from wind erosion (>50%)



protected 45.4% of region (1,729,490 ha) Area protected 54.6% of region (2,079,960 ha)


**Total Vegetation Cover Anomaly [%]** 



Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.

protected 4.0% of region (152,378 ha) Area protected 96.0% of region (3,657,072 ha)


**Total Vegetation Cover Decile [%]** 








Anomaly show how many percetage points each pixel is from the mean. That is, red pixels are about 20% lower than the mean of that pixel. The mean is only for the month of the map using baseline from 2001 to 2019.



Proportion of the area protected from wind erosion (Total Vegetation Cover > 50%)

Proportion of the area protected from water erosion (Total Vegetation Cover > 70%)



## Grazing timeseries




Wind erosion historical monthly area protected (Total Veg Cov >50%)

80-60-40-20-0 -Jan 4er In way 1/1/ Ma, <u>v6</u>, month tern Ecosystem Research Infrastructure Australian Government

→ 2001
→ 2002
→ 2003 **—** 2004 **----** 2005 **---** 2006 **----** 2007 ---- 2008 **---** 2009 --- 2010 → 2011
→ 2012
→ 2013 ---- 2014 ---- 2015 ---- 2016 **—** 2017 ---- 2018 **—** 2019 ---- 2020 → 2021
→ 2022
→ 2023 → 2024→ 2025 AUG OČ 404 Dec Ser

Water erosion historical monthly area protected (Total Veg Cov>70%)









# **Grazing non forest**


Land use and forest cover



Total Vegetation Cover [%]



% Area protected from water erosion (>70%)




Area not

12%100%


52°10010010

32005001

0.30%




#### % Area protected from wind erosion (>50%)



#### Proportion of vegetation cover class in area


Area not

**Total Vegetation Cover Anomaly [%]** 



Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.

Total Vegetation Cover Decile [%]








Anomaly show how many percetage points each pixel is from the mean. That is, red pixels are about 20% lower than the mean of that pixel. The mean is only for the month of the map using baseline from 2001 to 2019.


Derived from






Proportion of the area protected from wind erosion (Total Vegetation Cover > 50%)

Proportion of the area protected from water erosion (Total Vegetation Cover > 70%)



# Grazing non forest timeseries



Wind erosion historical monthly area protected (Total Veg Cov >50%)

Water erosion historical monthly area protected (Total Veg Cov>70%)


### **Grazing Woodland forest**

12%200%

5200070010


· 32°10,50°10

0-30%




Total Vegetation Cover [%]


Land use and forest cover




% Area protected from water erosion (>70%)




Proportion of vegetation cover class in area



% Area protected from wind erosion (>50%)




Total Vegetation Cover Anomaly [%]



Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.

**Total Vegetation Cover Decile [%]** 









Anomaly show how many percetage points each pixel is from the mean. That is, red pixels are about 20% lower than the mean of that pixel. The mean is only for the month of the map using baseline from 2001 to 2019.


# Grazing Woodland forest timeseries



Proportion of the area protected from wind erosion (Total Vegetation Cover > 50%)







Water erosion historical monthly area protected (Total Veg Cov>70%)

### Grazing - Forest (non woodland)


12%200%

5201070010


· 32°10,50°10

0-30%

Land use and forest cover




Total Vegetation Cover [%]




% Area protected from water erosion (>70%)




Proportion of vegetation cover class in area




% Area protected from wind erosion (>50%)



Total Vegetation Cover Decile [%]



Total Vegetation Cover Anomaly [%]






Deciles show where the pixel value lies in the

record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of

records for that month of the map using baseline from 2001 to 2019.




Anomaly show how many percetage points each pixel is from the mean. That is, red pixels are about 20% lower than the mean of that pixel. The mean is only for the month of the map using baseline from 2001 to 2019.




Proportion of the area protected from wind erosion (Total Vegetation Cover > 50%)

Proportion of the area protected from water erosion (Total Vegetation Cover > 70%)



# Grazing - Forest (non woodland) timeseries



Water erosion historical monthly area protected (Total Veg Cov>70%)

# Bourke\_(A) (4,151,200 ha and no data 4,226 ha) Percentage area and hectares protected with TVC threshold 30,50,70,80,90 and 95%

| Land use and<br>forest cover<br>Class                     | area(ha)  | above_30           | above_50           | above_70           | above_80         | above_90       | above_95                                    |
|---|-----------|--------------------|--------------------|--------------------|------------------|----------------|---|
| Entire region   | 4,151,200 | 99.2%<br>4,117,650 | 95.6%<br>3,968,000 | 55.2%<br>2,292,975 | 12.8%<br>532,700 | 0.5%<br>21,100 | 0.1%<br>5,250                               |
| Conservation and<br>natural<br>environments               | 272,375   | 99.7%<br>271,575   | 97.7%<br>266,000   | 68.0%<br>185,175   | 24.4%<br>66,425  | 0.7%<br>1,875  | 0.1%<br>200                                 |
| Conservation and<br>natural<br>environments non<br>forest | 234,325   | 99.7%<br>233,525   | 97.3%<br>227,950   | 63.0%<br>147,675   | 17.2%<br>40,275  | 0.7%<br>1,550  | 0.1%<br>150                                 |
| Agriculture   | 3,835,975 | 99.2%<br>3,806,450 | 95.8%<br>3,674,175 | 54.7%<br>2,097,875 | 12.1%<br>462,925 | 0.5%<br>18,425 | 0.1%<br>4,675                               |
| Grazing   | 3,809,450 | 99.2%<br>3,779,975 | 95.8%<br>3,649,250 | 54.6%<br>2,081,025 | 11.9%<br>455,125 | 0.4%<br>16,225 | 0.1%<br>3,425                               |
| Grazing non<br>forest                                     | 3,419,300 | 99.1%<br>3,389,825 | 95.3%<br>3,259,100 | 49.8%<br>1,704,400 | 9.2%<br>312,925  | 0.4%<br>13,250 | 0.1%<br>2,900                               |
| Grazing Woodland<br>forest                                | 292,550   | 100.0%<br>292,550  | 100.0%<br>292,550  | 96.8%<br>283,325   | 37.7%<br>110,325 | 0.6%<br>1,675  | 0.0%<br>125                                 |
| Grazing - Forest<br>(non woodland)                        | 97,600    | 100.0%<br>97,600   | 100.0%<br>97,600   | 95.6%<br>93,300    | 32.7%<br>31,875  | 1.3%<br>1,300  | $\begin{array}{c} 0.4\% \\ 400 \end{array}$ |

