## Total vegetation cover soil protection Region:LGA Cabonne\_(A) NSW

## Date: June 2022

This report describes vegetation protecting the soil surface from erosion during a chosen month compared to previous years. This report has been generated using MODIS fractional vegetation cover information available in Rangelands and Pasture Productivity (RAPP) map tool https://map.geo-rapp.org/#australia. The report is based on 500 metre pixel data on monthly time steps. Land use forest cover:

Results can be shown for the whole region (polygon), and separated by land use and forest cover classes which are likely to show different cover patterns and targets. Land use is divided into four broad classes: Conservation and natural environments, Agriculture, production native forests and plantation forests (no report), and other (no report). Agriculture is divided into grazing, crops and horticulture which are sub-divided into non-irrigated and irrigated. If forest is present land use is further divided into: non-forest, woodland forest and non-woodland forest. The area of each land use and forest class are shown as a map and chart. The report content is repeated for each land use and forest covers at least 1% of the area of the chosen region. Total vegetation Cover:

The total vegetation cover indicates where soil is likely to be protected from wind and or water hillslope erosion. Total vegetation cover for this month is shown on a map and chart classified into 4 classes.

• 71-100% High cover - protected from wind and usually water erosion (high rainfall, steep slopes, and erodible soils may need greater than 80, 90, 95 and up to 100% cover)

- 51-70% Moderate cover protected from wind erosion
- 31-50% Low cover not protected
- 0-30% Very Low cover not protected

Erosion protection: Wind erosion 50% total vegetation cover

The vegetation cover threshold required to prevent soil erosion is usually 50% to reduce wind erosion, 70% or 80% to reduce water (hillslope) erosion depending on the steepness and rainfall. Areas protected from erosion for the month:

• Map: water erosion protection (>70% cover) percentage area and hectares.

• Map: wind erosion protection (>50% cover) percentage area and hectares. Comparison with previous years:

• Map: anomaly comparing this month to the average cover from the same month in previous years.

• Map: deciles rank of month against the same month in previous years.

Anomalies and deciles until September 2019 are calculated comparing to the same months 2001 to 2019. Extra monthly data will be used to calculate anomalies and deciles post September 2019 as they become available. Time series monthly from January 2001 to current:

**Erosion protection** 

- Wind erosion protection time series: percentage of the area of the region with greater than 50% cover for each month (orange lines). Horizontal lines are 10th (cover target) and 50th percentiles.
- Water erosion protection time series: percentage of the area of the region with greater than 70% cover for each month (blue line). Horizontal lines are 10th (cover target) and 50th percentiles.

#### Rainfall

• Millimetres rainfall each month (black line).

Each time series is also stacked by year. The black line shows the current year of data. Water erosion protection for higher rainfall and steeper slopes:

Water erosion protection on higher slopes. As slope increases, more cover is required to control water erosion. The thresholds reported are:

- the percentage area with pixels greater than 80% total cover.
- the percentage area with pixels greater than 90% total cover.
- the percentage area with pixels greater than 95% total cover.

### Acknowledgment of data:

- 1. http://www.agriculture.gov.au/abares/aclump/land-use/alum-classification
- 2. http://www.agriculture.gov.au/abares/forestsaustralia/sofr/sofr-2018
- 3. https://www.dpi.nsw.gov.au/agriculture/pastures-and-rangelands/establishment-mgmt/production-management2/groundcover
- 4. MODIS Fractional cover algorithm:

https://doi.org/10.4225/08/5848a3f19a7b3




## **Vegetation Cover Jun 2022**

#### Land use and forest cover

#### Proportion of each land class in area

Catchment Scale Land Use and Forests of Australia (2018) Derived from Catchment Scale Land Use of Australia (2018) and Forests of Australia (2018)




12%,100

520070010


320050010


0.30%

**Total Vegetation Cover [%]** 




% Area protected from water erosion (>70%)






#### Proportion of vegetation cover class in area




#### % Area protected from wind erosion (>50%)




**Total Vegetation Cover Anomaly [%]** 

Anomaly show how many percetage points each pixel is from the mean. That is, red pixels are about 20% lower than the mean of that pixel. The mean is only for the month of the map using baseline from 2001 to 2019.




Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.











#### **Conservation and natural environments**


Catchment Scale Land Use and Forests of Australia (2018) Derived from Catchment Scale Land Use of Australia (2018) and Forests of Australia (2018)




**Total Vegetation Cover [%]** 









Proportion of each land class in area



Proportion of vegetation cover class in area




% Area protected from wind erosion (>50%)





**Total Vegetation Cover Anomaly [%]** 

Anomaly show how many percetage points each pixel is from the mean. That is, red pixels are about 20% lower than the mean of that pixel. The mean is only for the month of the map using baseline from 2001 to 2019.




Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.















Water erosion historical monthly area protected (Total Veg Cov>70%)

#### **Conservation and natural environments Woodland forest**

Catchment Scale Land Use and Forests of Australia (2018) Derived from Catchment Scale Land Use of Australia (2018) and Forests of Australia (2018)




12%-200

52% TON


32%50%

0.30%


**Total Vegetation Cover [%]** 













% Area protected from wind erosion (>50%)





Total Vegetation Cover Anomaly [%]

Anomaly show how many percetage points each pixel is from the mean. That is, red pixels are about 20% lower than the mean of that pixel. The mean is only for the month of the map using baseline from 2001 to 2019.



Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.











## **Conservation and natural environments Woodland forest timeseries**





Water erosion historical monthly area protected (Total Veg Cov>70%)

#### Agriculture

Catchment Scale Land Use and Forests of Australia (2018) Derived from Catchment Scale Land Use of Australia (2018) and Forests of Australia (2018)


#### Land use and forest cover

Proportion of each land class in area


<u>55.</u>4%

50 -


40





**Total Vegetation Cover [%]** 




% Area protected from water erosion (>70%)











#### % Area protected from wind erosion (>50%)




**Total Vegetation Cover Anomaly [%]** 

Anomaly show how many percetage points each pixel is from the mean That the mean. That is, red pixels are about 20% lower than the mean of that pixel. The mean is only for the month of the map using baseline from 2001 to 2019.




Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.










Proportion of the area protected from wind erosion (Total Vegetation Cover > 50%)


Proportion of the area protected from water erosion (Total Vegetation Cover > 70%)



## **Agriculture timeseries**


100 90-80-70 60 50 40 4e0 lar may In War PQ hy month Ecosystem Research Infrastructure Australian Government

Water erosion historical monthly area protected (Total Veg Cov>70%)




#### Grazing


Catchment Scale Land Use and Forests of Australia (2018) Derived from Catchment Scale Land Use of Australia (2018) and Forests of Australia (2018)



**Total Vegetation Cover [%]** 




% Area protected from water erosion (>70%)




12% 200 52% 70% 32010 0.30%

## Proportion of each land class in area



Proportion of vegetation cover class in area




#### % Area protected from wind erosion (>50%)





**Total Vegetation Cover Anomaly [%]** 

Anomaly show how many percetage points each pixel is from the mean. That is, red pixels are about 20% lower than the mean of that pixel. The mean is only for the month of the map using baseline from 2001 to 2019.




Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.












---- above\_70

**—** 10th



<u>99</u>8 97 **——** 50th **——** 2022 Jun





#### **Grazing non forest**


12%100

52%70%


32010

0.30%


Land use and forest cover




Total Vegetation Cover [%]




% Area protected from water erosion (>70%)







% Area protected from wind erosion (>50%)




**Total Vegetation Cover Anomaly [%]** 

Anomaly show how many percetage points each pixel is from the mean. That is, red pixels are about 20% lower than the lower than the mean of that pixel. The mean is only for the month of the map using baseline from 2001 to 2019.


Catchment Scale Land Use and Forests of Australia (2018)

Catchment Scale Land Use of Australia (2018) and Forests of Australia (2018)


Derived from




Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.










## Grazing non forest timeseries

Water erosion historical monthly area protected (Total Veg Cov>70%)



#### **Grazing Woodland forest**


120/0-200

52% TON


32%50%

0.30%


Land use and forest cover




**Total Vegetation Cover [%]** 












% Area protected from wind erosion (>50%)







Catchment Scale Land Use and Forests of Australia (2018) Derived from Catchment Scale Land Use of Australia (2018) and Forests of Australia (2018)

**Total Vegetation Cover Anomaly [%]** 


Anomaly show how many percetage points each pixel is from the mean. That is, red pixels are about 20% lower than the mean of that pixel. The mean is only for the month of the map using baseline from 2001 to 2019.




Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline the map using baseline from 2001 to 2019.







Proportion of the area protected from wind erosion (Total Vegetation Cover > 50%)




Water erosion historical monthly area protected (Total Veg Cov>70%)

Wind erosion historical monthly area protected (Total Veg Cov >50%)

#### Cropping

Land use and forest cover




12%100

52% 70%


32%50%

0.30%

**Total Vegetation Cover [%]** 











Proportion of vegetation cover class in area




% Area protected from wind erosion (>50%)



Catchment Scale Land Use and Forests of Australia (2018) Derived from Catchment Scale Land Use of Australia (2018) and Forests of Australia (2018)


**Total Vegetation Cover Anomaly [%]** 

Anomaly show how many percetage points each pixel is from the mean. That is, red pixels are about 20% lower than the lower than the mean of that pixel. The mean is only for the month of the map using baseline from 2001 to 2019.




Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline the map using baseline from 2001 to 2019.

Total Vegetation Cover Decile [%]






10




Proportion of the area protected from wind erosion (Total Vegetation Cover > 50%)

Proportion of the area protected from water erosion (Total Vegetation Cover > 70%)




## **Cropping timeseries**



Water erosion historical monthly area protected (Total Veg Cov>70%)

### **Production native forests and plantation forests**

Land use and forest cover




120/0

52% TON


32005001

0.30%


Total Vegetation Cover [%]




% Area protected from water erosion (>70%)







% Area protected from wind erosion (>50%)




**Total Vegetation Cover Anomaly [%]** 

Anomaly show how many percetage points each pixel is from the mean. That is, red pixels are about 20% lower than the mean of that pixel. The mean is only for the month of the map using baseline from 2001 to 2019.


Catchment Scale Land Use and Forests of Australia (2018)


Catchment Scale Land Use of Australia (2018) and Forests of Australia (2018)

Derived from




Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.












Proportion of the area protected from wind erosion (Total Vegetation Cover > 50%)



Water erosion historical monthly area protected (Total Veg Cov>70%)

# Cabonne\_(A) (598,675 ha and no data 3,583 ha) Percentage area and hectares protected with TVC threshold 30,50,70,80,90 and 95%

Land use and forest cover Class	area(ha)	above_30	above_50	above_70	above_80	above_90	above_95
Entire region	598,675	100.0% 598,675	99.9% 598,375	98.7% 590,675	91.8% 549,525	58.3% 348,975	28.8% 172,150
Conservation and natural environments	48,200	100.0% 48,200	100.0% 48,200	99.8% 48,125	97.7% 47,075	75.4% 36,325	34.7% 16,725
Conservation and natural environments Woodland forest	43,700	100.0% 43,700	100.0% 43,700	99.9% 43,650	97.6% 42,650	74.7% 32,625	33.2% 14,500
Agriculture	527,850	100.0% 527,850	99.9% 527,550	98.5% 520,100	91.1% 480,950	56.1% 295,925	27.4% 144,500
Grazing	359,350	100.0% 359,350	100.0% 359,200	99.2% 356,300	95.0% 341,275	65.0% 233,700	33.0% 118,450
Grazing non forest	292,300	100.0% 292,300	100.0% 292,175	99.1% 289,600	94.6% 276,575	65.2% 190,650	34.8% 101,600
Grazing Woodland forest	65,450	100.0% 65,450	100.0% 65,425	99.5% 65,125	96.6% 63,225	64.2% 42,025	24.9% 16,325
Cropping	164,075	100.0% 164,075	99.9% 163,925	97.3% 159,625	83.0% 136,175	37.1% 60,925	15.6% 25,650
Production native forests and plantation forests	17,175	100.0% 17,175	100.0% 17,175	100.0% 17,175	98.5% 16,925	80.9% 13,900	55.5% 9,525

