Total vegetation cover soil protection Region:LGA Coonamble_(A) NSW

Date: February 2023

This report describes vegetation protecting the soil surface from erosion during a chosen month compared to previous years. This report has been generated using MODIS fractional vegetation cover information available in Rangelands and Pasture Productivity (RAPP) map tool https://map.geo-rapp.org/#australia. The report is based on 500 metre pixel data on monthly time steps. Land use forest cover:

Results can be shown for the whole region (polygon), and separated by land use and forest cover classes which are likely to show different cover patterns and targets. Land use is divided into four broad classes: Conservation and natural environments, Agriculture, production native forests and plantation forests (no report), and other (no report). Agriculture is divided into grazing, crops and horticulture which are sub-divided into non-irrigated and irrigated. If forest is present land use is further divided into: non-forest, woodland forest and non-woodland forest. The area of each land use and forest class are shown as a map and chart. The report content is repeated for each land use and forest covers at least 1% of the area of the chosen region. Total vegetation Cover:

The total vegetation cover indicates where soil is likely to be protected from wind and or water hillslope erosion. Total vegetation cover for this month is shown on a map and chart classified into 4 classes.

• 71-100% High cover - protected from wind and usually water erosion (high rainfall, steep slopes, and erodible soils may need greater than 80, 90, 95 and up to 100% cover)

- 51-70% Moderate cover protected from wind erosion
- 31-50% Low cover not protected
- 0-30% Very Low cover not protected

Erosion protection: Wind erosion 50% total vegetation cover

The vegetation cover threshold required to prevent soil erosion is usually 50% to reduce wind erosion, 70% or 80% to reduce water (hillslope) erosion depending on the steepness and rainfall. Areas protected from erosion for the month:

- Map: water erosion protection (>70% cover) percentage area and hectares.
- Map: wind erosion protection (>50% cover) percentage area and hectares. Comparison with previous years:
 - Map: anomaly comparing this month to the average cover from the same month in previous years.
 - Map: deciles rank of month against the same month in previous years.

Anomalies and deciles until September 2019 are calculated comparing to the same months 2001 to 2019. Extra monthly data will be used to calculate anomalies and deciles post September 2019 as they become available. Time series monthly from January 2001 to current:

Erosion protection

- Wind erosion protection time series: percentage of the area of the region with greater than 50% cover for each month (orange lines). Horizontal lines are 10th (cover target) and 50th percentiles.
- Water erosion protection time series: percentage of the area of the region with greater than 70% cover for each month (blue line). Horizontal lines are 10th (cover target) and 50th percentiles.

Rainfall

• Millimetres rainfall each month (black line).

Each time series is also stacked by year. The black line shows the current year of data. Water erosion protection for higher rainfall and steeper slopes:

Water erosion protection on higher slopes. As slope increases, more cover is required to control water erosion. The thresholds reported are:

- the percentage area with pixels greater than 80% total cover.
- the percentage area with pixels greater than 90% total cover.
- the percentage area with pixels greater than 95% total cover.

Acknowledgment of data:

- 1. http://www.agriculture.gov.au/abares/aclump/land-use/alum-classification
- 2. http://www.agriculture.gov.au/abares/forestsaustralia/sofr/sofr-2018
- 3. https://www.dpi.nsw.gov.au/agriculture/pastures-and-rangelands/establishment-mgmt/production-management2/groundcover
- 4. MODIS Fractional cover algorithm:


https://doi.org/10.4225/08/5848a3f19a7b3



Vegetation Cover Feb 2023

Land use and forest cover

Proportion of each land class in area




120010000

5201070010


· 32%50%


0.30%

Total Vegetation Cover [%]




% Area protected from water erosion (>70%)







Proportion of vegetation cover class in area




% Area protected from wind erosion (>50%)



Total Vegetation Cover Anomaly [%]




Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019. **Total Vegetation Cover Decile [%]**










Conservation and natural environments

Land use and forest cover

Land Use and Forests of Australia (2018) Catchment Scale Land (2018) and Forests


1 Conservation and natural environments - Non-forest 2 Conservation and natural environments - Woodland forest 3 Conservation and natural environments - Non-woodland forest




Proportion of each land class in area


Proportion of vegetation cover class in area

Land use class




% Area protected from wind erosion (>50%)







Total Vegetation Cover [%]




% Area protected from water erosion (>70%)






Total Vegetation Cover Decile [%]



Total Vegetation Cover Anomaly [%]









Anomaly show how many percetage points each pixel is from the mean. That is, red pixels are about 20% lower than the mean of that pixel. The mean is only for the month of the map from 2001 to 2019.

Catchment Scale

Derived from

Use of Australia

of Australia (2018)

Deciles show where the


pixel value lies in the

record, from highest to

lowest, for that month. That is, red pixels are in the lowest 10% of


records for that month of

the map using baseline from 2001 to 2019.



Proportion of the area protected from wind erosion (Total Vegetation Cover > 50%)









Wind erosion historical monthly area protected (Total Veg Cov >50%)

Water erosion historical monthly area protected (Total Veg Cov>70%)





Conservation and natural environments non forest

Land use and forest cover




Total Vegetation Cover [%]







% Area protected from water erosion (>70%)




Proportion of vegetation cover class in area



% Area protected from wind erosion (>50%)



Total Vegetation Cover Decile [%]



Total Vegetation Cover Anomaly [%]

Anomaly show how many percetage points each


pixel is from

is, red pixels are about 20% lower than the

mean of that pixel. The mean is only for the month of the map

using baseline from 2001 to 2019.

the mean. That







Deciles show where the pixel value lies in the

record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of


the map using baseline from 2001 to 2019.

Conservation and natural environments non forest timeseries




Proportion of the area protected from wind erosion (Total Vegetation Cover > 50%)

Proportion of the area protected from water erosion (Total Vegetation Cover > 70%)



Water erosion historical monthly area protected (Total Veg Cov>70%)




Wind erosion historical monthly area protected (Total Veg Cov >50%)


___ 2001 --- 2002 ---- 2003 **---** 2004 ____ 2005 **----** 2006 --- 2007 2008 ---- 2009 **---** 2010 - 2011 - 2013 → 2014 → 2015 - 2016 <mark>→</mark> 2017 --- 2018 --- 2019 → 2020 **—** 2022 ---- 2023 AUD Sel 404 Dec OČ


Conservation and natural environments Woodland forest

Land use and forest cover




Total Vegetation Cover [%]







% Area protected from water erosion (>70%)








% Area protected from wind erosion (>50%)



Total Vegetation Cover Decile [%]




Total Vegetation Cover Anomaly [%]

Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.











Proportion of the area protected from wind erosion (Total Vegetation Cover > 50%)

Proportion of the area protected from water erosion (Total Vegetation Cover > 70%)



Wind erosion historical monthly area protected (Total Veg Cov >50%)




Water erosion historical monthly area protected (Total Veg Cov>70%)


Agriculture

Land use and forest cover








Total Vegetation Cover [%]




% Area protected from water erosion (>70%)








Proportion of vegetation cover class in area




% Area protected from wind erosion (>50%)




0.2%

4

Total Vegetation Cover Decile [%]




Total Vegetation Cover Anomaly [%]




Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.








Proportion of the area protected from wind erosion (Total Vegetation Cover > 50%)



Agriculture timeseries



Wind erosion historical monthly area protected (Total Veg Cov >50%)

Water erosion historical monthly area protected (Total Veg Cov>70%)


Grazing

Catchment Scale Land Use and Forests of Australia (2018) Derived from Catchment Scale Land Use of Australia (2018) and Forests of Australia (2018)


1 Agriculture - Grazing - Non forest 2 Agriculture - Grazing - Woodland forest 3 Agriculture - Grazing - Non-woodland forest

Land use and forest cover

Total Vegetation Cover [%]




% Area protected from water erosion (>70%)




12% 200% · 52°10010 320050010 0.30%

Area not


Proportion of each land class in area




Proportion of vegetation cover class in area




% Area protected from wind erosion (>50%)




Total Vegetation Cover Decile [%]






Total Vegetation Cover Anomaly [%]




Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the man using baseline the map using baseline from 2001 to 2019.







Proportion of the area protected from wind erosion (Total Vegetation Cover > 50%)



Proportion of the area protected from water erosion (Total Vegetation Cover > 70%)

Grazing timeseries




Wind erosion historical monthly area protected (Total Veg Cov >50%)

100-80 60-40 20-0 -4eb way In Jan Mai 1st PQ' month Ecosystem Research Infrastructure Australian Government

___ 2001 --- 2002 ---- 2003 **---** 2004 ____ 2005 **----** 2006 --- 2007 ____ 2008 ---- 2009 **---** 2010 --- 2011 - 2013 - 2014 → 2015 2016 <mark>→</mark> 2017 ---- 2018 --- 2019 → 2020 → 2021
→ 2022 ---- 2023 AUG Sel 404 Dec OČ

Water erosion historical monthly area protected (Total Veg Cov>70%)








Grazing non forest


Catchment Scale Land Use and Forests of Australia (2018) Derived from Catchment Scale Land Use of Australia (2018) and Forests of Australia (2018) 1 Agriculture - Grazing - Non forest


Total Vegetation Cover [%]


Land use and forest cover




% Area protected from water erosion (>70%)









Proportion of vegetation cover class in area




% Area protected from wind erosion (>50%)



Total Vegetation Cover Decile [%]




Total Vegetation Cover Anomaly [%]



Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the man using baseline the map using baseline from 2001 to 2019.









Proportion of the area protected from wind erosion (Total Vegetation Cover > 50%)





Grazing non forest timeseries

Water erosion historical monthly area protected (Total Veg Cov>70%)



Wind erosion historical monthly area protected (Total Veg Cov >50%)

___ 2001 --- 2002 ---- 2003 **---** 2004 ____ 2005 **----** 2006 --- 2007 2008 ---- 2009 **---** 2010 --- 2011 - 2013 - 2014 → 2015 - 2016 <mark>→</mark> 2017 ---- 2018 --- 2019 → 2020 → 2021
→ 2022 ---- 2023 AUG Sel 404 Dec OČ

Grazing Woodland forest

12%100%

52°10010010


32%50%

0.30%


Catchment Scale Land Use and Forests of Australia (2018) Derived from 1 Agriculture - Grazing - Woodland forest Catchment Scale Land Use of Australia (2018) and Forests of Australia (2018)

Total Vegetation Cover [%]


Land use and forest cover













% Area protected from wind erosion (>50%)



Total Vegetation Cover Decile [%]




Total Vegetation Cover Anomaly [%]


Anomaly show how many percetage points each pixel is from the mean. That is, red pixels are about 20% lower than the

lower than the mean of that

using baseline from 2001 to 2019.

pixel. The mean is only for the month of the map











10

Grazing Woodland forest timeseries



Proportion of the area protected from wind erosion (Total Vegetation Cover > 50%)


Proportion of the area protected from water erosion (Total Vegetation Cover > 70%)



100 90 80-70-60 50-40 30 20-4er lar way In 1¹1 PQ1 Mai month Landcare Ecosystem Research Infrastructure Australian Government

Programm

Water erosion historical monthly area protected (Total Veg Cov>70%)




NSW

Cropping


Catchment Scale Land Use and Forests of Australia (2018) Derived from Catchment Scale Land Use of Australia (2018) and Forests of Australia (2018) 1 Agriculture - Cropping - Non-irrigated

Total Vegetation Cover [%]


Land use and forest cover




% Area protected from water erosion (>70%)




120010000 · 52°10010 32005001 0.30%









% Area protected from wind erosion (>50%)




Total Vegetation Cover Decile [%]






Total Vegetation Cover Anomaly [%]



Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline the map using baseline from 2001 to 2019.








Proportion of the area protected from wind erosion (Total Vegetation Cover > 50%)

Proportion of the area protected from water erosion (Total Vegetation Cover > 70%)




Cropping timeseries

80 60-40 20-0lan 4er way In 1/2/ Wal Þ6, month Ecosystem Research Infrastructure Australian Government

Water erosion historical monthly area protected (Total Veg Cov>70%)

Wind erosion historical monthly area protected (Total Veg Cov >50%)







Production native forests and plantation forests

Catchment Scale Land Use and Forests of Australia (2018) Derived from 1 Production native forests and plantation forests Catchment Scale Land Use of Australia (2018) and Forests of Australia (2018)

12%100%


52°10010

3201050010


0.30%

Total Vegetation Cover [%]


Land use and forest cover









Proportion of vegetation cover class in area




% Area protected from wind erosion (>50%)



Total Vegetation Cover Decile [%]



Total Vegetation Cover Anomaly [%]



Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.






the mean. That is, red pixels are about 20% lower than the mean of that pixel. The mean is only for the month of the map using baseline from 2001 to 2019.


pixel is from


Production native forests and plantation forests timeseries



Proportion of the area protected from wind erosion (Total Vegetation Cover > 50%)

Proportion of the area protected from water erosion (Total Vegetation Cover > 70%)





Wind erosion historical monthly area protected (Total Veg Cov >50%)

Water erosion historical monthly area protected (Total Veg Cov>70%)

Coonamble_(A) (991,250 ha and no data 201 ha) Percentage area and hectares protected with TVC threshold 30,50,70,80,90 and 95%

Land use and forest cover Class	area(ha)	above_30	above_50	above_70	above_80	above_90	above_95
Entire region	991,250	100.0% 991,100	97.3% 964,775	74.2% 735,325	47.4% 469,900	9.2% 91,200	1.6% 16,100
Conservation and natural environments	44,975	100.0% 44,975	100.0% 44,975	97.1% 43,650	82.4% 37,050	14.8% 6,650	1.7% 750
Conservation and natural environments non forest	14,925	100.0% 14,925	100.0% 14,925	92.1% 13,750	60.0% 8,950	16.6% 2,475	3.7% 550
Conservation and natural environments Woodland forest	29,025	100.0% 29,025	100.0% 29,025	99.6% 28,900	93.7% 27,200	13.2% 3,825	0.3% 75
Agriculture	924,600	100.0% 924,450	97.1% 898,175	72.6% 671,175	44.8% 414,550	8.9% 82,175	1.6% 15,200
Grazing	512,750	100.0% 512,750	99.6% 510,675	89.8% 460,475	63.9% 327,725	14.5% 74,525	2.7% 13,900
Grazing non forest	484,025	100.0% 484,025	99.6% 482,000	89.4% 432,950	63.4% 307,000	14.8% 71,575	2.9% 13,850
Grazing Woodland forest	26,800	100.0% 26,800	99.8% 26,750	96.3% 25,800	73.1% 19,600	10.3% 2,750	0.2% 50
Cropping	410,100	100.0% 409,950	94.1% 385,800	51.2% 210,050	21.1% 86,475	1.9% 7,650	0.3% 1,300
Production native forests and plantation forests	18,350	100.0% 18,350	99.9% 18,325	98.8% 18,125	92.8% 17,025	11.7% 2,150	0.0% 0

