Total vegetation cover soil protection Region:LGA Cowra_(A) NSW

Date: March 2025

This report describes vegetation protecting the soil surface from erosion during a chosen month compared to previous years. This report has been generated using MODIS fractional vegetation cover information available in Rangelands and Pasture Productivity (RAPP) map tool https://map.geo-rapp.org/#australia. The report is based on 500 metre pixel data on monthly time steps. Land use forest cover:

Results can be shown for the whole region (polygon), and separated by land use and forest cover classes which are likely to show different cover patterns and targets. Land use is divided into four broad classes: Conservation and natural environments, Agriculture, production native forests and plantation forests (no report), and other (no report). Agriculture is divided into grazing, crops and horticulture which are sub-divided into non-irrigated and irrigated. If forest is present land use is further divided into: non-forest, woodland forest and non-woodland forest. The area of each land use and forest class are shown as a map and chart. The report content is repeated for each land use and forest covers at least 1% of the area of the chosen region. Total vegetation Cover:

The total vegetation cover indicates where soil is likely to be protected from wind and or water hillslope erosion. Total vegetation cover for this month is shown on a map and chart classified into 4 classes.

• 71-100% High cover - protected from wind and usually water erosion (high rainfall, steep slopes, and erodible soils may need greater than 80, 90, 95 and up to 100% cover)

- 51-70% Moderate cover protected from wind erosion
- 31-50% Low cover not protected
- 0-30% Very Low cover not protected

Erosion protection: Wind erosion 50% total vegetation cover

The vegetation cover threshold required to prevent soil erosion is usually 50% to reduce wind erosion, 70% or 80% to reduce water (hillslope) erosion depending on the steepness and rainfall. Areas protected from erosion for the month:

- Map: water erosion protection (>70% cover) percentage area and hectares.
- Map: wind erosion protection (>50% cover) percentage area and hectares. Comparison with previous years:
 - Map: anomaly comparing this month to the average cover from the same month in previous years.
 - Map: deciles rank of month against the same month in previous years.

Anomalies and deciles until September 2019 are calculated comparing to the same months 2001 to 2019. Extra monthly data will be used to calculate anomalies and deciles post September 2019 as they become available. Time series monthly from January 2001 to current:

Erosion protection

- Wind erosion protection time series: percentage of the area of the region with greater than 50% cover for each month (orange lines). Horizontal lines are 10th (cover target) and 50th percentiles.
- Water erosion protection time series: percentage of the area of the region with greater than 70% cover for each month (blue line). Horizontal lines are 10th (cover target) and 50th percentiles.

Rainfall

• Millimetres rainfall each month (black line).

Each time series is also stacked by year. The black line shows the current year of data. Water erosion protection for higher rainfall and steeper slopes:

Water erosion protection on higher slopes. As slope increases, more cover is required to control water erosion. The thresholds reported are:

- the percentage area with pixels greater than 80% total cover.
- the percentage area with pixels greater than 90% total cover.
- the percentage area with pixels greater than 95% total cover.

Acknowledgment of data:

- 1. http://www.agriculture.gov.au/abares/aclump/land-use/alum-classification
- 2. http://www.agriculture.gov.au/abares/forestsaustralia/sofr/sofr-2018
- 3. https://www.dpi.nsw.gov.au/agriculture/pastures-and-rangelands/establishment-mgmt/production-management2/groundcover
- 4. MODIS Fractional cover algorithm:


https://doi.org/10.4225/08/5848a3f19a7b3




Vegetation Cover Mar 2025

Land use and forest cover


Proportion of each land class in area




Total Vegetation Cover [%]




% Area protected from water erosion (>70%)







Proportion of vegetation cover class in area



% Area protected from wind erosion (>50%)









Conservation and natural environments


Land use and forest cover Proportion of each land class in area 99.3% 100 80 Catchment Scale Land Use and Forest of Australia (2018) Derived from 1 Conservation and natural environments - Non-forest forest 3 Conservation and natural environments - Non-woodland forest 60 Catchment Scale Land Use of Australia (2018) and Forests of Australia (2018) 3 Conservation and natural environments - Non-woodland forest 40 20 -0.4% 0.4% 0 -0.5 0.0 0.5 1.0 1.5 2.5 2.0 Land use class Proportion of vegetation cover class in area **Total Vegetation Cover [%]** 120020001 100.0% 100 80 52% 70% Area (%) 60 · 32%50% 40 0-30% 20 -0.0% 0.0% 0.0% 0 51%-70% 0-30% 31%-50% 71%-100% Total Vegetation Cover class % Area protected from water erosion (>70%) % Area protected from wind erosion (>50%)
















Conservation and natural environments timeseries

Water erosion historical monthly area protected (Total Veg Cov>70%)


Conservation and natural environments Woodland forest




Total Vegetation Cover [%]




% Area protected from water erosion (>70%)





Proportion of vegetation cover class in area




% Area protected from wind erosion (>50%)










Water erosion historical monthly area protected (Total Veg Cov>70%)


Agriculture

Land use and forest cover

Proportion of each land class in area



Total Vegetation Cover [%]




% Area protected from water erosion (>70%)







Proportion of vegetation cover class in area



% Area protected from wind erosion (>50%)




Total Vegetation Cover Anomaly [%]




Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.

Total Vegetation Cover Decile [%]









Proportion of the area protected from wind erosion (Total Vegetation Cover > 50%)





Agriculture timeseries





Wind erosion historical monthly area protected (Total Veg Cov >50%)

Grazing


Land use and forest cover









% Area protected from water erosion (>70%)






% Area protected from wind erosion (>50%)




Total Vegetation Cover Anomaly [%]





Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.

Total Vegetation Cover Decile [%]











Grazing timeseries

100 <u>99</u>.8 95⁻ 90 ---- above_70 **——** 10th **——** 50th **—** 2025 Mar 85 80 75 70




Water erosion historical monthly area protected (Total Veg Cov>70%)


Grazing non forest



Total Vegetation Cover [%]




% Area protected from water erosion (>70%)







Proportion of vegetation cover class in area




Total Vegetation Cover Anomaly [%]



Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.



Total Vegetation Cover Decile [%]







0

-10


-20






Grazing non forest timeseries


Grazing Woodland forest




Total Vegetation Cover [%]





% Area protected from water erosion (>70%)




Proportion of vegetation cover class in area












Grazing - Forest (non woodland)




Total Vegetation Cover [%]




% Area protected from water erosion (>70%)




Proportion of vegetation cover class in area




% Area protected from wind erosion (>50%)







Proportion of the area protected from water erosion (Total Vegetation Cover > 70%)



Grazing - Forest (non woodland) timeseries




Wind erosion historical monthly area protected (Total Veg Cov >50%)




Water erosion historical monthly area protected (Total Veg Cov>70%)


Cropping




Total Vegetation Cover [%]




% Area protected from water erosion (>70%)



Proportion of vegetation cover class in area





region (1,295 ha)

protected 99.0% of

region (128,180

Area

ha)


\$

°,

A:1


2:3






Proportion of the area protected from wind erosion (Total Vegetation Cover > 50%)






Cropping timeseries




Irrigation

Land use and forest cover




Total Vegetation Cover [%]




% Area protected from water erosion (>70%)

CSIRO




Landcare

Programme




Proportion of each land class in area

Proportion of vegetation cover class in area




% Area protected from wind erosion (>50%)




Australian Government

Ecosystem Research Infrastructure




Proportion of the area protected from wind erosion (Total Vegetation Cover > 50%)




Proportion of the area protected from water erosion (Total Vegetation Cover > 70%)

Irrigation timeseries




Wind erosion historical monthly area protected (Total Veg Cov >50%)

Production native forests and plantation forests




Land use and forest cover


Total Vegetation Cover [%]




% Area protected from water erosion (>70%)




Proportion of vegetation cover class in area



% Area protected from wind erosion (>50%)








Australian Government

Programme

Ecosystem Research Infrastructure







Water erosion historical monthly area protected (Total Veg Cov>70%)

Cowra_(A) (279,625 ha and no data 1,218 ha) Percentage area and hectares protected with TVC threshold 30,50,70,80,90 and 95%

Land use and forest cover Class	area(ha)	above_30	above_50	above_70	above_80	above_90	above_95
Entire region	279,625	99.9% 279,450	99.3% 277,700	91.3% 255,325	77.0% 215,225	42.4% 118,650	19.4% 54,200
Conservation and natural environments	6,675	100.0% 6,675	100.0% 6,675	100.0% 6,675	98.1% 6,550	45.3% 3,025	7.1% 475
Conservation and natural environments Woodland forest	6,625	100.0% 6,625	100.0% 6,625	100.0% 6,625	98.1% 6,500	45.3% 3,000	6.8% 450
Agriculture	258,400	100.0% 258,275	99.3% 256,550	91.0% 235,150	76.2% 196,875	41.6% 107,550	19.0% 49,150
Grazing	122,900	100.0% 122,900	99.9% 122,825	99.0% 121,675	94.4% 116,025	60.9% 74,850	28.1% 34,525
Grazing non forest	85,675	100.0% 85,675	99.9% 85,600	98.7% 84,525	92.5% 79,275	62.3% 53,400	32.8% 28,075
Grazing Woodland forest	34,225	100.0% 34,225	100.0% 34,225	99.8% 34,150	98.6% 33,750	57.0% 19,500	15.4% 5,275
Grazing - Forest (non woodland)	3,000	100.0% 3,000	100.0% 3,000	100.0% 3,000	100.0% 3,000	65.0% 1,950	39.2% 1,175
Cropping	129,475	99.9% 129,375	98.7% 127,850	84.3% 109,175	60.8% 78,675	24.9% 32,175	11.1% 14,425
Irrigation	5,925	99.6% 5,900	97.5% 5,775	70.9% 4,200	36.3% 2,150	8.9% 525	3.4% 200
Production native forests and plantation forests	8,775	100.0% 8,775	100.0% 8,775	99.7% 8,750	98.6% 8,650	80.9% 7,100	49.3% 4,325

