Total vegetation cover soil protection Region:LGA Hilltops_(A) NSW

Date: December 2019

This report describes vegetation protecting the soil surface from erosion during a chosen month compared to previous years. This report has been generated using MODIS fractional vegetation cover information available in Rangelands and Pasture Productivity (RAPP) map tool https://map.geo-rapp.org/#australia. The report is based on 500 metre pixel data on monthly time steps. Land use forest cover:

Results can be shown for the whole region (polygon), and separated by land use and forest cover classes which are likely to show different cover patterns and targets. Land use is divided into four broad classes: Conservation and natural environments, Agriculture, production native forests and plantation forests (no report), and other (no report). Agriculture is divided into grazing, crops and horticulture which are sub-divided into non-irrigated and irrigated. If forest is present land use is further divided into: non-forest, woodland forest and non-woodland forest. The area of each land use and forest class are shown as a map and chart. The report content is repeated for each land use and forest covers at least 1% of the area of the chosen region. Total vegetation Cover:

The total vegetation cover indicates where soil is likely to be protected from wind and or water hillslope erosion. Total vegetation cover for this month is shown on a map and chart classified into 4 classes.

• 71-100% High cover – protected from wind and usually water erosion (high rainfall, steep slopes, and erodible soils may need greater than 80, 90, 95 and up to 100% cover)

- 51-70% Moderate cover protected from wind erosion
- 31-50% Low cover not protected
- 0-30% Very Low cover not protected

Erosion protection: Wind erosion 50% total vegetation cover

The vegetation cover threshold required to prevent soil erosion is usually 50% to reduce wind erosion, 70% or 80% to reduce water (hillslope) erosion depending on the steepness and rainfall. Areas protected from erosion for the month:

- Map: water erosion protection (>70% cover) percentage area and hectares.
- Map: wind erosion protection (>50% cover) percentage area and hectares. Comparison with previous years:
 - Map: anomaly comparing this month to the average cover from the same month in previous years.
 - Map: deciles rank of month against the same month in previous years.

Anomalies and deciles until September 2019 are calculated comparing to the same months 2001 to 2019. Extra monthly data will be used to calculate anomalies and deciles post September 2019 as they become available. Time series monthly from January 2001 to current:

Erosion protection

- Wind erosion protection time series: percentage of the area of the region with greater than 50% cover for each month (orange lines). Horizontal lines are 10th (cover target) and 50th percentiles.
- Water erosion protection time series: percentage of the area of the region with greater than 70% cover for each month (blue line). Horizontal lines are 10th (cover target) and 50th percentiles.

Rainfall

• Millimetres rainfall each month (black line).

Each time series is also stacked by year. The black line shows the current year of data. Water erosion protection for higher rainfall and steeper slopes:

Water erosion protection on higher slopes. As slope increases, more cover is required to control water erosion. The thresholds reported are:

- the percentage area with pixels greater than 80% total cover.
- the percentage area with pixels greater than 90% total cover.
- the percentage area with pixels greater than 95% total cover.

Acknowledgment of data:

- 1. http://www.agriculture.gov.au/abares/aclump/land-use/alum-classification
- 2. http://www.agriculture.gov.au/abares/forestsaustralia/sofr/sofr-2018
- 3. https://www.dpi.nsw.gov.au/agriculture/pastures-and-rangelands/establishment-mgmt/production-management2/groundcover
- 4. MODIS Fractional cover algorithm:


https://doi.org/10.4225/08/5848a3f19a7b3




Vegetation Cover Dec 2019

Land use and forest cover


Proportion of each land class in area



Total Vegetation Cover [%]



% Area protected from water erosion (>70%)




protected

12%200%


52010-10010

3201050010


0.30%




Proportion of vegetation cover class in area




% Area protected from wind erosion (>50%)





Total Vegetation Cover Anomaly [%]






-20






Total Vegetation Cover Decile [%]





Anomaly show how many percetage points each pixel is from the mean. That is, red pixels are about 20% lower than the mean of that pixel. The mean is only for the month of the map using baseline from 2001 to 2019.

2



Conservation and natural environments

1 Conservation and natural environments - Non-

forest

12%^{100%}

52°10'10°10

32005000

0.30%

Catchment Scale Land Use and Forests of Australia (2018) Derived from Catchment Scale Land Use of Australia (2018) and Forests of Australia (2018)


Land use and forest cover

Proportion of each land class in area


70 68.4% 60 50 **%** 40 Area 90 2 Conservation and natural environments – Woodland forest 31.6% 20 10 0 1 2 Land use class

Total Vegetation Cover [%]


% Area protected from water erosion (>70%)




Proportion of vegetation cover class in area




% Area protected from wind erosion (>50%)



Total Vegetation Cover Anomaly [%]






- 20

- 10


- 0

-10

-20





Total Vegetation Cover Decile [%]






Anomaly show how many percetage points each pixel is from the mean. That is, red pixels are about 20% lower than the mean of that pixel. The mean is only for the month of the map using baseline from 2001 to 2019.







Agriculture

Catchment Scale Land Use and Forests of Australia (2018) Derived from Catchment Scale Land Use of Australia (2018) and Forests of Australia (2018)

Land use and forest cover

1 Agriculture - Grazing - Non forest 2 Agriculture - Grazing - Woodland forest 3 Agriculture - Grazing - Non-woodland forest 4 Agriculture - Cropping - Non-irrigated 5 Agriculture - Cropping - Irrigated 6 Agriculture - Horticulture - Non-irrigated 7 Agriculture - Horticulture - Irrigated


12%100%

52% 70%


32%50%

0-30%

Total Vegetation Cover [%]




% Area protected from water erosion (>70%)




Area not







Proportion of vegetation cover class in area



% Area protected from wind erosion (>50%)



Total Vegetation Cover Anomaly [%]




10 record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of the map using baseline from 2001 to 2019. -10

- 20

0

-20

Total Vegetation Cover Decile [%]






Deciles show where the

records for that month of


pixel value lies in the

Anomaly show how many percetage points each pixel is from the mean That the mean. That is, red pixels are about 20% lower than the mean of that pixel. The mean is only for the month of the map from 2001 to 2019.


Ø



Proportion of the area protected from wind erosion (Total Vegetation Cover > 50%)




Agriculture timeseries




Grazing

Land use and forest cover Catchment Scale Land Use and Forests of Australia (2018) Derived from Catchment Scale Land Use of Australia (2018) and Forests of Australia (2018) 1 Agriculture - Grazing - Non forest 2 Agriculture - Grazing - Woodland forest 3 Agriculture - Grazing - Non-woodland forest


Total Vegetation Cover [%]




% Area protected from water erosion (>70%)




12º0-200% · 52% 70% 32%50% 0-30%




Proportion of each land class in area



Proportion of vegetation cover class in area



% Area protected from wind erosion (>50%)



 $\hat{\mathbf{v}}$


~ ~[?]

x,1

· ~??

Total Vegetation Cover Anomaly [%]

Total Vegetation Cover Decile [%]






Anomaly show how many percetage points each pixel is from the mean. That is, red pixels are about 20% lower than the mean of that pixel. The mean is only for the month of the map using baseline from 2001 to 2019.









Proportion of the area protected from wind erosion (Total Vegetation Cover > 50%)

Proportion of the area protected from water erosion (Total Vegetation Cover > 70%)




Wind erosion historical monthly area protected (Total Veg Cov >50%)




Grazing non forest


Land use and forest cover




Total Vegetation Cover [%]




% Area protected from water erosion (>70%)








Proportion of vegetation cover class in area



% Area protected from wind erosion (>50%)



 $\hat{\mathbf{v}}$


୍ଚ୍ଚ

x,1

· ~??


Total Vegetation Cover Anomaly [%]


Total Vegetation Cover Decile [%]






Anomaly show how many percetage points each pixel is from the mean. That is, red pixels are about 20% lower than the lower than the mean of that pixel. The mean is only for the month of the map using baseline from 2001 to 2019.






Proportion of the area protected from wind erosion (Total Vegetation Cover > 50%)




Grazing non forest timeseries




Wind erosion historical monthly area protected (Total Veg Cov >50%)


Grazing Woodland forest



Total Vegetation Cover [%]



% Area protected from water erosion (>70%)




12%200%

52°10 TO010


32%550%

0.30%


Proportion of vegetation cover class in area




% Area protected from wind erosion (>50%)




Total Vegetation Cover Anomaly [%]












Total Vegetation Cover Decile [%]





12





Water erosion historical monthly area protected (Total Veg Cov>70%)


Cropping

12%200%


52°10°10°10

3201050010


0.30%




Total Vegetation Cover [%]




% Area protected from water erosion (>70%)





Proportion of vegetation cover class in area



% Area protected from wind erosion (>50%)




\$

ଚ୍ଚ


A.1

2.33

Total Vegetation Cover Anomaly [%]





Total Vegetation Cover Decile [%]






Anomaly show how many percetage points each pixel is from the mean. That is, red pixels are about 20% lower than the mean of that pixel. The mean is only for the month of the map using baseline from 2001 to 2019.






Proportion of the area protected from wind erosion (Total Vegetation Cover > 50%)



Cropping timeseries



Hilltops_(A) (713,150 ha and no data 958 ha) Percentage area and hectares protected with TVC threshold 30,50,70,80,90 and 95%

Land use and forest cover Class	area(ha)	above_30	above_50	above_70	above_80	above_90	above_95
Entire region	713,150	100.0% 713,050	95.0% 677,400	56.3% 401,525	20.7% 147,800	1.9% 13,700	0.5% 3,350
Conservation and natural environments	8,225	100.0% 8,225	100.0% 8,225	93.6% 7,700	52.3% 4,300	1.8% 150	0.3% 25
Agriculture	692,625	100.0% 692,550	94.9% 656,975	55.7% 385,725	20.4% 141,325	1.9% 13,400	0.5% 3,225
Grazing	326,250	100.0% 326,250	99.5% 324,750	72.1% 235,250	29.4% 95,900	2.8% 9,025	0.6% 2,050
Grazing non forest	296,575	100.0% 296,575	99.5% 295,125	69.9% 207,300	25.5% 75,550	2.1% 6,125	0.4% 1,325
Grazing Woodland forest	26,850	100.0% 26,850	99.8% 26,800	94.3% 25,325	68.8% 18,475	9.5% 2,550	1.9% 500
Cropping	363,350	100.0% 363,275	90.6% 329,200	40.7% 147,775	12.1% 44,050	1.2% 4,250	0.3% 1,150

