Total vegetation cover soil protection Region:LGA Lockhart_(A) NSW

Date: July 2021

This report describes vegetation protecting the soil surface from erosion during a chosen month compared to previous years. This report has been generated using MODIS fractional vegetation cover information available in Rangelands and Pasture Productivity (RAPP) map tool https://map.geo-rapp.org/#australia. The report is based on 500 metre pixel data on monthly time steps. Land use forest cover:

Results can be shown for the whole region (polygon), and separated by land use and forest cover classes which are likely to show different cover patterns and targets. Land use is divided into four broad classes: Conservation and natural environments, Agriculture, production native forests and plantation forests (no report), and other (no report). Agriculture is divided into grazing, crops and horticulture which are sub-divided into non-irrigated and irrigated. If forest is present land use is further divided into: non-forest, woodland forest and non-woodland forest. The area of each land use and forest class are shown as a map and chart. The report content is repeated for each land use and forest covers at least 1% of the area of the chosen region. Total vegetation Cover:

The total vegetation cover indicates where soil is likely to be protected from wind and or water hillslope erosion. Total vegetation cover for this month is shown on a map and chart classified into 4 classes.

• 71-100% High cover – protected from wind and usually water erosion (high rainfall, steep slopes, and erodible soils may need greater than 80, 90, 95 and up to 100% cover)

- 51-70% Moderate cover protected from wind erosion
- 31-50% Low cover not protected
- 0-30% Very Low cover not protected

Erosion protection: Wind erosion 50% total vegetation cover

The vegetation cover threshold required to prevent soil erosion is usually 50% to reduce wind erosion, 70% or 80% to reduce water (hillslope) erosion depending on the steepness and rainfall. Areas protected from erosion for the month:

- Map: water erosion protection (>70% cover) percentage area and hectares.
- Map: wind erosion protection (>50% cover) percentage area and hectares. Comparison with previous years:
 - Map: anomaly comparing this month to the average cover from the same month in previous years.
 - Map: deciles rank of month against the same month in previous years.

Anomalies and deciles until September 2019 are calculated comparing to the same months 2001 to 2019. Extra monthly data will be used to calculate anomalies and deciles post September 2019 as they become available. Time series monthly from January 2001 to current:

Erosion protection

- Wind erosion protection time series: percentage of the area of the region with greater than 50% cover for each month (orange lines). Horizontal lines are 10th (cover target) and 50th percentiles.
- Water erosion protection time series: percentage of the area of the region with greater than 70% cover for each month (blue line). Horizontal lines are 10th (cover target) and 50th percentiles.

Rainfall

• Millimetres rainfall each month (black line).

Each time series is also stacked by year. The black line shows the current year of data. Water erosion protection for higher rainfall and steeper slopes:

Water erosion protection on higher slopes. As slope increases, more cover is required to control water erosion. The thresholds reported are:

- the percentage area with pixels greater than 80% total cover.
- the percentage area with pixels greater than 90% total cover.
- the percentage area with pixels greater than 95% total cover.

Acknowledgment of data:

- 1. http://www.agriculture.gov.au/abares/aclump/land-use/alum-classification
- 2. http://www.agriculture.gov.au/abares/forestsaustralia/sofr/sofr-2018
- 3. https://www.dpi.nsw.gov.au/agriculture/pastures-and-rangelands/establishment-mgmt/production-management2/groundcover
- 4. MODIS Fractional cover algorithm:


https://doi.org/10.4225/08/5848a3f19a7b3




Vegetation Cover Jul 2021

Land use and forest cover


Proportion of each land class in area




Total Vegetation Cover [%]




% Area protected from water erosion (>70%)







Proportion of vegetation cover class in area



% Area protected from wind erosion (>50%)








Agriculture


80 Catchment Scale Land Use and Forests of Australia (2018) Derived from 60 1 Agriculture - Grazing - Non forest Area (%) 2 Agriculture - Grazing - Woodland forest Catchment Scale Land Use of Australia (2018) and Forests of Australia (2018) 3 Agriculture - Grazing - Non-woodland forest 4 Agriculture - Cropping - Non-irrigated 40 20 6.6%


Total Vegetation Cover [%]

Land use and forest cover




% Area protected from water erosion (>70%)







Proportion of each land class in area




Proportion of vegetation cover class in area




% Area protected from wind erosion (>50%)



Total Vegetation Cover Decile [%]




Total Vegetation Cover Anomaly [%]






Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.

Anomaly show how many percetage points each pixel is from the mean. That is, red pixels are about 20% lower than the mean of that pixel. The mean is only for the month of the map using baseline from 2001 to 2019.




Proportion of the area protected from wind erosion (Total Vegetation Cover > 50%)





Agriculture timeseries



Water erosion historical monthly area protected (Total Veg Cov>70%)

Grazing

Land use and forest cover 88.8% 80 Catchment Scale Land Use and Forests of Australia (2018) Derived from Catchment Scale Land Use of Australia (2018) and Forests of Australia (2018) 60 Area (%) 1 Agriculture - Grazing - Non forest 2 Agriculture - Grazing - Woodland forest 3 Agriculture - Grazing - Non-woodland forest 40 20 8.3% 0 1 2 Land use class **Total Vegetation Cover [%]** Proportion of vegetation cover class in area 12%-200' 100 80 52°10°10°10 Area (%) 60 · 320050010 40 0.30% 20 0.0% 0.0% 0 0-30% 31%-50% 51%-70% Total Vegetation Cover class

Proportion of each land class in area

3.0%


99.4%

71%-100%


3


% Area protected from wind erosion (>50%)

0.6%



% Area protected from water erosion (>70%)





100

90

80

70-

60

50-


40

30

20-

Proportion of the area protected from wind erosion (Total Vegetation Cover > 50%)

Proportion of the area protected from water erosion (Total Vegetation Cover > 70%)



Grazing timeseries

CSIRO CONTRACTOR CONTR Australian Government

PQ'

4eb

Mar

Jan


way

In


month

hy


Water erosion historical monthly area protected (Total Veg Cov>70%)



Grazing non forest




Total Vegetation Cover [%]



% Area protected from water erosion (>70%)


csiro




Landcare

Programme


Proportion of vegetation cover class in area






Australian Government


Ecosystem Research Infrastructure




Proportion of the area protected from water erosion (Total Vegetation Cover > 70%)




Grazing non forest timeseries




Water erosion historical monthly area protected (Total Veg Cov>70%)




Cropping




Total Vegetation Cover [%]



% Area protected from water erosion (>70%)




Proportion of vegetation cover class in area




% Area protected from wind erosion (>50%)



Total Vegetation Cover Decile [%]




Total Vegetation Cover Anomaly [%]



Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.




Anomaly show how many percetage points each pixel is from the mean. That is, red pixels are about 20% lower than the mean of that pixel. The mean -is only for the month of the map using baseline from 2001 to -2019.




Proportion of the area protected from wind erosion (Total Vegetation Cover > 50%)





Cropping timeseries

Water erosion historical monthly area protected (Total Veg Cov>70%)



Lockhart_(A) (total 289,850 ha) Percentage area and hectares protected with TVC threshold 30,50,70,80,90 and 95%

Land use and forest cover Class	area(ha)	above_30	above_50	above_70	above_80	above_90	above_95
Entire region	289,850	100.0% 289,725	99.9% 289,500	98.9% 286,725	87.3% 252,975	27.0% 78,250	7.1% 20,500
Agriculture	284,100	100.0% 284,100	100.0% 284,075	99.3% 282,025	87.7% 249,150	27.0% 76,800	7.0% 19,775
Grazing	21,125	100.0% 21,125	100.0% 21,125	99.4% 21,000	91.2% 19,275	42.6% 9,000	15.6% 3,300
Grazing non forest	18,750	100.0% 18,750	100.0% 18,750	99.7% 18,700	91.6% 17,175	40.8% 7,650	14.1% 2,650
Cropping	262,975	100.0% 262,975	100.0% 262,950	99.3% 261,025	87.4% 229,875	25.8% 67,800	6.3% 16,475

