Total vegetation cover soil protection Region:LGA Muswellbrook_(A) NSW

This report describes vegetation protecting the soil surface from erosion during a chosen month compared to previous years. This report has been generated using MODIS fractional vegetation cover information available in Rangelands and Pasture Productivity (RAPP) map tool https://map.geo-rapp.org/#australia. The report is based on 500 metre pixel data on monthly time steps.

Land use forest cover:

Results can be shown for the whole region (polygon), and separated by land use and forest cover classes which are likely to show different cover patterns and targets. Land use is divided into four broad classes: Conservation and natural environments, Agriculture, production native forests and plantation forests (no report), and other (no report). Agriculture is divided into grazing, crops and horticulture which are sub-divided into non-irrigated and irrigated. If forest is present land use is further divided into: non-forest, woodland forest and non-woodland forest. The area of each land use and forest class are shown as a map and chart. The report content is repeated for each land use and forest cover class that covers at least 1% of the area of the chosen region. Total vegetation Cover:

The total vegetation cover indicates where soil is likely to be protected from wind and or water hillslope erosion. Total vegetation cover for this month is shown on a map and chart classified into 4 classes.

- 71-100% High cover protected from wind and usually water erosion (high rainfall, steep slopes, and erodible soils may need greater than 80, 90, 95 and up to 100% cover)
 - 51-70% Moderate cover protected from wind erosion
 - 31-50% Low cover not protected
 - 0-30% Very Low cover not protected

Erosion protection: Wind erosion 50% total vegetation cover

The vegetation cover threshold required to prevent soil erosion is usually 50% to reduce wind erosion, 70% or 80% to reduce water (hillslope) erosion depending on the steepness and rainfall. Areas protected from erosion for the month:

- Map: water erosion protection (>70% cover) percentage area and hectares.
- Map: wind erosion protection (>50% cover) percentage area and hectares.

Comparison with previous years:

- Map: anomaly comparing this month to the average cover from the same month in previous years.
- Map: deciles rank of month against the same month in previous years.

Anomalies and deciles until September 2019 are calculated comparing to the same months 2001 to 2019. Extra monthly data will be used to calculate anomalies and deciles post September 2019 as they become available. Time series monthly from January 2001 to current:

Erosion protection

- Wind erosion protection time series: percentage of the area of the region with greater than 50% cover for each month (orange lines). Horizontal lines are 10th (cover target) and 50th percentiles.
- Water erosion protection time series: percentage of the area of the region with greater than 70% cover for each month (blue line). Horizontal lines are 10th (cover target) and 50th percentiles.

Rainfall

• Millimetres rainfall each month (black line).

Each time series is also stacked by year. The black line shows the current year of data. Water erosion protection for higher rainfall and steeper slopes:

Water erosion protection on higher slopes. As slope increases, more cover is required to control water erosion. The thresholds reported are:

- the percentage area with pixels greater than 80% total cover.
- the percentage area with pixels greater than 90% total cover.
- the percentage area with pixels greater than 95% total cover.

Acknowledgment of data:

- 1. http://www.agriculture.gov.au/abares/aclump/land-use/alum-classification
- 2. http://www.agriculture.gov.au/abares/forestsaustralia/sofr/sofr-2018
- 3. https://www.dpi.nsw.gov.au/agriculture/pastures-and-rangelands/establishment-mgmt/production-management2/groundcover
- 4. MODIS Fractional cover algorithm:

https://doi.org/10.4225/08/5848a3f19a7b3









Date: September 2021

Vegetation Cover Sep 2021

Land use and forest cover

Derived from

Use of Australia

Anomaly show how many percetage points each

pixel is from

is, red pixels are about 20% lower than the


mean of that pixel. The mean is only for the

month of the map


using baseline from 2001 to

2019.


the mean. That




Proportion of each land class in area




Total Vegetation Cover [%]




Proportion of vegetation cover class in area






% Area protected from wind erosion (>50%)



Total Vegetation Cover Anomaly [%]



Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.


Total Vegetation Cover Decile [%]


Ecosystem Research Infrastructure











_

Conservation and natural environments


Land use and forest cover Proportion of each land class in area 93.6% 80 Catchment Scale Land Use and Forests of Australia (2018) 60 1 Conservation and natural environments - Nonforest Area (%) Derived from 2 Conservation and natural environments - Woodland Catchment Scale Land Use of Australia 3 Conservation and natural environments – Non-woodland forest (2018) and Forests of Australia (2018) 20 6.2% 3 2 Land use class Proportion of vegetation cover class in area **Total Vegetation Cover [%]** 99.8% 100 80 Area (%) 60 40 20 0.1% 0.1% 0-30% 31%-50% 51%-70% 71%-100% **Total Vegetation Cover class** % Area protected from water erosion (>70%) % Area protected from wind erosion (>50%) Area not protected 0.2% of Area not protected 0.0% of region (367 ha) region (0 ha) Area Area protected 100.0% of protected 99.8% of region (183,307 region (183,675 ha) ha) **Total Vegetation Cover Anomaly [%] Total Vegetation Cover Decile [%]** 20 Anomaly show how many percetage points each pixel is from Deciles show where the 10 pixel value lies in the the mean. That is, red pixels record, from highest to lowest, for that month. That is, red pixels are are about 20% lower than the mean of that in the lowest 10% of pixel. The mean records for that month of is only for the month of the map the map using baseline from 2001 to 2019. using baseline from 2001 to 2019. -10 -20 **National** Landcare


Australian Government


Programme

Ecosystem Research Infrastructure


Conservation and natural environments timeseries









Conservation and natural environments Woodland forest





% Area protected from water erosion (>70%) Area not protected 2.6% of region (298 ha) Area protected 97.4% of region (11,176 ha)





80 60 40 20 51%-70% 0-30% 31%-50% 71%-100% **Total Vegetation Cover class** % Area protected from wind erosion (>50%)

Proportion of vegetation cover class in area

97.4%

100







Deciles show where the

pixel value lies in the


record, from highest to lowest, for that month. That is, red pixels are

in the lowest 10% of records for that month of


the map using baseline from 2001 to 2019.
















→ 2016
→ 2017


2018 2019 2020

--- 2021







month





Conservation and natural environments Forest (non woodland)







Proportion of vegetation cover class in area 100 - 100.0% 80 - 100.0% 40 - 20 - 100.0% 0-30% 0.0% 0.0% 0.0% Total Vegetation Cover class





Total Vegetation Cover Decile [%]














Conservation and natural environments Forest (non woodland) timeseries








Agriculture

Land use and forest cover Catchment Scale 1 Agriculture - Grazing - Non forest Land Use and Forests of Australia (2018) 2 Agriculture - Grazing - Woodland forest 3 Agriculture - Grazing - Non-woodland forest Derived from 4 Agriculture - Grazing - Irrigated Catchment Scale Land 5 Agriculture - Cropping - Non-irrigated Use of Australia 6 Agriculture - Horticulture - Non-irrigated (2018) and Forests 7 Agriculture - Horticulture - Irrigated of Australia (2018)

81.4% 80 70 60 Area (%) 30 20 10


Proportion of each land class in area

Total Vegetation Cover [%]




Proportion of vegetation cover class in area


Land use class



% Area protected from water erosion (>70%)



% Area protected from wind erosion (>50%)




Total Vegetation Cover Anomaly [%]

the mean. That is, red pixels


are about 20% lower than the mean of that

pixel. The mean

using baseline from 2001 to 2019.



Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.



Total Vegetation Cover Decile [%]


Ecosystem Research Infrastructure











Agriculture timeseries











Grazing


Land use and forest cover Catchment Scale Land Use and Forests of Australia (2018) Derived from 1 Agriculture - Grazing - Non forest 2 Agriculture - Grazing - Woodland forest Catchment Scale Land 3 Agriculture - Grazing - Non-woodland forest Use of Australia (2018) and Forests of Australia (2018)

88.7% 80 60 Area (%) 0 20 6.1% Land use class


Proportion of each land class in area




Proportion of vegetation cover class in area



% Area protected from water erosion (>70%)



% Area protected from wind erosion (>50%)




Total Vegetation Cover Anomaly [%]


is, red pixels are about 20% lower than the mean of that

pixel. The mean

using baseline from 2001 to 2019.



Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.
















Grazing timeseries













Grazing non forest


Land use and forest cover



Total Vegetation Cover [%]




% Area protected from water erosion (>70%)



Total Vegetation Cover Anomaly [%]


is, red pixels are about 20% lower than the mean of that pixel. The mean

using baseline from 2001 to 2019.




Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.


Proportion of vegetation cover class in area



% Area protected from wind erosion (>50%)



Total Vegetation Cover Decile [%]














Grazing non forest timeseries








Grazing Woodland forest


Catchment Scale Land Use and Forests of Australia (2018) Derived from Catchment Scale Land Use of Australia (2018) Australia (2018) Of Australia (2018)


Total Vegetation Cover [%]


Area not protected 2.7% of region (201 ha) Area protected 97.3% of region (7,248 ha)



Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.



















Grazing Woodland forest timeseries






month








Grazing - Forest (non woodland)

Catchment Scale Land Use and Forests of Australia (2018) Derived from Catchment Scale Land Use of Australia (2018) and Forests of Australia (2018)

Total Vegetation Cover [%]


Area protected from water erosion (>70%) Area protected protected 100.0% of region (6,350 ha)



Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.

Proportion of vegetation cover class in area 100 - 100.0% 80 - 20 - 20 - 0.0% 0-30% 31%-50% Total Vegetation Cover class 100.0% 71%-100% 71%-100%

Area protected from wind erosion (>50%) Area protected 100.0% of region (6,350 ha)























Irrigation


Land use and forest cover Catchment Scale Land Use and Forests of Australia (2018) Derived from Catchment Scale Land 1 Agriculture - Grazing - Irrigated 2 Agriculture - Horticulture - Irrigated Use of Australia (2018) and Forests of Australia (2018)



Proportion of each land class in area








% Area protected from wind erosion (>50%)

Total Vegetation Cover class


31%-50%


0-30%




51%-70%

71%-100%





Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.
















Irrigation timeseries











Muswellbrook_(A) (339,650 ha and no data 814 ha) Percentage area and hectares protected with TVC threshold 30,50,70,80,90 and 95%

Land use and forest cover Class	area(ha)	above_30	above_50	above_70	above_80	above_90	above_95
Entire region	339,650	99.7% 338,775	99.0% 336,325	97.8% 332,050	95.7% 325,150	65.6% 222,750	19.9% 67,450
Conservation and natural environments	183,675	100.0% 183,650	99.9% 183,525	99.8% 183,375	99.7% 183,075	76.9% 141,250	26.2% 48,075
Conservation and natural environments Woodland forest	11,475	99.8% 11,450	98.7% 11,325	97.4% 11,175	97.2% 11,150	85.2% 9,775	39.4% 4,525
Conservation and natural environments Forest (non woodland)	171,850	100.0% 171,850	100.0% 171,850	100.0% 171,850	99.8% 171,575	76.3% 131,175	25.3% 43,550
Agriculture	132,750	100.0% 132,700	99.6% 132,175	98.9% 131,225	96.4% 127,950	58.6% 77,825	13.9% 18,400
Grazing	121,875	100.0% 121,825	99.5% 121,300	98.8% 120,375	97.0% 118,225	62.7% 76,425	14.9% 18,100
Grazing non forest	108,075	100.0% 108,075	99.6% 107,675	98.8% 106,775	96.9% 104,750	61.8% 66,825	14.9% 16,050
Grazing Woodland forest	7,450	99.3% 7,400	97.7% 7,275	97.3% 7,250	95.6% 7,125	55.7% 4,150	1.0% 75
Grazing - Forest (non woodland)	6,350	100.0% 6,350	100.0% 6,350	100.0% 6,350	100.0% 6,350	85.8% 5,450	31.1% 1,975
Irrigation	8,950	100.0% 8,950	100.0% 8,950	99.7% 8,925	88.5% 7,925	11.5% 1,025	3.1% 275







