# Total vegetation cover soil protection Region:LGA Narrabri\_(A) NSW

# Date: March 2023

This report describes vegetation protecting the soil surface from erosion during a chosen month compared to previous years. This report has been generated using MODIS fractional vegetation cover information available in Rangelands and Pasture Productivity (RAPP) map tool https://map.geo-rapp.org/#australia. The report is based on 500 metre pixel data on monthly time steps. Land use forest cover:

Results can be shown for the whole region (polygon), and separated by land use and forest cover classes which are likely to show different cover patterns and targets. Land use is divided into four broad classes: Conservation and natural environments, Agriculture, production native forests and plantation forests (no report), and other (no report). Agriculture is divided into grazing, crops and horticulture which are sub-divided into non-irrigated and irrigated. If forest is present land use is further divided into: non-forest, woodland forest and non-woodland forest. The area of each land use and forest class are shown as a map and chart. The report content is repeated for each land use and forest covers at least 1% of the area of the chosen region. Total vegetation Cover:

The total vegetation cover indicates where soil is likely to be protected from wind and or water hillslope erosion. Total vegetation cover for this month is shown on a map and chart classified into 4 classes.

• 71-100% High cover - protected from wind and usually water erosion (high rainfall, steep slopes, and erodible soils may need greater than 80, 90, 95 and up to 100% cover)

- 51-70% Moderate cover protected from wind erosion
- 31-50% Low cover not protected
- 0-30% Very Low cover not protected

Erosion protection: Wind erosion 50% total vegetation cover

The vegetation cover threshold required to prevent soil erosion is usually 50% to reduce wind erosion, 70% or 80% to reduce water (hillslope) erosion depending on the steepness and rainfall. Areas protected from erosion for the month:

- Map: water erosion protection (>70% cover) percentage area and hectares.
- Map: wind erosion protection (>50% cover) percentage area and hectares. Comparison with previous years:
  - Map: anomaly comparing this month to the average cover from the same month in previous years.
  - Map: deciles rank of month against the same month in previous years.

Anomalies and deciles until September 2019 are calculated comparing to the same months 2001 to 2019. Extra monthly data will be used to calculate anomalies and deciles post September 2019 as they become available. Time series monthly from January 2001 to current:

## **Erosion protection**

- Wind erosion protection time series: percentage of the area of the region with greater than 50% cover for each month (orange lines). Horizontal lines are 10th (cover target) and 50th percentiles.
- Water erosion protection time series: percentage of the area of the region with greater than 70% cover for each month (blue line). Horizontal lines are 10th (cover target) and 50th percentiles.

## Rainfall

• Millimetres rainfall each month (black line).

Each time series is also stacked by year. The black line shows the current year of data. Water erosion protection for higher rainfall and steeper slopes:

Water erosion protection on higher slopes. As slope increases, more cover is required to control water erosion. The thresholds reported are:

- the percentage area with pixels greater than 80% total cover.
- the percentage area with pixels greater than 90% total cover.
- the percentage area with pixels greater than 95% total cover.

# Acknowledgment of data:

- 1. http://www.agriculture.gov.au/abares/aclump/land-use/alum-classification
- 2. http://www.agriculture.gov.au/abares/forestsaustralia/sofr/sofr-2018
- 3. https://www.dpi.nsw.gov.au/agriculture/pastures-and-rangelands/establishment-mgmt/production-management2/groundcover
- 4. MODIS Fractional cover algorithm:

https://doi.org/10.4225/08/5848a3f19a7b3




# **Vegetation Cover Mar 2023**

#### Land use and forest cover

Derived from

Proportion of each land class in area




1200-10001

· 52% 70%


32005001


0.30%

**Total Vegetation Cover [%]** 




% Area protected from water erosion (>70%)






### Proportion of vegetation cover class in area





## % Area protected from wind erosion (>50%)




Area not protected 2.0% of region (26,027 ha) Area protected 98.0% of


**Total Vegetation Cover Anomaly [%]** 








**Total Vegetation Cover Decile [%]** 








2







## **Conservation and natural environments**

forest


Land use and forest cover




**Total Vegetation Cover [%]** 



% Area protected from water erosion (>70%)






1 Conservation and natural environments - Non-forest


3 Conservation and natural environments - Non-woodland forest

2 Conservation and natural environments - Woodland


Proportion of each land class in area



Proportion of vegetation cover class in area



% Area protected from wind erosion (>50%)




**Total Vegetation Cover Anomaly [%]** 


Anomaly show how many percetage points each pixel is from the mean. That is, red pixels are about 20% lower than the mean of that pixel. The mean is only for the month of the map using baseline from 2001 to 2019.

Derived from


Use of Australia



Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.



**Total Vegetation Cover Decile [%]** 












₽



Proportion of the area protected from wind erosion (Total Vegetation Cover > 50%)

Proportion of the area protected from water erosion (Total Vegetation Cover > 70%)






Wind erosion historical monthly area protected (Total Veg Cov >50%)

100.0-97.5 95.0 92.5 90.0 87.5 85.0 82.5 4eb Jan way In PQ 1st Mai month tern Ecosystem Research Infrastructure Australian Government

Water erosion historical monthly area protected (Total Veg Cov>70%)








## **Conservation and natural environments Woodland forest**

Land use and forest cover




12% 100%

5201001001


3201050010

0.30%


**Total Vegetation Cover [%]** 




% Area protected from water erosion (>70%)








% Area protected from wind erosion (>50%)




**Total Vegetation Cover Anomaly [%]** 


Anomaly show how many percetage points each pixel is from the mean. That is, red pixels are about 20% lower than the mean of that pixel. The mean is only for the month of the map using baseline from 2001 to 2019.



Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.



**Total Vegetation Cover Decile [%]** 











Ø

# **Conservation and natural environments Woodland forest timeseries**



Proportion of the area protected from wind erosion (Total Vegetation Cover > 50%)

Proportion of the area protected from water erosion (Total Vegetation Cover > 70%)



Water erosion historical monthly area protected (Total Veg Cov>70%)

# Agriculture

Land use and forest cover

Derived from

pixel is from

is, red pixels

mean of that pixel. The mean


is only for the month of the map

from 2001 to 2019.


are about 20% lower than the

the mean. That








**Total Vegetation Cover [%]** 




% Area protected from water erosion (>70%)











Proportion of vegetation cover class in area



### % Area protected from wind erosion (>50%)




**Total Vegetation Cover Anomaly [%]** 




Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.

**Total Vegetation Cover Decile [%]** 









Proportion of the area protected from wind erosion (Total Vegetation Cover > 50%)





# **Agriculture timeseries**


Water erosion historical monthly area protected (Total Veg Cov>70%)




Wind erosion historical monthly area protected (Total Veg Cov >50%)

# Grazing


Land use and forest cover




**Total Vegetation Cover [%]** 




% Area protected from water erosion (>70%)






1 Agriculture - Grazing - Non forest


2 Agriculture - Grazing - Woodland forest




#### **Proportion of each land class in area**




Proportion of vegetation cover class in area




### % Area protected from wind erosion (>50%)



**Total Vegetation Cover Decile [%]** 



**Total Vegetation Cover Anomaly [%]** 




Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.






Anomaly show how many percetage points each pixel is from the mean. That is, red pixels are about 20% lower than the mean of that pixel. The mean is only for the month of the map using baseline from 2001 to 2019.



Proportion of the area protected from wind erosion (Total Vegetation Cover > 50%)






# Grazing timeseries


Water erosion historical monthly area protected (Total Veg Cov>70%)

# **Grazing non forest**


Land use and forest cover




**Total Vegetation Cover [%]** 




% Area protected from water erosion (>70%)









Proportion of vegetation cover class in area




% Area protected from wind erosion (>50%)



**Total Vegetation Cover Decile [%]** 



**Total Vegetation Cover Anomaly [%]** 




Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the man using baseline the map using baseline from 2001 to 2019.







Anomaly show how many percetage points each pixel is from the mean. That is, red pixels are about 20% lower than the lower than the mean of that pixel. The mean is only for the month of the map using baseline from 2001 to 2019.



Proportion of the area protected from wind erosion (Total Vegetation Cover > 50%)






# Grazing non forest timeseries

100-80-60-40 20 0-4eb lar way In PQ1 In I Ma1 month tern Ecosystem Research Infrastructure Australian Government


13

Water erosion historical monthly area protected (Total Veg Cov>70%)




# **Grazing Woodland forest**


Land use and forest cover




**Total Vegetation Cover [%]** 




% Area protected from water erosion (>70%)









Proportion of vegetation cover class in area




#### % Area protected from wind erosion (>50%)



**Total Vegetation Cover Decile [%]** 



**Total Vegetation Cover Anomaly [%]** 




Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the man using baseline the map using baseline from 2001 to 2019.






124


Anomaly show how many percetage points each pixel is from the mean. That is, red pixels are about 20% lower than the lower than the mean of that pixel. The mean is only for the month of the map using baseline from 2001 to 2019.




Proportion of the area protected from wind erosion (Total Vegetation Cover > 50%)

Proportion of the area protected from water erosion (Total Vegetation Cover > 70%)





Wind erosion historical monthly area protected (Total Veg Cov >50%)




Water erosion historical monthly area protected (Total Veg Cov>70%)

# Grazing - Forest (non woodland)


1 Agriculture - Grazing - Non-woodland forest


**Total Vegetation Cover [%]** 

Land use and forest cover




% Area protected from water erosion (>70%)






Proportion of vegetation cover class in area




% Area protected from wind erosion (>50%)




Catchment Scale Land Use and Forests of Australia (2018) Derived from Catchment Scale Land Use of Australia (2018) and Forests of Australia (2018)


**Total Vegetation Cover Anomaly [%]** 



Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.



**Total Vegetation Cover Decile [%]** 










Anomaly show how many percetage points each pixel is from the mean. That is, red pixels are about 20% lower than the mean of that pixel. The mean is only for the month of the map using baseline from 2001 to 2019.





10




Proportion of the area protected from wind erosion (Total Vegetation Cover > 50%)

Proportion of the area protected from water erosion (Total Vegetation Cover > 70%)






Wind erosion historical monthly area protected (Total Veg Cov >50%)




Water erosion historical monthly area protected (Total Veg Cov>70%)

## Cropping


Land use and forest cover





Total Vegetation Cover [%]




% Area protected from water erosion (>70%)









Proportion of vegetation cover class in area



% Area protected from wind erosion (>50%)



**Total Vegetation Cover Anomaly [%]** 




pixel is from the mean. That is, red pixels are about 20% lower than the

mean of that

pixel. The mean is only for the month of the map using baseline from 2001 to 2019.


Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline the map using baseline from 2001 to 2019.

**Total Vegetation Cover Decile [%]** 










Proportion of the area protected from wind erosion (Total Vegetation Cover > 50%)

Proportion of the area protected from water erosion (Total Vegetation Cover > 70%)




# **Cropping timeseries**



Wind erosion historical monthly area protected (Total Veg Cov >50%)


Water erosion historical monthly area protected (Total Veg Cov>70%)






# Irrigation

Catchment Scale Land Use and Forests of Australia (2018) Derived from Catchment Scale Land Use of Australia (2018) and Forests of Australia (2018)




Land use and forest cover

**Total Vegetation Cover [%]** 



% Area protected from water erosion (>70%)



120/02/00/0

52010010


· 32°1050010

0.30%


100.0% 100 -80 Area (%) 60 40 20 0.0% 0 -0.25 0.25 0.50 1.25 0.00 0.75 1.00 Land use class

#### Proportion of each land class in area


Proportion of vegetation cover class in area




#### % Area protected from wind erosion (>50%)




**Total Vegetation Cover Anomaly [%]** 



Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.




**Total Vegetation Cover Decile [%]** 








Anomaly show how many percetage points each pixel is from the mean. That is, red pixels are about 20% lower than the mean of that pixel. The mean is only for the month of the map using baseline from 2001 to 2019.




Proportion of the area protected from wind erosion (Total Vegetation Cover > 50%)





# Irrigation timeseries

Water erosion historical monthly area protected (Total Veg Cov>70%)




Wind erosion historical monthly area protected (Total Veg Cov >50%)


# **Production native forests and plantation forests**

Catchment Scale 1 Production native forests and plantation forests


**Total Vegetation Cover [%]** 

Land use and forest cover






% Area protected from water erosion (>70%)






Proportion of vegetation cover class in area




% Area protected from wind erosion (>50%)



Land Use and Forests of Australia (2018) Derived from Catchment Scale Land Use of Australia (2018) and Forests of Australia (2018)


**Total Vegetation Cover Anomaly [%]** 

Anomaly show how many percetage points each pixel is from the mean. That is, red pixels are about 20% lower than the mean of that pixel. The mean is only for the month of the map using baseline from 2001 to 2019.



Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.


**Total Vegetation Cover Decile [%]** 








# Production native forests and plantation forests timeseries



Proportion of the area protected from water erosion (Total Vegetation Cover > 70%)



Water erosion historical monthly area protected (Total Veg Cov>70%)

# Narrabri\_(A) (1,301,350 ha and no data 86 ha) Percentage area and hectares protected with TVC threshold 30,50,70,80,90 and 95%

Land use and forest cover Class	area(ha)	above_30	above_50	above_70	above_80	above_90	above_95
Entire region	1,301,350	99.8% 1,298,400	97.7% 1,271,450	81.7% 1,063,750	64.2% 835,200	20.5% 267,150	2.7% 35,650
Conservation and natural environments	175,700	100.0% 175,700	100.0% 175,700	99.9% 175,525	97.6% 171,425	30.2% 52,975	0.8% 1,450
Conservation and natural environments Woodland forest	166,450	100.0% 166,450	100.0% 166,450	99.9% 166,350	97.8% 162,725	30.2% 50,300	0.8% 1,350
Agriculture	933,000	99.7% 930,500	97.0% 905,475	75.3% 702,650	51.8% 483,375	14.7% 136,725	3.4% 32,050
Grazing	472,225	100.0% 472,225	99.7% 470,800	91.4% 431,725	72.0% 340,225	20.7% 97,775	4.1% 19,300
Grazing non forest	313,125	100.0% 313,125	99.6% 311,750	88.0% 275,625	63.6% 199,050	20.8% 65,200	5.4% 16,900
Grazing Woodland forest	140,225	100.0% 140,225	100.0% 140,175	98.6% 138,325	90.2% 126,550	21.0% 29,500	1.4% 1,975
Grazing - Forest (non woodland)	18,875	100.0% 18,875	100.0% 18,875	94.2% 17,775	77.5% 14,625	16.3% 3,075	2.3% 425
Cropping	345,275	99.4% 343,050	94.9% 327,550	61.7% 213,150	32.7% 112,775	8.6% 29,775	2.6% 8,925
Irrigation	115,475	99.8% 115,200	92.7% 107,100	50.0% 57,775	26.3% 30,375	7.9% 9,175	3.3% 3,825
Production native forests and plantation forests	174,900	100.0% 174,850	99.9% 174,725	99.8% 174,475	99.1% 173,375	43.1% 75,425	0.9% 1,525

