# Total vegetation cover soil protection Region:LGA Tweed\_(A) NSW

This report describes vegetation protecting the soil surface from erosion during a chosen month compared to previous years. This report has been generated using MODIS fractional vegetation cover information available in Rangelands and Pasture Productivity (RAPP) map tool https://map.geo-rapp.org/#australia. The report is based on 500 metre pixel data on monthly time steps.

Land use forest cover:

Date: January 2021

Results can be shown for the whole region (polygon), and separated by land use and forest cover classes which are likely to show different cover patterns and targets. Land use is divided into four broad classes: Conservation and natural environments, Agriculture, production native forests and plantation forests (no report), and other (no report). Agriculture is divided into grazing, crops and horticulture which are sub-divided into non-irrigated and irrigated. If forest is present land use is further divided into: non-forest, woodland forest and non-woodland forest. The area of each land use and forest class are shown as a map and chart. The report content is repeated for each land use and forest cover class that covers at least 1% of the area of the chosen region. Total vegetation Cover:

The total vegetation cover indicates where soil is likely to be protected from wind and or water hillslope erosion. Total vegetation cover for this month is shown on a map and chart classified into 4 classes.

- 71-100% High cover protected from wind and usually water erosion (high rainfall, steep slopes, and erodible soils may need greater than 80, 90, 95 and up to 100% cover)
  - 51-70% Moderate cover protected from wind erosion
  - 31-50% Low cover not protected
  - 0-30% Very Low cover not protected

Erosion protection: Wind erosion 50% total vegetation cover

The vegetation cover threshold required to prevent soil erosion is usually 50% to reduce wind erosion, 70% or 80% to reduce water (hillslope) erosion depending on the steepness and rainfall. Areas protected from erosion for the month:

- Map: water erosion protection (>70% cover) percentage area and hectares.
- Map: wind erosion protection (>50% cover) percentage area and hectares.

Comparison with previous years:

- Map: anomaly comparing this month to the average cover from the same month in previous years.
- Map: deciles rank of month against the same month in previous years.

Anomalies and deciles until September 2019 are calculated comparing to the same months 2001 to 2019. Extra monthly data will be used to calculate anomalies and deciles post September 2019 as they become available. Time series monthly from January 2001 to current:

## **Erosion protection**

- Wind erosion protection time series: percentage of the area of the region with greater than 50% cover for each month (orange lines). Horizontal lines are 10th (cover target) and 50th percentiles.
- Water erosion protection time series: percentage of the area of the region with greater than 70% cover for each month (blue line). Horizontal lines are 10th (cover target) and 50th percentiles.

#### Rainfall

• Millimetres rainfall each month (black line).

Each time series is also stacked by year. The black line shows the current year of data.

Water erosion protection for higher rainfall and steeper slopes:

Water erosion protection on higher slopes. As slope increases, more cover is required to control water erosion. The thresholds reported are:

- the percentage area with pixels greater than 80% total cover.
- the percentage area with pixels greater than 90% total cover.
- the percentage area with pixels greater than 95% total cover.

#### **Acknowledgment of data:**

- 1. http://www.agriculture.gov.au/abares/aclump/land-use/alum-classification
- 2. http://www.agriculture.gov.au/abares/forestsaustralia/sofr/sofr-2018
- 3. https://www.dpi.nsw.gov.au/agriculture/pastures-and-rangelands/establishment-mgmt/production-management2/groundcover
- 4. MODIS Fractional cover algorithm:

https://doi.org/10.4225/08/5848a3f19a7b3









## **Vegetation Cover Jan 2021**

#### Land use and forest cover

Derived from

pixel is from

is, red pixels are about 20% lower than the


mean of that pixel. The mean is only for the

using baseline from 2001 to 2019.


month of the map

the mean. That


Use of Australia




#### Proportion of each land class in area




#### **Total Vegetation Cover [%]**




Proportion of vegetation cover class in area







% Area protected from wind erosion (>50%)



#### **Total Vegetation Cover Anomaly [%]**



Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.

















#### **Conservation and natural environments**

## Land use and forest cover Catchment Scale Land Use and Forests of Australia (2018) 1 Conservation and natural environments - Non-Area (%) Derived from 2 Conservation and natural environments – Woodland Catchment Scale Land Use of Australia (2018) and Forests 3 Conservation and natural environments - Non-woodland forest of Australia (2018)

# Proportion of each land class in area 96.7%

100

80

60


20

-0.5

0.0

0.5

#### **Total Vegetation Cover [%]**



Proportion of vegetation cover class in area


1.0

Land use class


1.5

2.0


2.5




## % Area protected from water erosion (>70%)



% Area protected from wind erosion (>50%)




#### **Total Vegetation Cover Anomaly [%]**



Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.

#### **Total Vegetation Cover Decile [%]**





is, red pixels are about 20% lower than the mean of that

using baseline from 2001 to 2019.












## **Conservation and natural environments timeseries**









## **Conservation and natural environments Forest (non woodland)**


#### Land use and forest cover




#### **Total Vegetation Cover [%]**



#### % Area protected from water erosion (>70%)




#### Total Vegetation Cover Anomaly [%]





Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.

#### Proportion of vegetation cover class in area



#### % Area protected from wind erosion (>50%)
























## **Agriculture**

## Land use and forest cover Catchment Scale Land Use and Forests of Australia (2018) 1 Agriculture - Grazing - Non forest 2 Agriculture - Grazing - Woodland forest Derived from 3 Agriculture - Grazing - Non-woodland forest Catchment Scale Land 4 Agriculture - Grazing - Irrigated Use of Australia (2018) and Forests of Australia (2018) 5 Agriculture - Cropping - Non-irrigated 6 Agriculture - Horticulture - Non-irrigated




% Area protected from water erosion (>70%)



**Total Vegetation Cover Anomaly [%]** 


is, red pixels are about 20% lower than the mean of that pixel. The mean

using baseline from 2001 to 2019.




Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the man using baseling. the map using baseline from 2001 to 2019.


#### Proportion of each land class in area




Proportion of vegetation cover class in area



% Area protected from wind erosion (>50%)



**Total Vegetation Cover Decile [%]** 














## **Agriculture timeseries**







## **Grazing**

## Land use and forest cover Catchment Scale Land Use and Forests of Australia (2018) Derived from 1 Agriculture - Grazing - Non forest 2 Agriculture - Grazing - Woodland forest Catchment Scale Land 3 Agriculture - Grazing - Non-woodland forest Use of Australia (2018) and Forests of Australia (2018)

## 80 70 60 § 50 € Area 04 30 20 13.4%

85.5%


10

-0.5

0.0

Proportion of each land class in area

#### **Total Vegetation Cover [%]**



Proportion of vegetation cover class in area

1.0


Land use class

1.5


2.0

2.5


0.5




## % Area protected from water erosion (>70%)



% Area protected from wind erosion (>50%)




#### **Total Vegetation Cover Anomaly [%]**



Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the man using baseline. the map using baseline from 2001 to 2019.

#### **Total Vegetation Cover Decile [%]**





is, red pixels are about 20%

using baseline from 2001 to 2019.












## **Grazing timeseries**









## **Grazing non forest**


#### Land use and forest cover




#### **Total Vegetation Cover [%]**



#### % Area protected from water erosion (>70%)




#### **Total Vegetation Cover Anomaly [%]**





Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.

#### Proportion of vegetation cover class in area



#### % Area protected from wind erosion (>50%)




















## **Grazing non forest timeseries**









## **Grazing - Forest (non woodland)**


#### Land use and forest cover



#### **Total Vegetation Cover [%]**




#### % Area protected from water erosion (>70%)



#### **Total Vegetation Cover Anomaly [%]**


is, red pixels are about 20% lower than the mean of that

using baseline from 2001 to 2019.





Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.

#### Proportion of vegetation cover class in area



#### % Area protected from wind erosion (>50%)
























## **Cropping**


#### Land use and forest cover



#### **Total Vegetation Cover [%]**




#### % Area protected from water erosion (>70%)



#### **Total Vegetation Cover Anomaly [%]**


is, red pixels are about 20% lower than the mean of that pixel. The mean

using baseline from 2001 to 2019.





Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the man using baseline. the map using baseline from 2001 to 2019.

#### Proportion of vegetation cover class in area



#### % Area protected from wind erosion (>50%)
















## **Cropping timeseries**







# Tweed\_(A) (129,500 ha and no data 1,277 ha) Percentage area and hectares protected with TVC threshold 30,50,70,80,90 and 95%

Land use and forest cover Class	area(ha)	above_30	above_50	above_70	above_80	above_90	above_95
Entire region	129,500	99.9% 129,425	99.8% 129,250	98.2% 127,200	91.8% 118,850	65.5% 84,875	14.9% 19,300
Conservation and natural environments	45,675	99.9% 45,650	99.9% 45,625	99.6% 45,500	99.3% 45,350	88.7% 40,500	25.5% 11,650
Conservation and natural environments Forest (non woodland)	44,225	100.0% 44,225	100.0% 44,225	99.9% 44,175	99.7% 44,100	89.4% 39,550	25.8% 11,400
Agriculture	57,800	100.0% 57,800	99.9% 57,750	99.3% 57,375	90.7% 52,400	56.6% 32,725	10.1% 5,825
Grazing	45,850	100.0% 45,850	99.9% 45,800	99.6% 45,675	98.5% 45,150	67.3% 30,875	12.3% 5,650
Grazing non forest	39,175	100.0% 39,175	99.9% 39,125	99.6% 39,000	98.3% 38,500	65.0% 25,450	11.0% 4,325
Grazing - Forest (non woodland)	6,175	100.0% 6,175	100.0% 6,175	100.0% 6,175	100.0% 6,175	83.0% 5,125	19.8% 1,225
Cropping	10,400	100.0% 10,400	100.0% 10,400	97.6% 10,150	57.9% 6,025	13.2% 1,375	1.7% 175







