# Total vegetation cover soil protection Region:LGA Tweed\_(A) NSW

# Date: March 2021

This report describes vegetation protecting the soil surface from erosion during a chosen month compared to previous years. This report has been generated using MODIS fractional vegetation cover information available in Rangelands and Pasture Productivity (RAPP) map tool https://map.geo-rapp.org/#australia. The report is based on 500 metre pixel data on monthly time steps. Land use forest cover:

Results can be shown for the whole region (polygon), and separated by land use and forest cover classes which are likely to show different cover patterns and targets. Land use is divided into four broad classes: Conservation and natural environments, Agriculture, production native forests and plantation forests (no report), and other (no report). Agriculture is divided into grazing, crops and horticulture which are sub-divided into non-irrigated and irrigated. If forest is present land use is further divided into: non-forest, woodland forest and non-woodland forest. The area of each land use and forest class are shown as a map and chart. The report content is repeated for each land use and forest covers at least 1% of the area of the chosen region. Total vegetation Cover:

The total vegetation cover indicates where soil is likely to be protected from wind and or water hillslope erosion. Total vegetation cover for this month is shown on a map and chart classified into 4 classes.

• 71-100% High cover – protected from wind and usually water erosion (high rainfall, steep slopes, and erodible soils may need greater than 80, 90, 95 and up to 100% cover)

- 51-70% Moderate cover protected from wind erosion
- 31-50% Low cover not protected
- 0-30% Very Low cover not protected

Erosion protection: Wind erosion 50% total vegetation cover

The vegetation cover threshold required to prevent soil erosion is usually 50% to reduce wind erosion, 70% or 80% to reduce water (hillslope) erosion depending on the steepness and rainfall. Areas protected from erosion for the month:

- Map: water erosion protection (>70% cover) percentage area and hectares.
- Map: wind erosion protection (>50% cover) percentage area and hectares. Comparison with previous years:
  - Map: anomaly comparing this month to the average cover from the same month in previous years.
  - Map: deciles rank of month against the same month in previous years.

Anomalies and deciles until September 2019 are calculated comparing to the same months 2001 to 2019. Extra monthly data will be used to calculate anomalies and deciles post September 2019 as they become available. Time series monthly from January 2001 to current:

#### **Erosion protection**

- Wind erosion protection time series: percentage of the area of the region with greater than 50% cover for each month (orange lines). Horizontal lines are 10th (cover target) and 50th percentiles.
- Water erosion protection time series: percentage of the area of the region with greater than 70% cover for each month (blue line). Horizontal lines are 10th (cover target) and 50th percentiles.

#### Rainfall

• Millimetres rainfall each month (black line).

Each time series is also stacked by year. The black line shows the current year of data. Water erosion protection for higher rainfall and steeper slopes:

Water erosion protection on higher slopes. As slope increases, more cover is required to control water erosion. The thresholds reported are:

- the percentage area with pixels greater than 80% total cover.
- the percentage area with pixels greater than 90% total cover.
- the percentage area with pixels greater than 95% total cover.

### Acknowledgment of data:

- 1. http://www.agriculture.gov.au/abares/aclump/land-use/alum-classification
- 2. http://www.agriculture.gov.au/abares/forestsaustralia/sofr/sofr-2018
- 3. https://www.dpi.nsw.gov.au/agriculture/pastures-and-rangelands/establishment-mgmt/production-management2/groundcover
- 4. MODIS Fractional cover algorithm:


https://doi.org/10.4225/08/5848a3f19a7b3




# **Vegetation Cover Mar 2021**

#### Land use and forest cover





#### **Total Vegetation Cover [%]**



% Area protected from water erosion (>70%)




Area not protected 1.8% of (2,339 ha)

1200-10000


52% 70%

320050010


0.30%



#### Proportion of vegetation cover class in area




#### % Area protected from wind erosion (>50%)



Area not protected 0.0% of region (0 ha) Area

**Total Vegetation Cover Anomaly [%]** 




- 20 10 0 -10

Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.

protected 100.0% of region (129,975 ha)


**Total Vegetation Cover Decile [%]** 







Anomaly show how many percetage points each pixel is from the mean. That is, red pixels are about 20% lower than the mean of that pixel. The mean is only for the month of the map using baseline from 2001 to 2019.










#### **Conservation and natural environments**



Land use and forest cover

Proportion of each land class in area


96.7%

#### 80 1 Conservation and natural environments - Non-forest 60 Area (%) 2 Conservation and natural environments - Woodland 3 Conservation and natural environments - Non-woodland forest 40 20 2.3% 1.0% 0 3 1 2


100

Proportion of vegetation cover class in area

Land use class



% Area protected from wind erosion (>50%)



 $\hat{\mathcal{S}}$ 


<sub>ଚ</sub>୍ଚି


N.1

2:3

**Total Vegetation Cover [%]** 


% Area protected from water erosion (>70%)





forest

**Total Vegetation Cover Anomaly [%]** 




10 0 -10

-20

- 20


Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.

**Total Vegetation Cover Decile [%]** 






Anomaly show how many percetage points each pixel is from the mean. That is, red pixels are about 20% lower than the mean of that pixel. The mean is only for the month of the map using baseline from 2001 to 2019.





Proportion of the area protected from water erosion (Total Vegetation Cover > 70%)



## **Conservation and natural environments timeseries**

Water erosion historical monthly area protected (Total Veg Cov>70%)








#### **Conservation and natural environments Forest (non woodland)**


Land use and forest cover

Catchment Scale Land Use and Forests of Australia (2018) Derived from Catchment Scale Land Use of Australia (2018) and Forests of Australia (2018)


Total Vegetation Cover [%]




% Area protected from water erosion (>70%)







% Area protected from wind erosion (>50%)




2

୍ଚ୍ଚ


A:1


· ~??

**Total Vegetation Cover Decile [%]** 



Total Vegetation Cover Anomaly [%]





12%100%

52°10010


320050010

0.30%

Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.




## **Conservation and natural environments Forest (non woodland) timeseries**



Proportion of the area protected from wind erosion (Total Vegetation Cover > 50%)


Proportion of the area protected from water erosion (Total Vegetation Cover > 70%)






Wind erosion historical monthly area protected (Total Veg Cov >50%)

Water erosion historical monthly area protected (Total Veg Cov>70%)




### Agriculture


Land use and forest cover



**Total Vegetation Cover [%]** 




% Area protected from water erosion (>70%)




<u>67.9</u>%

Proportion of each land class in area




Proportion of vegetation cover class in area



% Area protected from wind erosion (>50%)



**Total Vegetation Cover Anomaly [%]** 



10 0 -10

-20

· 20

12%200%


· 52°1070°10

50%

32010

0.30%


Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.



**Total Vegetation Cover Decile [%]** 

 $\hat{\mathcal{S}}$ 


<sub>ଚ</sub>୍ଚି






Anomaly show how many percetage points each pixel is from the mean. That is, red pixels are about 20% lower than the mean of that pixel. The mean is only for the month of the map using baseline from 2001 to 2019.





Proportion of the area protected from wind erosion (Total Vegetation Cover > 50%)


Proportion of the area protected from water erosion (Total Vegetation Cover > 70%)





Wind erosion historical monthly area protected (Total Veg Cov >50%)

100 98 ---- above\_70 **—** 10th **--** 50th **—** 2021 Mar 96 94 92 feb hill ar May PQ' Mai month tern Ecosystem Research Infrastructure Australian Government

Water erosion historical monthly area protected (Total Veg Cov>70%)








### Grazing


Catchment Scale Land Use and Forests of Australia (2018) Derived from 1 Agriculture - Grazing - Non forest 2 Agriculture - Grazing - Woodland forest Catchment Scale Land 3 Agriculture - Grazing - Non-woodland forest Use of Australia (2018) and Forests of Australia (2018)

Land use and forest cover


**Total Vegetation Cover [%]** 




% Area protected from water erosion (>70%)




Proportion of each land class in area



#### Proportion of vegetation cover class in area



#### % Area protected from wind erosion (>50%)




 $\hat{\mathcal{S}}$ 

<sub>ଚ</sub>୍ଚି

N.1

**Total Vegetation Cover Anomaly [%]** 



10 0 -10

-20

· 20

12%100%


52°10010

320050010

0-30%

Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the man using baseline the map using baseline from 2001 to 2019.


**Total Vegetation Cover Decile [%]** 






Anomaly show how many percetage points each pixel is from the mean. That is, red pixels are about 20% lower than the lower than the mean of that pixel. The mean is only for the month of the map using baseline from 2001 to 2019.





Proportion of the area protected from wind erosion (Total Vegetation Cover > 50%)

Proportion of the area protected from water erosion (Total Vegetation Cover > 70%)








Wind erosion historical monthly area protected (Total Veg Cov >50%)

100.0-99.8 99.6 99.4 99.2<sup>-</sup> 99.0-98.8 98.6-Jan feb In May PQ' Mai month tern Ecosystem Research Infrastructure Australian Government

Water erosion historical monthly area protected (Total Veg Cov>70%)










## **Grazing non forest**

12%100%


· 52°10'70°10

320050010


0.30%




Total Vegetation Cover [%]




% Area protected from water erosion (>70%)



Proportion of vegetation cover class in area



% Area protected from wind erosion (>50%)




 $\hat{\mathcal{S}}$ 

<sub>ଚ</sub>୍ଚି

N.1

23

**Total Vegetation Cover Anomaly [%]** 




10 0 -10

-20

· 20


Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.

**Total Vegetation Cover Decile [%]** 






Anomaly show how many percetage points each pixel is from the mean. That is, red pixels are about 20% lower than the lower than the mean of that pixel. The mean is only for the month of the map using baseline from 2001 to 2019.



Proportion of the area protected from wind erosion (Total Vegetation Cover > 50%)







## Grazing non forest timeseries

Wind erosion historical monthly area protected (Total Veg Cov >50%)

Water erosion historical monthly area protected (Total Veg Cov>70%)






## **Grazing - Forest (non woodland)**

12%100%


52°10'70°10

320050010


0.30%




Total Vegetation Cover [%]




% Area protected from water erosion (>70%)



Proportion of vegetation cover class in area




% Area protected from wind erosion (>50%)



 $\hat{\mathcal{S}}$ 

**Total Vegetation Cover Anomaly [%]** 



the mean. That

is, red pixels are about 20% lower than the


mean of that pixel. The mean is only for the month of the map

using baseline from 2001 to 2019.


- 10 0 -10

-20


- 20




**Total Vegetation Cover Decile [%]** 








Proportion of the area protected from water erosion (Total Vegetation Cover > 70%)



## Grazing - Forest (non woodland) timeseries

Water erosion historical monthly area protected (Total Veg Cov>70%)




## Cropping

12%100%


52°10'70°10

320050010

0.30%



**Total Vegetation Cover [%]** 




% Area protected from water erosion (>70%)

Anomaly show how many percetage points each pixel is from the mean. That


is, red pixels are about 20% lower than the

mean of that pixel. The mean


is only for the month of the map using baseline from 2001 to 2019.



Proportion of vegetation cover class in area




% Area protected from wind erosion (>50%)







23



Proportion of the area protected from wind erosion (Total Vegetation Cover > 50%)









Wind erosion historical monthly area protected (Total Veg Cov >50%)

100 90 ---- above\_70 **—** 10th **--** 50th **—** 2021 Mar 80 70 60 feb May hill ar PQ' War month tern Ecosystem Research Infrastructure Australian Government

Water erosion historical monthly area protected (Total Veg Cov>70%)





## Tweed\_(A) (129,975 ha and no data 802 ha) Percentage area and hectares protected with TVC threshold 30,50,70,80,90 and 95%

Land use and forest cover Class	area(ha)	above_30	above_50	above_70	above_80	above_90	above_95
Entire region	129,975	99.9% 129,900	99.7% 129,625	98.2% 127,600	95.1% 123,650	63.6% 82,650	22.5% 29,250
Conservation and natural environments	45,775	100.0% 45,775	100.0% 45,775	99.7% 45,650	98.9% 45,275	78.3% 35,850	37.6% 17,200
Conservation and natural environments Forest (non woodland)	44,400	100.0% 44,400	100.0% 44,400	99.9% 44,350	99.3% 44,075	78.8% 35,000	37.8% 16,800
Agriculture	57,825	100.0% 57,825	100.0% 57,800	99.7% 57,650	97.7% 56,500	59.6% 34,475	15.0% 8,675
Grazing	45,875	100.0% 45,875	99.9% 45,850	99.6% 45,700	98.7% 45,275	67.9% 31,150	17.2% 7,875
Grazing non forest	39,200	100.0% 39,200	99.9% 39,175	99.6% 39,025	98.6% 38,650	66.1% 25,900	14.7% 5,775
Grazing - Forest (non woodland)	6,175	100.0% 6,175	100.0% 6,175	100.0% 6,175	99.6% 6,150	79.8% 4,925	32.0% 1,975
Cropping	10,400	100.0% 10,400	100.0% 10,400	100.0% 10,400	93.8% 9,750	26.4% 2,750	6.7% 700

