# Total vegetation cover soil protection Region:LGA Tweed\_(A) NSW

# **Date: December 2022**

This report describes vegetation protecting the soil surface from erosion during a chosen month compared to previous years. This report has been generated using MODIS fractional vegetation cover information available in Rangelands and Pasture Productivity (RAPP) map tool https://map.geo-rapp.org/#australia. The report is based on 500 metre pixel data on monthly time steps. Land use forest cover:

Results can be shown for the whole region (polygon), and separated by land use and forest cover classes which are likely to show different cover patterns and targets. Land use is divided into four broad classes: Conservation and natural environments, Agriculture, production native forests and plantation forests (no report), and other (no report). Agriculture is divided into grazing, crops and horticulture which are sub-divided into non-irrigated and irrigated. If forest is present land use is further divided into: non-forest, woodland forest and non-woodland forest. The area of each land use and forest class are shown as a map and chart. The report content is repeated for each land use and forest covers at least 1% of the area of the chosen region. Total vegetation Cover:

The total vegetation cover indicates where soil is likely to be protected from wind and or water hillslope erosion. Total vegetation cover for this month is shown on a map and chart classified into 4 classes.

• 71-100% High cover - protected from wind and usually water erosion (high rainfall, steep slopes, and erodible soils may need greater than 80, 90, 95 and up to 100% cover)

- 51-70% Moderate cover protected from wind erosion
- 31-50% Low cover not protected
- 0-30% Very Low cover not protected

Erosion protection: Wind erosion 50% total vegetation cover

The vegetation cover threshold required to prevent soil erosion is usually 50% to reduce wind erosion, 70% or 80% to reduce water (hillslope) erosion depending on the steepness and rainfall. Areas protected from erosion for the month:

- Map: water erosion protection (>70% cover) percentage area and hectares.
- Map: wind erosion protection (>50% cover) percentage area and hectares. Comparison with previous years:
  - Map: anomaly comparing this month to the average cover from the same month in previous years.
  - Map: deciles rank of month against the same month in previous years.

Anomalies and deciles until September 2019 are calculated comparing to the same months 2001 to 2019. Extra monthly data will be used to calculate anomalies and deciles post September 2019 as they become available. Time series monthly from January 2001 to current:

#### **Erosion protection**

- Wind erosion protection time series: percentage of the area of the region with greater than 50% cover for each month (orange lines). Horizontal lines are 10th (cover target) and 50th percentiles.
- Water erosion protection time series: percentage of the area of the region with greater than 70% cover for each month (blue line). Horizontal lines are 10th (cover target) and 50th percentiles.

#### Rainfall

• Millimetres rainfall each month (black line).

Each time series is also stacked by year. The black line shows the current year of data. Water erosion protection for higher rainfall and steeper slopes:

Water erosion protection on higher slopes. As slope increases, more cover is required to control water erosion. The thresholds reported are:

- the percentage area with pixels greater than 80% total cover.
- the percentage area with pixels greater than 90% total cover.
- the percentage area with pixels greater than 95% total cover.

## Acknowledgment of data:

- 1. http://www.agriculture.gov.au/abares/aclump/land-use/alum-classification
- 2. http://www.agriculture.gov.au/abares/forestsaustralia/sofr/sofr-2018
- 3. https://www.dpi.nsw.gov.au/agriculture/pastures-and-rangelands/establishment-mgmt/production-management2/groundcover
- 4. MODIS Fractional cover algorithm:


https://doi.org/10.4225/08/5848a3f19a7b3




# **Vegetation Cover Dec 2022**

#### Land use and forest cover






#### **Total Vegetation Cover [%]**



% Area protected from water erosion (>70%)




Area not protected 4.5% of region (5,845 ha)

12%100%


5201070010

320050010


0.30%




#### Proportion of vegetation cover class in area




#### % Area protected from wind erosion (>50%)




**Total Vegetation Cover Anomaly [%]** 







Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.










Proportion of the area protected from water erosion (Total Vegetation Cover > 80%)



#### **Conservation and natural environments**


forest

forest


Catchment Scale Land Use and Forests of Australia (2018) Derived from Catchment Scale Land Use of Australia (2018) and Forests of Australia (2018)


**Total Vegetation Cover [%]** 

Land use and forest cover



% Area protected from water erosion (>70%)






1 Conservation and natural environments - Non-


3 Conservation and natural environments - Non-woodland forest

2 Conservation and natural environments - Woodland


Proportion of each land class in area




Proportion of vegetation cover class in area




#### % Area protected from wind erosion (>50%)



**Total Vegetation Cover Decile [%]** 




**Total Vegetation Cover Anomaly [%]** 



Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.




Anomaly show how many percetage points each pixel is from the mean. That is, red pixels are about 20% lower than the mean of that pixel. The mean is only for the month of the map using baseline from 2001 to 2019.



Proportion of the area protected from wind erosion (Total Vegetation Cover > 50%)


Proportion of the area protected from water erosion (Total Vegetation Cover > 70%)




Water erosion historical monthly area protected (Total Veg Cov>70%)

6

Wind erosion historical monthly area protected (Total Veg Cov >50%)






#### **Conservation and natural environments Forest (non woodland)**


Land use and forest cover


Catchment Scale Land Use and Forests of Australia (2018) Derived from Catchment Scale Land Use of Australia (2018) and Forests of Australia (2018)

Total Vegetation Cover [%]




% Area protected from water erosion (>70%)







Proportion of vegetation cover class in area




% Area protected from wind erosion (>50%)




Total Vegetation Cover Decile [%]



Total Vegetation Cover Anomaly [%]






Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.






# **Conservation and natural environments Forest (non woodland) timeseries**



Proportion of the area protected from wind erosion (Total Vegetation Cover > 50%)

Proportion of the area protected from water erosion (Total Vegetation Cover > 70%)





100.0-99.8 99.6----- above\_70 99.4 **——** 10th **——** 50th **——** 2022 Dec 99.2 99.0 98.8-98.6 98.4 Jan fer o In way 1<sup>1</sup>/1 Mai Þ6, month tern Ecosystem Research Infrastructure Australian Government

Wind erosion historical monthly area protected (Total Veg Cov >50%)

9

Water erosion historical monthly area protected (Total Veg Cov>70%)





Proportion of the area protected from water erosion (Total Vegetation Cover > 80%)

## Agriculture

Catchment Scale Land Use and Forests of Australia (2018) Derived from Catchment Scale Land Use of Australia (2018) and Forests of Australia (2018)

is, red pixels are about 20% lower than the

mean of that pixel. The mean

using baseline from 2001 to 2019.

is only for the month of the map

Land use and forest cover




1200-10000

52°1070010


320050010

0-30%


Proportion of each land class in area




Proportion of vegetation cover class in area




% Area protected from wind erosion (>50%)



**Total Vegetation Cover [%]** 




% Area protected from water erosion (>70%)







**Total Vegetation Cover Anomaly [%]** 



Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.









Proportion of the area protected from wind erosion (Total Vegetation Cover > 50%)


Proportion of the area protected from water erosion (Total Vegetation Cover > 70%)



Wind erosion historical monthly area protected (Total Veg Cov >50%)

Water erosion historical monthly area protected (Total Veg Cov>70%)





### Grazing

12%200%

52°10010


320050010

0.30%


Catchment Scale Land Use and Forests of Australia (2018) Derived from 1 Agriculture - Grazing - Non forest 2 Agriculture - Grazing - Woodland forest Catchment Scale Land 3 Agriculture - Grazing - Non-woodland forest Use of Australia (2018) and Forests of Australia (2018)

Land use and forest cover


Total Vegetation Cover [%]




% Area protected from water erosion (>70%)




Proportion of each land class in area




Proportion of vegetation cover class in area



% Area protected from wind erosion (>50%)




**Total Vegetation Cover Anomaly [%]** 



Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the man using baseline the map using baseline from 2001 to 2019.


**Total Vegetation Cover Decile [%]** 






124

Anomaly show how many percetage points each pixel is from the mean. That is, red pixels are about 20% lower than the mean of that pixel. The mean is only for the month of the map using baseline from 2001 to 2019.





Proportion of the area protected from water erosion (Total Vegetation Cover > 70%)




100.0 99.8-99.6 ---- above\_70 **—** 10th **——** 50th 99.4 **——** 2022 Dec 99.2<sup>-</sup> 99.0-98.8 98.6-4eb Jan In Mai PG, Way month tern Ecosystem Research Infrastructure Australian Government

Water erosion historical monthly area protected (Total Veg Cov>70%)










## **Grazing non forest**

1200-20000


· 52°10'70°10

320050010


0.30%




Total Vegetation Cover [%]




% Area protected from water erosion (>70%)




Proportion of vegetation cover class in area




% Area protected from wind erosion (>50%)




**Total Vegetation Cover Anomaly [%]** 




Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the man using baseline the map using baseline from 2001 to 2019.









**——** 10th




year

Proportion of the area protected from water erosion (Total Vegetation Cover > 70%)










## **Grazing - Forest (non woodland)**

120010000


52°10'70°10

32005000


0.30%




**Total Vegetation Cover [%]** 




% Area protected from water erosion (>70%)




Proportion of vegetation cover class in area



% Area protected from wind erosion (>50%)



**Total Vegetation Cover Anomaly [%]** 




the mean. That


is, red pixels are about 20% lower than the

mean of that pixel. The mean

using baseline from 2001 to 2019.

Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.











# Grazing - Forest (non woodland) timeseries





Proportion of the area protected from wind erosion (Total Vegetation Cover > 50%)

Proportion of the area protected from water erosion (Total Vegetation Cover > 70%)



Water erosion historical monthly area protected (Total Veg Cov>70%)






## Cropping

12º0010000


52°10'70°10

3201050010


· 0.30%




**Total Vegetation Cover [%]** 




% Area protected from water erosion (>70%)




Proportion of vegetation cover class in area



#### % Area protected from wind erosion (>50%)



Total Vegetation Cover Decile [%]





Total Vegetation Cover Anomaly [%]

- 20 - 10 0 -10-20

Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline the map using baseline from 2001 to 2019.








Proportion of the area protected from wind erosion (Total Vegetation Cover > 50%)






# **Cropping timeseries**



Wind erosion historical monthly area protected (Total Veg Cov >50%)

Water erosion historical monthly area protected (Total Veg Cov>70%)



# Tweed\_(A) (129,900 ha and no data 877 ha) Percentage area and hectares protected with TVC threshold 30,50,70,80,90 and 95%

Land use and forest cover Class	area(ha)	above_30	above_50	above_70	above_80	above_90	above_95
Entire region	129,900	99.9% 129,800	99.6% 129,425	95.5% 124,075	89.1% 115,700	58.2% 75,550	20.6% 26,700
Conservation and natural environments	45,900	99.9% 45,875	99.9% 45,850	99.7% 45,750	98.7% 45,300	80.8% 37,075	34.7% 15,950
Conservation and natural environments Forest (non woodland)	44,475	100.0% 44,475	100.0% 44,475	99.9% 44,425	99.0% 44,050	81.4% 36,200	35.2% 15,675
Agriculture	57,825	100.0% 57,800	99.7% 57,675	94.6% 54,725	86.2% 49,850	48.0% 27,775	14.1% 8,175
Grazing	45,875	99.9% 45,850	99.9% 45,825	99.2% 45,500	96.6% 44,325	55.5% 25,475	16.6% 7,600
Grazing non forest	39,200	99.9% 39,175	99.9% 39,150	99.2% 38,875	96.2% 37,725	51.5% 20,175	14.5% 5,700
Grazing - Forest (non woodland)	6,175	100.0% 6,175	100.0% 6,175	100.0% 6,175	99.6% 6,150	81.0% 5,000	29.6% 1,825
Cropping	10,400	100.0% 10,400	99.3% 10,325	75.7% 7,875	42.5% 4,425	16.8% 1,750	5.0% 525

