# Total vegetation cover soil protection Region:LGA Weddin (A) NSW

This report describes vegetation protecting the soil surface from erosion during a chosen month compared to previous years. This report has been generated using MODIS fractional vegetation cover information available in Rangelands and Pasture Productivity (RAPP) map tool https://map.geo-rapp.org/#australia. The report is based on 500 metre pixel data on monthly time steps.

Land use forest cover:

**Date: December 2022** 

Results can be shown for the whole region (polygon), and separated by land use and forest cover classes which are likely to show different cover patterns and targets. Land use is divided into four broad classes: Conservation and natural environments, Agriculture, production native forests and plantation forests (no report), and other (no report). Agriculture is divided into grazing, crops and horticulture which are sub-divided into non-irrigated and irrigated. If forest is present land use is further divided into: non-forest, woodland forest and non-woodland forest. The area of each land use and forest class are shown as a map and chart. The report content is repeated for each land use and forest cover class that covers at least 1% of the area of the chosen region. Total vegetation Cover:

The total vegetation cover indicates where soil is likely to be protected from wind and or water hillslope erosion. Total vegetation cover for this month is shown on a map and chart classified into 4 classes.

- 71-100% High cover protected from wind and usually water erosion (high rainfall, steep slopes, and erodible soils may need greater than 80, 90, 95 and up to 100% cover)
  - 51-70% Moderate cover protected from wind erosion
  - 31-50% Low cover not protected
  - 0-30% Very Low cover not protected

Erosion protection: Wind erosion 50% total vegetation cover

The vegetation cover threshold required to prevent soil erosion is usually 50% to reduce wind erosion, 70% or 80% to reduce water (hillslope) erosion depending on the steepness and rainfall. Areas protected from erosion for the month:

- Map: water erosion protection (>70% cover) percentage area and hectares.
- Map: wind erosion protection (>50% cover) percentage area and hectares.

Comparison with previous years:

- Map: anomaly comparing this month to the average cover from the same month in previous years.
- Map: deciles rank of month against the same month in previous years.

Anomalies and deciles until September 2019 are calculated comparing to the same months 2001 to 2019. Extra monthly data will be used to calculate anomalies and deciles post September 2019 as they become available. Time series monthly from January 2001 to current:

# **Erosion protection**

- Wind erosion protection time series: percentage of the area of the region with greater than 50% cover for each month (orange lines). Horizontal lines are 10th (cover target) and 50th percentiles.
- Water erosion protection time series: percentage of the area of the region with greater than 70% cover for each month (blue line). Horizontal lines are 10th (cover target) and 50th percentiles.

## Rainfall

• Millimetres rainfall each month (black line).

Each time series is also stacked by year. The black line shows the current year of data.

Water erosion protection for higher rainfall and steeper slopes:

Water erosion protection on higher slopes. As slope increases, more cover is required to control water erosion. The thresholds reported are:

- the percentage area with pixels greater than 80% total cover.
- the percentage area with pixels greater than 90% total cover.
- the percentage area with pixels greater than 95% total cover.

## **Acknowledgment of data:**

- 1. http://www.agriculture.gov.au/abares/aclump/land-use/alum-classification
- 2. http://www.agriculture.gov.au/abares/forestsaustralia/sofr/sofr-2018
- 3. https://www.dpi.nsw.gov.au/agriculture/pastures-and-rangelands/establishment-mgmt/production-management2/groundcover
- 4. MODIS Fractional cover algorithm:

https://doi.org/10.4225/08/5848a3f19a7b3










# **Vegetation Cover Dec 2022**

#### Land use and forest cover

#### Legend with land class forest cover and number, i.e. Forests is 12 1 Conservation and natural environments - Non-forest 2 Conservation and natural environments - Woodland forest Catchment Scale 3 Conservation and natural environments - Non-Woodland forest Land Use and Forest of Australia (2018) 4 Agriculture - Grazing - Non-forest Derived from 5 Agriculture - Grazing - Woodland forest Catchment Scale Land 6 Agriculture - Grazing - Non-woodland forest Use of Australia 7 Agriculture - Grazing - Irrigated (2018) and Forests 8 Agriculture - Cropping - Non-irrigated of Australia (2018) 9 Agriculture - Cropping - Irrigated 10 Agriculture - Horticulture - Non-irrigated 11 Agriculture - Horticulture - Irrigated 12 Production native forests and plantation forests 13 Other uses

# - |


#### Proportion of each land class in area




#### **Total Vegetation Cover [%]**




Proportion of vegetation cover class in area




## % Area protected from water erosion (>70%)




% Area protected from wind erosion (>50%)



## Total Vegetation Cover Anomaly [%]



Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.














# **Conservation and natural environments**

#### Land use and forest cover **Proportion of each land class in area** 100 97.8% 80 Catchment Scale Land Use and Forest of Australia (2018) 1 Conservation and natural environments - Nonforest 60 forest 2 Conservation and natural environments - Woodland forest 3 Conservation and natural environments - Non-woodland forest Derived from Catchment Scale Land Use of Australia 3 Conservation and natural environments - Non-woodland forest (2018) and Forests 40 of Australia (2018) 20 1.9% 0.0 1.0 1.5 2.0 2.5 -0.50.5 Land use class Proportion of vegetation cover class in area **Total Vegetation Cover [%]** 100.0% 100 80 Area (%) 60 40 20 0.0% 0.0% 51%-70% 0-30% 31%-50% 71%-100% **Total Vegetation Cover class** % Area protected from water erosion (>70%) % Area protected from wind erosion (>50%) Area Area protected 100.0% of protected 100.0% of region (11,625 region (11,625 ha) ha) **Total Vegetation Cover Anomaly [%] Total Vegetation Cover Decile [%]** - 20 Anomaly show how many percetage points each pixel is from Deciles show where the 10 pixel value lies in the the mean. That record, from highest to lowest, for that month. That is, red pixels are is, red pixels are about 20% lower than the in the lowest 10% of mean of that records for that month of pixel. The mean is only for the month of the map the map using baseline from 2001 to 2019. using baseline from 2001 to 2019. -10<del>-</del>20 **National**


Australian Government


**Ecosystem Research Infrastructure** 

Landcare

Programme


# **Conservation and natural environments timeseries**






# **Conservation and natural environments Woodland forest**


#### Land use and forest cover




#### Total Vegetation Cover [%]



#### % Area protected from water erosion (>70%)




#### Total Vegetation Cover Anomaly [%]





Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.

#### Proportion of vegetation cover class in area



#### % Area protected from wind erosion (>50%)




















# **Conservation and natural environments Woodland forest timeseries**







# **Agriculture**

#### Land use and forest cover






% Area protected from water erosion (>70%)




**Total Vegetation Cover Anomaly [%]** 




Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.


#### Proportion of each land class in area




Proportion of vegetation cover class in area



% Area protected from wind erosion (>50%)



**Total Vegetation Cover Decile [%]** 















# **Agriculture timeseries**









# Grazing

70 ·


# Land use and forest cover Catchment Scale Land Use and Forests of Australia (2018) Derived from Catchment Scale Land Use of Australia (2018) and Forests of Australia (2018) 1 Agriculture - Grazing - Non forest 2 Agriculture - Grazing - Woodland forest 3 Agriculture - Grazing - Non-woodland forest

# 70.5%

Proportion of each land class in area


#### 60 · 50 Area (%) 30 28.5% 20 10 0.5 1.0 2.0 -0.50.0 1.5 2.5







Proportion of vegetation cover class in area

Land use class




% Area protected from water erosion (>70%)





**Total Vegetation Cover Anomaly [%]** 



Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the man using baseline. the map using baseline from 2001 to 2019.

**Total Vegetation Cover Decile [%]** 













# **Grazing timeseries**











# **Grazing non forest**


#### Land use and forest cover




#### **Total Vegetation Cover [%]**



#### % Area protected from water erosion (>70%)




#### Total Vegetation Cover Anomaly [%]





Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.

#### Proportion of vegetation cover class in area



#### % Area protected from wind erosion (>50%)

















# **Grazing non forest timeseries**











# **Grazing Woodland forest**


#### Land use and forest cover




#### Total Vegetation Cover [%]



% Area protected from water erosion (>70%)




Total Vegetation Cover Anomaly [%]




Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.


#### Proportion of vegetation cover class in area



% Area protected from wind erosion (>50%)



Total Vegetation Cover Decile [%]














# **Grazing Woodland forest timeseries**






# **Cropping**


#### Land use and forest cover




#### **Total Vegetation Cover [%]**



#### % Area protected from water erosion (>70%)




#### Total Vegetation Cover Anomaly [%]





Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.

#### Proportion of vegetation cover class in area



#### % Area protected from wind erosion (>50%)

















# **Cropping timeseries**











# **Production native forests and plantation forests**


#### Land use and forest cover




#### **Total Vegetation Cover [%]**



#### % Area protected from water erosion (>70%)




#### Total Vegetation Cover Anomaly [%]





Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.

#### Proportion of vegetation cover class in area



#### % Area protected from wind erosion (>50%)



















# **Production native forests and plantation forests timeseries**





# Weddin\_(A) (total 341,525 ha) Percentage area and hectares protected with TVC threshold 30,50,70,80,90 and 95%

Land use and forest cover Class	area(ha)	above_30	above_50	above_70	above_80	above_90	above_95
Entire region	341,525	99.9% 341,200	99.6% 340,075	96.8% 330,475	84.0% 286,800	41.7% 142,375	13.3% 45,550
Conservation and natural environments	11,625	100.0% 11,625	100.0% 11,625	100.0% 11,625	100.0% 11,625	53.1% 6,175	0.9% 100
Conservation and natural environments Woodland forest	11,375	100.0% 11,375	100.0% 11,375	100.0% 11,375	100.0% 11,375	53.4% 6,075	0.9% 100
Agriculture	316,675	99.9% 316,350	99.5% 315,225	96.5% 305,700	82.9% 262,425	40.7% 128,875	14.2% 44,950
Grazing	90,200	99.9% 90,100	99.3% 89,550	97.4% 87,875	92.4% 83,300	56.2% 50,650	17.5% 15,800
Grazing non forest	63,625	99.8% 63,525	99.0% 62,975	96.5% 61,375	89.9% 57,175	57.4% 36,550	22.6% 14,375
Grazing Woodland forest	25,750	100.0% 25,750	100.0% 25,750	100.0% 25,750	99.6% 25,650	54.6% 14,050	5.5% 1,425
Cropping	225,725	99.9% 225,500	99.7% 224,950	96.3% 217,300	79.3% 178,925	34.6% 78,175	12.9% 29,125
Production native forests and plantation forests	11,650	100.0% 11,650	100.0% 11,650	100.0% 11,650	100.0% 11,650	60.3% 7,025	3.4% 400







