## Total vegetation cover soil protection Region:LGA Wingecarribee\_(A) NSW

This report describes vegetation protecting the soil surface from erosion during a chosen month compared to previous years. This report has been generated using MODIS fractional vegetation cover information available in Rangelands and Pasture Productivity (RAPP) map tool https://map.geo-rapp.org/#australia. The report is based on 500 metre pixel data on monthly time steps. Land use forest cover:

Results can be shown for the whole region (polygon), and separated by land use and forest cover classes which are likely to show different cover patterns and targets. Land use is divided into four broad classes: Conservation and natural environments, Agriculture, production native forests and plantation forests (no report), and other (no report). Agriculture is divided into grazing, crops and horticulture which are sub-divided into non-irrigated and irrigated. If forest is present land use is further divided into: non-forest, woodland forest and non-woodland forest. The area of each land use and forest class are shown as a map and chart. The report content is repeated for each land use and forest covers at least 1% of the area of the chosen region. Total vegetation Cover:

The total vegetation cover indicates where soil is likely to be protected from wind and or water hillslope erosion. Total vegetation cover for this month is shown on a map and chart classified into 4 classes.

• 71-100% High cover – protected from wind and usually water erosion (high rainfall, steep slopes, and erodible soils may need greater than 80, 90, 95 and up to 100% cover)

- 51-70% Moderate cover protected from wind erosion
- 31-50% Low cover not protected
- 0-30% Very Low cover not protected

Erosion protection: Wind erosion 50% total vegetation cover

The vegetation cover threshold required to prevent soil erosion is usually 50% to reduce wind erosion, 70% or 80% to reduce water (hillslope) erosion depending on the steepness and rainfall. Areas protected from erosion for the month:

• Map: water erosion protection (>70% cover) percentage area and hectares.

• Map: wind erosion protection (>50% cover) percentage area and hectares. Comparison with previous years:

- Map: anomaly comparing this month to the average cover from the same month in previous years.
- Map: deciles rank of month against the same month in previous years.

Anomalies and deciles until September 2019 are calculated comparing to the same months 2001 to 2019. Extra monthly data will be used to calculate anomalies and deciles post September 2019 as they become available. Time series monthly from January 2001 to current:

### **Erosion protection**

- Wind erosion protection time series: percentage of the area of the region with greater than 50% cover for each month (orange lines). Horizontal lines are 10th (cover target) and 50th percentiles.
- Water erosion protection time series: percentage of the area of the region with greater than 70% cover for each month (blue line). Horizontal lines are 10th (cover target) and 50th percentiles.

### Rainfall

• Millimetres rainfall each month (black line).

Each time series is also stacked by year. The black line shows the current year of data. Water erosion protection for higher rainfall and steeper slopes:

Water erosion protection on higher slopes. As slope increases, more cover is required to control water erosion. The thresholds reported are:

- the percentage area with pixels greater than 80% total cover.
- the percentage area with pixels greater than 90% total cover.
- the percentage area with pixels greater than 95% total cover.

### Acknowledgment of data:

- 1. http://www.agriculture.gov.au/abares/aclump/land-use/alum-classification
- 2. http://www.agriculture.gov.au/abares/forestsaustralia/sofr/sofr-2018
- 3. https://www.dpi.nsw.gov.au/agriculture/pastures-and-rangelands/establishment-mgmt/production-management2/groundcover
- 4. MODIS Fractional cover algorithm:

https://doi.org/10.4225/08/5848a3f19a7b3




# **Vegetation Cover Sep 2021**

#### Land use and forest cover

Derived from

Use of Australia






12%200%

5201070010

3201050010


0.30%

### **Total Vegetation Cover [%]**




### % Area protected from water erosion (>70%)






### Proportion of vegetation cover class in area





#### % Area protected from wind erosion (>50%)




**Total Vegetation Cover Anomaly [%]** 
























### **Conservation and natural environments**

Catchment Scale Land Use and Forests of Australia (2018) Derived from Catchment Scale Land Use of Australia (2018) and Forests of Australia (2018)





Land use and forest cover

**Total Vegetation Cover [%]** 



% Area protected from water erosion (>70%)





120010000

, 52°1070010

32005000

0.30%

80


20

10 -

0

0.6%

1




Proportion of each land class in area

### Land use class Proportion of vegetation cover class in area


2

18.8%

3



### % Area protected from wind erosion (>50%)



Area

ĥa)

protected 100.0% of

region (127,700


 $\hat{\mathcal{S}}$ 


°,

A.1

~ ~<sup>??</sup>

**Total Vegetation Cover Anomaly [%]** 





- 10 0 -10

-20

Deciles show where the

pixel value lies in the


in the lowest 10% of

records for that month of the map using baseline from 2001 to 2019.

record, from highest to lowest, for that month. That is, red pixels are

- 20


**Total Vegetation Cover Decile [%]** 


















100.0 100 98 ---- above\_70 **—** 10th **--** 50th 96 **——** 2021 Sep 94 92 1ar 4eb In way PQ War month - Mi tern Ecosystem Research Infrastructure Australian Government

# Water erosion historical monthly area protected (Total Veg Cov>70%)










### **Conservation and natural environments Woodland forest**


Land Use and Forests of Australia (2018) 1 Conservation and natural environments - Woodland forest Catchment Scale Land Use of Australia (2018) and Forests of Australia (2018)


Total Vegetation Cover [%]

Land use and forest cover




% Area protected from water erosion (>70%)







Proportion of vegetation cover class in area



% Area protected from wind erosion (>50%)




**Total Vegetation Cover Anomaly [%]** 



Catchment Scale

Derived from



- 10 -10

Deciles show where the pixel value lies in the

record, from highest to lowest, for that month. That is, red pixels are

records for that month of the map using baseline from 2001 to 2019.

in the lowest 10% of

- 20

0

-20


**Total Vegetation Cover Decile [%]** 

 $\hat{\mathcal{S}}$ 

°,


A.1


· 2<sup>3</sup>























### **Conservation and natural environments Forest (non woodland)**




**Total Vegetation Cover [%]** 




% Area protected from water erosion (>70%)







% Area protected from wind erosion (>50%)




 $\sqrt{2}$ 

°,

A.1

· 2<sup>?5</sup>

Total Vegetation Cover Anomaly [%]



12º0010000


52°10010010

· 32°10'50010

0.30%

Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.


**Total Vegetation Cover Decile [%]** 







Anomaly show how many percetage points each pixel is from the mean. That is, red pixels are about 20% lower than the mean of that pixel. The mean is only for the month of the map using baseline from 2001 to 2019.


### **Conservation and natural environments Forest (non woodland) timeseries**















### Agriculture

Land use and forest cover


Proportion of each land class in area




Total Vegetation Cover [%]




% Area protected from water erosion (>70%)






### Proportion of vegetation cover class in area



### % Area protected from wind erosion (>50%)




 $\sqrt{2}$ 

°,

A-1

Catchment Scale Land Use and Forests of Australia (2018) Derived from Catchment Scale Land Use of Australia (2018) and Forests of Australia (2018)

**Total Vegetation Cover Anomaly [%]** 



the mean. That

are about 20% lower than the

mean of that

using baseline from 2001 to 2019.

is, red pixels

- 10 0 -10 -20

- 20


12%200%

52°10010


3201050010


0.30%

Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.











Water erosion historical monthly area protected (Total Veg Cov>70%)



### Grazing

Catchment Scale Land Use and Forests of Australia (2018) Derived from Catchment Scale Land Use of Australia (2018) and Forests of Australia (2018)



Land use and forest cover

1 Agriculture - Grazing - Non forest 2 Agriculture - Grazing - Woodland forest 3 Agriculture - Grazing - Non-woodland forest


120/0700010

52°1070°10


1 32°1050°10

0.30%


Proportion of each land class in area



### Proportion of vegetation cover class in area



### % Area protected from wind erosion (>50%)




 $\hat{\mathcal{S}}$ 

°,


A.1

2?3


**Total Vegetation Cover [%]** 




% Area protected from water erosion (>70%)



**Total Vegetation Cover Anomaly [%]** 





- 10 0 -10

-20

Deciles show where the pixel value lies in the

record, from highest to lowest, for that month. That is, red pixels are


records for that month of

the map using baseline from 2001 to 2019.

in the lowest 10% of


- 20


**Total Vegetation Cover Decile [%]** 






1**2** 





Water erosion historical monthly area protected (Total Veg Cov>70%)



### **Grazing non forest**


1200-200%

52°10010


32005000

0.30%


Land use and forest cover




**Total Vegetation Cover [%]** 




% Area protected from water erosion (>70%)



Proportion of vegetation cover class in area



% Area protected from wind erosion (>50%)





\$

°,

A.1

**Total Vegetation Cover Anomaly [%]** 






- 10 0 -10

-20


- 20

Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.












Proportion of the area protected from water erosion (Total Vegetation Cover > 70%)




 $-\frac{190}{999}$ 100 99 ---- above\_70 **—** 10th 98 **--** 50th **——** 2021 Sep 97 96 95 4e0 Jan Inu way War POL month min tern Ecosystem Research Infrastructure Australian Government

Water erosion historical monthly area protected (Total Veg Cov>70%)







### **Grazing Woodland forest**

120020000

52°10010

3201050010

0.30%


- 20

- 10

0


-10

-20




Total Vegetation Cover [%]


Land use and forest cover




% Area protected from water erosion (>70%)



Proportion of vegetation cover class in area



% Area protected from wind erosion (>50%)



\$


ଚ,ଚ

A.1


· 2<sup>?3</sup>

**Total Vegetation Cover Anomaly [%]** 


Anomaly show how many percetage points each pixel is from the mean. That is, red pixels are about 20% lower than the mean of that pixel. The mean is only for the month of the map using baseline from 2001 to 2019.




Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.











Water erosion historical monthly area protected (Total Veg Cov>70%)






### **Grazing - Forest (non woodland)**

12% 10°10°%

52°10010


· 32°10'50°10

0.30%




Land use and forest cover


Total Vegetation Cover [%]




% Area protected from water erosion (>70%)



Proportion of vegetation cover class in area




% Area protected from wind erosion (>50%)



**Total Vegetation Cover Anomaly [%]** 

Anomaly show how many percetage points each pixel is from the mean. That is, red pixels are about 20% lower than the mean of that pixel. The mean is only for the month of the map using baseline from 2001 to 2019.



Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.


- 20


- 10

- 0

-10

-20






°,


A.1

· 2<sup>3</sup>




20






### Grazing - Forest (non woodland) timeseries

### Water erosion historical monthly area protected (Total Veg Cov>70%)




**8** 


### Cropping




**Total Vegetation Cover [%]** 




% Area protected from water erosion (>70%)




Proportion of vegetation cover class in area



% Area protected from wind erosion (>50%)



**Total Vegetation Cover Anomaly [%]** 



- 10 - 0 - -10

-20


- 20

12%<sup>100%</sup>


52°10°10°10

32005000

0.30%




**Total Vegetation Cover Decile [%]** 






Anomaly show how many percetage points each pixel is from the mean. That is, red pixels are about 20% lower than the mean of that pixel. The mean is only for the month of the map using baseline from 2001 to 2019.










### **Cropping timeseries**

100.( 99.6 100.0-97.5 95.0 ---- above\_70 **—** 10th **——** 50th 92.5 **—** 2021 Sep 90.0 87.5 85.0 82.5 lar 4eb hul way PQ 1/2/ War month tern Ecosystem Research Infrastructure Australian Government

Water erosion historical monthly area protected (Total Veg Cov>70%)







### **Production native forests and plantation forests**

Catchment Scale Land Use and Forests of Australia (2018) Derived from Catchment Scale Land Use of Australia (2018) and Forests of Australia (2018)

1200-200%


52°1070°10

· 32°10'50°10


0.30%

Land use and forest cover


Total Vegetation Cover [%]




% Area protected from water erosion (>70%)







#### % Area protected from wind erosion (>50%)



 $\hat{\mathcal{S}}$ 


°,

A.1


· 2<sup>3</sup>

**Total Vegetation Cover Anomaly [%]** 


Anomaly show how many percetage points each pixel is from the mean. That is, red pixels are about 20% lower than the mean of that pixel. The mean is only for the month of the map using baseline from 2001 to 2019.




Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.










Water erosion historical monthly area protected (Total Veg Cov>70%)



# Wingecarribee\_(A) (268,425 ha and no data 476 ha) Percentage area and hectares protected with TVC threshold 30,50,70,80,90 and 95%

Land use and forest cover Class	area(ha)	above_30	above_50	above_70	above_80	above_90	above_95
Entire region	268,425	100.0% 268,425	100.0% 268,425	99.8% 267,775	98.7% 265,025	86.3% 231,650	43.0% 115,325
Conservation and natural environments	127,700	100.0% 127,700	100.0% 127,700	100.0% 127,700	99.7% 127,375	91.8% 117,175	55.8% 71,250
Conservation and natural environments Woodland forest	102,950	100.0% 102,950	100.0% 102,950	100.0% 102,950	99.7% 102,625	90.7% 93,350	56.0% 57,675
Conservation and natural environments Forest (non woodland)	24,025	100.0% 24,025	100.0% 24,025	100.0% 24,025	100.0% 24,025	96.6% 23,200	55.7% 13,375
Agriculture	101,300	100.0% 101,300	100.0% 101,300	100.0% 101,275	99.7% 100,950	85.3% 86,425	30.8% 31,175
Grazing	92,175	100.0% 92,175	100.0% 92,175	100.0% 92,150	99.6% 91,850	86.6% 79,825	31.4% 28,925
Grazing non forest	65,800	100.0% 65,800	100.0% 65,800	100.0% 65,775	99.5% 65,475	84.3% 55,450	25.1% 16,525
Grazing Woodland forest	19,625	100.0% 19,625	100.0% 19,625	100.0% 19,625	100.0% 19,625	90.4% 17,750	42.2% 8,275
Grazing - Forest (non woodland)	6,750	100.0% 6,750	100.0% 6,750	100.0% 6,750	100.0% 6,750	98.1% 6,625	61.1% 4,125
Cropping	8,750	100.0% 8,750	100.0% 8,750	100.0% 8,750	99.7% 8,725	73.1% 6,400	24.6% 2,150
Production native forests and plantation forests	15,625	100.0% 15,625	100.0% 15,625	100.0% 15,625	100.0% 15,625	93.4% 14,600	61.9% 9,675

