Total vegetation cover soil protection Region:LGA Wingecarribee (A) NSW

This report describes vegetation protecting the soil surface from erosion during a chosen month compared to previous years. This report has been generated using MODIS fractional vegetation cover information available in Rangelands and Pasture Productivity (RAPP) map tool https://map.geo-rapp.org/#australia. The report is based on 500 metre pixel data on monthly time steps.

Land use forest cover:

Results can be shown for the whole region (polygon), and separated by land use and forest cover classes which are likely to show different cover patterns and targets. Land use is divided into four broad classes: Conservation and natural environments, Agriculture, production native forests and plantation forests (no report), and other (no report). Agriculture is divided into grazing, crops and horticulture which are sub-divided into non-irrigated and irrigated. If forest is present land use is further divided into: non-forest, woodland forest and non-woodland forest. The area of each land use and forest class are shown as a map and chart. The report content is repeated for each land use and forest cover class that covers at least 1% of the area of the chosen region. Total vegetation Cover:

The total vegetation cover indicates where soil is likely to be protected from wind and or water hillslope erosion. Total vegetation cover for this month is shown on a map and chart classified into 4 classes.

- 71-100% High cover protected from wind and usually water erosion (high rainfall, steep slopes, and erodible soils may need greater than 80, 90, 95 and up to 100% cover)
 - 51-70% Moderate cover protected from wind erosion
 - 31-50% Low cover not protected
 - 0-30% Very Low cover not protected

Erosion protection: Wind erosion 50% total vegetation cover

The vegetation cover threshold required to prevent soil erosion is usually 50% to reduce wind erosion, 70% or 80% to reduce water (hillslope) erosion depending on the steepness and rainfall. Areas protected from erosion for the month:

- Map: water erosion protection (>70% cover) percentage area and hectares.
- Map: wind erosion protection (>50% cover) percentage area and hectares.

Comparison with previous years:

- Map: anomaly comparing this month to the average cover from the same month in previous years.
- Map: deciles rank of month against the same month in previous years.

Anomalies and deciles until September 2019 are calculated comparing to the same months 2001 to 2019. Extra monthly data will be used to calculate anomalies and deciles post September 2019 as they become available. Time series monthly from January 2001 to current:

Erosion protection

- Wind erosion protection time series: percentage of the area of the region with greater than 50% cover for each month (orange lines). Horizontal lines are 10th (cover target) and 50th percentiles.
- Water erosion protection time series: percentage of the area of the region with greater than 70% cover for each month (blue line). Horizontal lines are 10th (cover target) and 50th percentiles.

Rainfall

• Millimetres rainfall each month (black line).

Each time series is also stacked by year. The black line shows the current year of data.

Water erosion protection for higher rainfall and steeper slopes:

Water erosion protection on higher slopes. As slope increases, more cover is required to control water erosion. The thresholds reported are:

- the percentage area with pixels greater than 80% total cover.
- the percentage area with pixels greater than 90% total cover.
- the percentage area with pixels greater than 95% total cover.

Acknowledgment of data:

- 1. http://www.agriculture.gov.au/abares/aclump/land-use/alum-classification
- 2. http://www.agriculture.gov.au/abares/forestsaustralia/sofr/sofr-2018
- 3. https://www.dpi.nsw.gov.au/agriculture/pastures-and-rangelands/establishment-mgmt/production-management2/groundcover
- 4. MODIS Fractional cover algorithm:

https://doi.org/10.4225/08/5848a3f19a7b3









Date: January 2022

Vegetation Cover Jan 2022

Land use and forest cover

Catchment Scale

of Australia (2018)

(2018) and Forests

of Australia (2018)

Anomaly show how many percetage points each

pixel is from


mean of that pixel. The mean is only for the month of the map


using baseline from 2001 to 2019.

the mean. That is, red pixels are about 20% lower than the

Derived from


Use of Australia







Proportion of each land class in area

Total Vegetation Cover [%]




Land use class







% Area protected from wind erosion (>50%)



Total Vegetation Cover Anomaly [%]



Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.

















Conservation and natural environments

Land use and forest cover Catchment Scale Land Use and Forests 1 Conservation and natural environments - Nonforest of Australia (2018) Derived from 2 Conservation and natural environments - Woodland Catchment Scale Land Use of Australia 3 Conservation and natural environments - Non-woodland forest (2018) and Forests of Australia (2018)

80.6%

18.8%

2.5

2.0

Proportion of each land class in area

80

70 -

60

§ 50

Area or


30

20

10

-0.5

0.0




Proportion of vegetation cover class in area

1.0


Land use class

0.5


1.5




% Area protected from water erosion (>70%)



% Area protected from wind erosion (>50%)




Total Vegetation Cover Anomaly [%]



Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.

Total Vegetation Cover Decile [%]





Anomaly show how many percetage points each pixel is from

the mean. That is, red pixels

are about 20% lower than the mean of that

pixel. The mean

is only for the month of the map

using baseline from 2001 to 2019.












Conservation and natural environments timeseries









Conservation and natural environments Woodland forest


Land use and forest cover



Total Vegetation Cover [%]



% Area protected from water erosion (>70%)



Total Vegetation Cover Anomaly [%]


the mean. That

pixel. The mean

using baseline from 2001 to 2019.


is only for the month of the map

is, red pixels are about 20% lower than the mean of that





Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.

Proportion of vegetation cover class in area



% Area protected from wind erosion (>50%)























Conservation and natural environments Forest (non woodland)

Catchment Scale Land Use and Forests of Australia (2018) Derived from Catchment Scale Land Use of Australia (2018) and Forests of Australia (2018)


Total Vegetation Cover [%] Trologidale Trologidale Trologidale Trologidale Trologidale Trologidale Trologidale Trologidale


Area not protected 0.1% of region (19 ha) Area protected 99.9% of region (19,430 ha)



Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.

Proportion of vegetation cover class in area 100 - 99.9% 80 - 99.9% 40 - 20 - 0.0% 0.0% 0.1% Total Vegetation Cover class

























Agriculture


Land use and forest cover 1 Agriculture - Grazing - Non forest Catchment Scale Land Use and Forests of Australia (2018) 2 Agriculture - Grazing - Woodland forest 3 Agriculture - Grazing - Non-woodland forest Derived from 4 Agriculture - Grazing - Irrigated Catchment Scale Land 5 Agriculture - Cropping - Non-irrigated Use of Australia 6 Agriculture - Cropping - Irrigated (2018) and Forests 7 Agriculture - Horticulture - Non-irrigated of Australia (2018) 8 Agriculture - Horticulture - Irrigated



Proportion of each land class in area











Total Vegetation Cover class

0.0%

31%-50%

0-30%





0.0% 51%-70%

71%-100%

Total Vegetation Cover Anomaly [%]

Anomaly show how many percetage points each pixel is from the mean. That


is, red pixels are about 20% lower than the mean of that


pixel. The mean

using baseline from 2001 to 2019.

is only for the month of the map

Total Vegetation Cover Decile [%]





Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.












Agriculture timeseries








Grazing

Land use and forest cover 1 Agriculture - Grazing - Non forest 2 Agriculture - Grazing - Woodland forest 3 Agriculture - Grazing - Non-woodland forest


71.4% 70 60 50 Area (%) 21.3% 20 -10 7.3% 0.5 1.0 2.0 -0.5 1.5 2.5 0.0 Land use class

Proportion of each land class in area


Proportion of vegetation cover class in area




% Area protected from water erosion (>70%)



% Area protected from wind erosion (>50%)




Total Vegetation Cover Anomaly [%]




Deciles show where the pixel value lies in the

Anomaly show how many percetage points each pixel is from the mean. That is, red pixels are about 20% lower than the mean of that pixel. The mean is only for the month of the map using baseline from 2001 to 2019.

Catchment Scale Land Use and Forests of Australia (2018) Derived from Catchment Scale Land Use of Australia (2018) and Forests of Australia (2018)



record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.
















Grazing timeseries








Grazing non forest


1 Agriculture - Grazing - Non forest

Land use and forest cover

Catchment Scale
Land Use and Forests
of Australia (2018)
Derived from
Catchment Scale Land
Use of Australia
(2018) and Forests
of Australia (2018)



% Area protected from water erosion (>70%)




Total Vegetation Cover Anomaly [%]

lower than the


pixel. The mean is only for the month of the map using baseline from 2001 to 2019.

mean of that





Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.

Proportion of vegetation cover class in area



% Area protected from wind erosion (>50%)
















Grazing non forest timeseries









Grazing Woodland forest


Land use and forest cover



Total Vegetation Cover [%]



% Area protected from water erosion (>70%)




Total Vegetation Cover Anomaly [%]

lower than the


using baseline from 2001 to 2019.

mean of that pixel. The mean





Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.

Proportion of vegetation cover class in area



% Area protected from wind erosion (>50%)
















Grazing Woodland forest timeseries









Grazing - Forest (non woodland)


Land use and forest cover



Total Vegetation Cover [%]



% Area protected from water erosion (>70%)




Total Vegetation Cover Anomaly [%]

are about 20% lower than the mean of that

pixel. The mean


using baseline from 2001 to 2019.

is only for the month of the map





Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.

Proportion of vegetation cover class in area



% Area protected from wind erosion (>50%)
























Cropping


Land use and forest cover



Total Vegetation Cover [%]



% Area protected from water erosion (>70%)




Total Vegetation Cover Anomaly [%]

lower than the mean of that

pixel. The mean


using baseline from 2001 to 2019.

is only for the month of the map





Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.

Proportion of vegetation cover class in area



% Area protected from wind erosion (>50%)
















Cropping timeseries







Production native forests and plantation forests

Land use and forest cover

Catchment Scale Land Use and Forests of Australia (2018) 1 Production native forests and plantation forests Catchment Scale Land of Australia (2018)

Derived from Use of Australia (2018) and Forests

Anomaly show how many percetage points each pixel is from

the mean. That is, red pixels


are about 20% lower than the mean of that

pixel. The mean


using baseline from 2001 to 2019.

is only for the month of the map


Total Vegetation Cover [%]



% Area protected from water erosion (>70%)




Total Vegetation Cover Anomaly [%]





Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.

Proportion of vegetation cover class in area



% Area protected from wind erosion (>50%)




















Production native forests and plantation forests timeseries







Wingecarribee_(A) (215,400 ha and no data 53,501 ha) Percentage area and hectares protected with TVC threshold 30,50,70,80,90 and 95%

Land use and forest cover Class	area(ha)	above_30	above_50	above_70	above_80	above_90	above_95
Entire region	215,400	100.0% 215,400	100.0% 215,375	99.8% 215,025	98.7% 212,525	81.9% 176,350	49.4% 106,300
Conservation and natural environments	103,050	100.0% 103,050	100.0% 103,025	99.9% 102,950	99.4% 102,475	91.2% 94,025	65.0% 66,950
Conservation and natural environments Woodland forest	83,050	100.0% 83,050	100.0% 83,025	99.9% 82,975	99.5% 82,600	91.3% 75,850	66.6% 55,350
Conservation and natural environments Forest (non woodland)	19,450	100.0% 19,450	100.0% 19,450	99.9% 19,425	99.4% 19,325	91.6% 17,825	59.1% 11,500
Agriculture	81,950	100.0% 81,950	100.0% 81,950	100.0% 81,925	99.4% 81,450	74.0% 60,625	33.5% 27,450
Grazing	74,450	100.0% 74,450	100.0% 74,450	100.0% 74,425	99.4% 74,025	75.1% 55,875	34.8% 25,900
Grazing non forest	53,200	100.0% 53,200	100.0% 53,200	100.0% 53,175	99.2% 52,800	71.7% 38,150	28.0% 14,875
Grazing Woodland forest	15,550	100.0% 15,550	100.0% 15,550	100.0% 15,550	99.8% 15,525	82.6% 12,850	48.6% 7,550
Grazing - Forest (non woodland)	5,700	100.0% 5,700	100.0% 5,700	100.0% 5,700	100.0% 5,700	85.5% 4,875	61.0% 3,475
Cropping	7,250	100.0% 7,250	100.0% 7,250	100.0% 7,250	99.3% 7,200	64.1% 4,650	20.7% 1,500
Production native forests and plantation forests	11,950	100.0% 11,950	100.0% 11,950	100.0% 11,950	99.0% 11,825	92.5% 11,050	66.3% 7,925







