# Total vegetation cover soil protection Region:LGA Wollondilly (A) NSW

This report describes vegetation protecting the soil surface from erosion during a chosen month compared to previous years. This report has been generated using MODIS fractional vegetation cover information available in Rangelands and Pasture Productivity (RAPP) map tool https://map.geo-rapp.org/#australia. The report is based on 500 metre pixel data on monthly time steps.

Land use forest cover:

**Date: January 2025** 

Results can be shown for the whole region (polygon), and separated by land use and forest cover classes which are likely to show different cover patterns and targets. Land use is divided into four broad classes: Conservation and natural environments, Agriculture, production native forests and plantation forests (no report), and other (no report). Agriculture is divided into grazing, crops and horticulture which are sub-divided into non-irrigated and irrigated. If forest is present land use is further divided into: non-forest, woodland forest and non-woodland forest. The area of each land use and forest class are shown as a map and chart. The report content is repeated for each land use and forest cover class that covers at least 1% of the area of the chosen region. Total vegetation Cover:

The total vegetation cover indicates where soil is likely to be protected from wind and or water hillslope erosion. Total vegetation cover for this month is shown on a map and chart classified into 4 classes.

- 71-100% High cover protected from wind and usually water erosion (high rainfall, steep slopes, and erodible soils may need greater than 80, 90, 95 and up to 100% cover)
  - 51-70% Moderate cover protected from wind erosion
  - 31-50% Low cover not protected
  - 0-30% Very Low cover not protected

Erosion protection: Wind erosion 50% total vegetation cover

The vegetation cover threshold required to prevent soil erosion is usually 50% to reduce wind erosion, 70% or 80% to reduce water (hillslope) erosion depending on the steepness and rainfall. Areas protected from erosion for the month:

- Map: water erosion protection (>70% cover) percentage area and hectares.
- Map: wind erosion protection (>50% cover) percentage area and hectares.

Comparison with previous years:

- Map: anomaly comparing this month to the average cover from the same month in previous years.
- Map: deciles rank of month against the same month in previous years.

Anomalies and deciles until September 2019 are calculated comparing to the same months 2001 to 2019. Extra monthly data will be used to calculate anomalies and deciles post September 2019 as they become available. Time series monthly from January 2001 to current:

# **Erosion protection**

- Wind erosion protection time series: percentage of the area of the region with greater than 50% cover for each month (orange lines). Horizontal lines are 10th (cover target) and 50th percentiles.
- Water erosion protection time series: percentage of the area of the region with greater than 70% cover for each month (blue line). Horizontal lines are 10th (cover target) and 50th percentiles.

## Rainfall

• Millimetres rainfall each month (black line).

Each time series is also stacked by year. The black line shows the current year of data.

Water erosion protection for higher rainfall and steeper slopes:

Water erosion protection on higher slopes. As slope increases, more cover is required to control water erosion. The thresholds reported are:

- the percentage area with pixels greater than 80% total cover.
- the percentage area with pixels greater than 90% total cover.
- the percentage area with pixels greater than 95% total cover.

# **Acknowledgment of data:**

- 1. http://www.agriculture.gov.au/abares/aclump/land-use/alum-classification
- 2. http://www.agriculture.gov.au/abares/forestsaustralia/sofr/sofr-2018
- 3. https://www.dpi.nsw.gov.au/agriculture/pastures-and-rangelands/establishment-mgmt/production-management2/groundcover
- 4. MODIS Fractional cover algorithm:

https://doi.org/10.4225/08/5848a3f19a7b3











# **Vegetation Cover Jan 2025**


#### Land use and forest cover




#### Proportion of each land class in area




## Total Vegetation Cover [%]




Proportion of vegetation cover class in area




#### 0/ Aven protected from water exector (> 700/)




% Area protected from wind erosion (>50%)



# Total Vegetation Cover Anomaly [%]



Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.



**Total Vegetation Cover Decile [%]** 


# IIIII CSIRO














# **Conservation and natural environments**

#### Proportion of each land class in area Land use and forest cover 64.7% 60 50 Catchment Scale Land Use and Forests 1 Conservation and natural environments - Nonforest Area (%) of Australia (2018) Derived from 34.3% 2 Conservation and natural environments - Woodland Catchment Scale Land Use of Australia 3 Conservation and natural environments - Nonwoodland forest (2018) and Forests of Australia (2018) 20 10 1.5 2.0 2.5 -0.50.0 0.5 1.0 Land use class Proportion of vegetation cover class in area **Total Vegetation Cover [%]** 99.9% 100 80 60 40 20 0.1% 0.0% 0.0% 0-30% 31%-50% 51%-70% 71%-100% **Total Vegetation Cover class** % Area protected from water erosion (>70%) % Area protected from wind erosion (>50%) Area not protected 0.1% of Area not protected 0.0% of region (176 ha) region (0 ha) Area Area protected 100.0% of protected 99.9% of region (175,574 region (175,750 ha) ha) **Total Vegetation Cover Anomaly [%] Total Vegetation Cover Decile [%]** - 20 Anomaly show how many percetage points each pixel is from the mean. That Deciles show where the pixel value lies in the - 10 is, red pixels record, from highest to lowest, for that month. That is, red pixels are are about 20% lower than the mean of that in the lowest 10% of pixel. The mean records for that month of is only for the month of the map the map using baseline from 2001 to 2019. using baseline from 2001 to 2019. -10












**-**20

# **Conservation and natural environments timeseries**









# **Conservation and natural environments Woodland forest**

# Land use and forest cover Catchment Scale Land Use and Forests of Australia (2018) Derived from 1 Conservation and natural environments - Woodland forest Catchment Scale Land Use of Australia (2018) and Forests of Australia (2018)


#### **Total Vegetation Cover [%]**



## % Area protected from water erosion (>70%)




### **Total Vegetation Cover Anomaly [%]**




Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the man using baseline. the map using baseline from 2001 to 2019.


#### Proportion of vegetation cover class in area



### % Area protected from wind erosion (>50%)



## **Total Vegetation Cover Decile [%]**





lower than the





















# **Conservation and natural environments Forest (non woodland)**

Land use and forest cover

# Catchment Scale Land Use and Forests of Australia (2018) Derived from Catchment Scale Land Use of Australia (2018) and Forests of Australia (2018)

# Total Vegetation Cover [%]

# Area not protected 0.1% of region (60,190 ha) Area protected 99.9% of region (60,190 ha)



# Proportion of vegetation cover class in area 99.9% 100 80 60 20 31%-50% 51%-70% 0-30% 71%-100% **Total Vegetation Cover class** % Area protected from wind erosion (>50%) Area not protected 0.0% of region (0 ha) Area protected 100.0% of region (60,250 ha) **Total Vegetation Cover Decile [%]**








Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.













# **Agriculture**

# Catchment Scale Land Use and Forests of Australia (2018) Derived from Catchment Scale Land Use of Australia (2018) 1 Agriculture - Grazing - Non forest 2 Agriculture - Grazing - Woodland forest 3 Agriculture - Grazing - Non-woodland forest 4 Agriculture - Grazing - Non-woodland forest 5 Agriculture - Grazing - Non-woodland forest 5 Agriculture - Grazing - Non-woodland forest 6 Agriculture - Grazing - Non-woodland forest 7 Agriculture - Cropping - Non-irrigated 8 Agriculture - Horticulture - Non-irrigated 8 Agriculture - Horticulture - Irrigated


### Proportion of each land class in area




**Total Vegetation Cover [%]** 




Proportion of vegetation cover class in area




% Area protected from water erosion (>70%)



% Area protected from wind erosion (>50%)




**Total Vegetation Cover Anomaly [%]** 



Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.

**Total Vegetation Cover Decile [%]** 
















# **Agriculture timeseries**







# Grazing


# Catchment Scale Land Use and Forests of Australia (2018) Derived from Catchment Scale Land Use of Australia (2018) Of Australia (2018) Agriculture - Grazing - Non forest Of Australia (2018) Agriculture - Grazing - Non-woodland forest Of Australia (2018)

# 50 -40 -(%) 30 -20 -10 -

Proportion of each land class in area

55.3%

## **Total Vegetation Cover [%]**



Proportion of vegetation cover class in area

1.0

Land use class

1.5


2.0

2.5


0.5

-0.5


0.0




# % Area protected from water erosion (>70%)



% Area protected from wind erosion (>50%)




## Total Vegetation Cover Anomaly [%]



Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.

# Total Vegetation Cover Decile [%]
















# **Grazing timeseries**









# **Grazing non forest**


#### Land use and forest cover




#### **Total Vegetation Cover [%]**



## % Area protected from water erosion (>70%)




### **Total Vegetation Cover Anomaly [%]**




Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.


#### Proportion of vegetation cover class in area



#### % Area protected from wind erosion (>50%)



## Total Vegetation Cover Decile [%]














# **Grazing non forest timeseries**









# **Grazing Woodland forest**

Catchment Scale Land Use and Forests of Australia (2018) Derived from Catchment Scale Land Use of Australia (2018) and Forests of Australia (2018)




#### **Total Vegetation Cover [%]**


Land use and forest cover



## % Area protected from water erosion (>70%)




### **Total Vegetation Cover Anomaly [%]**




Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the man using baseling. the map using baseline from 2001 to 2019.


#### Proportion of vegetation cover class in area



#### % Area protected from wind erosion (>50%)



## **Total Vegetation Cover Decile [%]**


















# **Grazing Woodland forest timeseries**







# Wollondilly\_(A) (251,525 ha and no data 4,066 ha) Percentage area and hectares protected with TVC threshold 30,50,70,80,90 and 95%

Land use and forest cover Class	area(ha)	above_30	above_50	above_70	above_80	above_90	above_95
Entire region	251,525	100.0% 251,475	99.9% 251,375	99.6% 250,575	98.3% 247,300	86.6% 217,750	46.7% 117,550
Conservation and natural environments	175,750	100.0% 175,750	100.0% 175,725	99.9% 175,650	99.7% 175,200	92.5% 162,600	51.4% 90,300
Conservation and natural environments Woodland forest	113,750	100.0% 113,750	100.0% 113,750	100.0% 113,700	99.7% 113,375	92.9% 105,625	53.6% 60,925
Conservation and natural environments Forest (non woodland)	60,250	100.0% 60,250	100.0% 60,225	99.9% 60,200	99.8% 60,100	91.8% 55,300	46.6% 28,075
Agriculture	46,350	100.0% 46,350	100.0% 46,350	99.7% 46,225	97.8% 45,350	80.2% 37,175	43.5% 20,175
Grazing	44,100	100.0% 44,100	100.0% 44,100	99.7% 43,975	98.3% 43,350	81.9% 36,100	44.9% 19,800
Grazing non forest	24,400	100.0% 24,400	100.0% 24,400	99.6% 24,300	97.4% 23,775	75.5% 18,425	39.2% 9,575
Grazing Woodland forest	18,800	100.0% 18,800	100.0% 18,800	99.9% 18,775	99.3% 18,675	89.4% 16,800	50.9% 9,575







