Total vegetation cover soil protection Region:LGA Wollongong_(C) NSW

This report describes vegetation protecting the soil surface from erosion during a chosen month compared to previous years. This report has been generated using MODIS fractional vegetation cover information available in Rangelands and Pasture Productivity (RAPP) map tool https://map.geo-rapp.org/#australia. The report is based on 500 metre pixel data on monthly time steps. Land use forest cover:

Results can be shown for the whole region (polygon), and separated by land use and forest cover classes which are likely to show different cover patterns and targets. Land use is divided into four broad classes: Conservation and natural environments, Agriculture, production native forests and plantation forests (no report), and other (no report). Agriculture is divided into grazing, crops and horticulture which are sub-divided into non-irrigated and irrigated. If forest is present land use is further divided into: non-forest, woodland forest and non-woodland forest. The area of each land use and forest class are shown as a map and chart. The report content is repeated for each land use and forest covers at least 1% of the area of the chosen region. Total vegetation Cover:

The total vegetation cover indicates where soil is likely to be protected from wind and or water hillslope erosion. Total vegetation cover for this month is shown on a map and chart classified into 4 classes.

• 71-100% High cover - protected from wind and usually water erosion (high rainfall, steep slopes, and erodible soils may need greater than 80, 90, 95 and up to 100% cover)

- 51-70% Moderate cover protected from wind erosion
- 31-50% Low cover not protected
- 0-30% Very Low cover not protected

Erosion protection: Wind erosion 50% total vegetation cover

The vegetation cover threshold required to prevent soil erosion is usually 50% to reduce wind erosion, 70% or 80% to reduce water (hillslope) erosion depending on the steepness and rainfall. Areas protected from erosion for the month:

- Map: water erosion protection (>70% cover) percentage area and hectares.
- Map: wind erosion protection (>50% cover) percentage area and hectares. Comparison with previous years:
 - Map: anomaly comparing this month to the average cover from the same month in previous years.
 - Map: deciles rank of month against the same month in previous years.

Anomalies and deciles until September 2019 are calculated comparing to the same months 2001 to 2019. Extra monthly data will be used to calculate anomalies and deciles post September 2019 as they become available. Time series monthly from January 2001 to current:

Erosion protection

- Wind erosion protection time series: percentage of the area of the region with greater than 50% cover for each month (orange lines). Horizontal lines are 10th (cover target) and 50th percentiles.
- Water erosion protection time series: percentage of the area of the region with greater than 70% cover for each month (blue line). Horizontal lines are 10th (cover target) and 50th percentiles.

Rainfall

• Millimetres rainfall each month (black line).

Each time series is also stacked by year. The black line shows the current year of data. Water erosion protection for higher rainfall and steeper slopes:

Water erosion protection on higher slopes. As slope increases, more cover is required to control water erosion. The thresholds reported are:

- the percentage area with pixels greater than 80% total cover.
- the percentage area with pixels greater than 90% total cover.
- the percentage area with pixels greater than 95% total cover.

Acknowledgment of data:

- 1. http://www.agriculture.gov.au/abares/aclump/land-use/alum-classification
- 2. http://www.agriculture.gov.au/abares/forestsaustralia/sofr/sofr-2018
- 3. https://www.dpi.nsw.gov.au/agriculture/pastures-and-rangelands/establishment-mgmt/production-management2/groundcover
- 4. MODIS Fractional cover algorithm:

https://doi.org/10.4225/08/5848a3f19a7b3



Vegetation Cover Feb 2025

Land use and forest cover

Catchment Scale

of Australia (2018)

Derived from

pixel is from

the mean. That

is, red pixels are about 20%

lower than the

mean of that

using baseline from 2001 to 2019.


Use of Australia

(2018) and Forests

of Australia (2018)

Land Use and Forests

Proportion of each land class in area




12%100%

52%70%


3291050010


· 0.30%

Total Vegetation Cover [%]




% Area protected from water erosion (>70%)







Proportion of vegetation cover class in area



% Area protected from wind erosion (>50%)




Total Vegetation Cover Anomaly [%]




Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.


Total Vegetation Cover Decile [%]
















Conservation and natural environments

forest

12% 10%


52% 70%

32%50%


0.30%


Land use and forest cover

Total Vegetation Cover [%]









0.6%

0.5

0.0

0

-0.5

Proportion of each land class in area

31.0%

2.0

2.5

Area

ha)

protected

100.0% of


region (31,300

Proportion of vegetation cover class in area

1.0

Land use class


1.5




% Area protected from wind erosion (>50%)




Total Vegetation Cover Anomaly [%]



Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.



Total Vegetation Cover Decile [%]







3

Anomaly show how many percetage points each pixel is from the mean. That is, red pixels are about 20% lower than the mean of that pixel. The mean is only for the month of the map using baseline from 2001 to 2019.


Catchment Scale Land Use and Forests of Australia (2018)


Catchment Scale Land

Derived from

Use of Australia


(2018) and Forests of Australia (2018)





Conservation and natural environments timeseries

Water erosion historical monthly area protected (Total Veg Cov>70%)



Conservation and natural environments Woodland forest

Catchment Scale Land Use and Forests of Australia (2018) Derived from Catchment Scale Land Use of Australia (2018) and Forests of Australia (2018)


Anomaly show how many percetage points each

pixel is from the mean. That is, red pixels are about 20%


lower than the


is only for the month of the map using baseline from 2001 to 2019.

mean of that pixel. The mean




Total Vegetation Cover [%]






% Area protected from water erosion (>70%)



Proportion of vegetation cover class in area



% Area protected from wind erosion (>50%)



Area


ha)

protected


100.0% of


region (21,650

Total Vegetation Cover Anomaly [%]




Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.











Proportion of the area protected from water erosion (Total Vegetation Cover > 70%)




Water erosion historical monthly area protected (Total Veg Cov>70%)



Conservation and natural environments Forest (non woodland)

Land use and forest cover




12%200%

52%70%


320050010

0.30%


Total Vegetation Cover [%]




% Area protected from water erosion (>70%)




Proportion of vegetation cover class in area




% Area protected from wind erosion (>50%)




Total Vegetation Cover Decile [%]





Total Vegetation Cover Anomaly [%]




Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.




Anomaly show how many percetage points each pixel is from the mean. That is, red pixels are about 20% lower than the mean of that pixel. The mean is only for the month of the map using baseline from 2001 to 2019.

Conservation and natural environments Forest (non woodland) timeseries



Proportion of the area protected from wind erosion (Total Vegetation Cover > 50%)


Proportion of the area protected from water erosion (Total Vegetation Cover > 70%)





Wind erosion historical monthly area protected (Total Veg Cov >50%)

100.0-<u>__1</u>0.0 99.8 99.6 ---- above_70 **—** 10th **--** 50th 99.4 **——** 2025 Feb 99.2 99.0 98.8 4eD Jan In May Wat PQ month tern Ecosystem Research Infrastructure Australian Government

Water erosion historical monthly area protected (Total Veg Cov>70%)











Agriculture


Land use and forest cover



Proportion of each land class in area



Proportion of vegetation cover class in area



% Area protected from wind erosion (>50%)



Area


ha)

protected


100.0% of

region (19,000

Total Vegetation Cover [%]



% Area protected from water erosion (>70%)



Catchment Scale Land Use and Forests of Australia (2018) Derived from Catchment Scale Land Use of Australia (2018) and Forests of Australia (2018)

pixel is from

is, red pixels are about 20% lower than the


mean of that pixel. The mean

is only for the month of the map


using baseline from 2001 to 2019.

the mean. That


Total Vegetation Cover Anomaly [%]



Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.








Proportion of the area protected from wind erosion (Total Vegetation Cover > 50%)


Proportion of the area protected from water erosion (Total Vegetation Cover > 70%)




Wind erosion historical monthly area protected (Total Veg Cov >50%)



Water erosion historical monthly area protected (Total Veg Cov>70%)





Grazing

Catchment Scale Land Use and Forests of Australia (2018) Catchment Scale Land Use of Australia (2018) and Forests of Australia (2018)

Derived from

pixel is from the mean. That is, red pixels

are about 20% lower than the

mean of that pixel. The mean

using baseline from 2001 to 2019.

Land use and forest cover

1 Agriculture - Grazing - Non forest 2 Agriculture - Grazing - Woodland forest 3 Agriculture - Grazing - Non-woodland forest


1200010001

52°1070°1


32%50%

0.30%

Proportion of each land class in area



Proportion of vegetation cover class in area



% Area protected from wind erosion (>50%)




Area

ha)


protected

100.0% of


region (18,950




Total Vegetation Cover [%]









Total Vegetation Cover Anomaly [%]



Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.








Proportion of the area protected from wind erosion (Total Vegetation Cover > 50%)

Proportion of the area protected from water erosion (Total Vegetation Cover > 70%)




Grazing timeseries


Wind erosion historical monthly area protected (Total Veg Cov >50%)





Water erosion historical monthly area protected (Total Veg Cov>70%)










Grazing non forest

Land use and forest cover




Total Vegetation Cover [%]







% Area protected from water erosion (>70%)



Proportion of vegetation cover class in area



% Area protected from wind erosion (>50%)



Area

protected 100.0% of

region (4,875 ha)

Catchment Scale Land Use and Forests of Australia (2018) Derived from Catchment Scale Land Use of Australia (2018) and Forests of Australia (2018)


Anomaly show how many percetage points each

pixel is from the mean. That


is, red pixels are about 20% lower than the

mean of that


pixel. The mean is only for the month of the map using baseline from 2001 to 2019. **Total Vegetation Cover Anomaly [%]**




Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.




Total Vegetation Cover Decile [%]

















Proportion of the area protected from water erosion (Total Vegetation Cover > 80%)










Grazing Woodland forest

Land use and forest cover




Total Vegetation Cover [%]






% Area protected from water erosion (>70%)





Proportion of vegetation cover class in area



% Area protected from wind erosion (>50%)




Area


protected 100.0% of

region (8,150 ha)


Total Vegetation Cover Anomaly [%]



Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.



Total Vegetation Cover Decile [%]





Anomaly show how many percetage points each pixel is from the mean. That is, red pixels are about 20% lower than the mean of that pixel. The mean is only for the month of the map using baseline from 2001 to 2019.


Catchment Scale

Derived from


Use of Australia (2018) and Forests of Australia (2018)









Proportion of the area protected from water erosion (Total Vegetation Cover > 70%)




Grazing Woodland forest timeseries

Water erosion historical monthly area protected (Total Veg Cov>70%)





Grazing - Forest (non woodland)



Catchment Scale Land Use and Forests of Australia (2018) Derived from Catchment Scale Land Use of Australia (2018) and Forests of Australia (2018)

Anomaly show how many percetage points each

pixel is from

is, red pixels are about 20% lower than the


mean of that pixel. The mean


using baseline from 2001 to 2019.

is only for the month of the map


the mean. That

Total Vegetation Cover [%]







% Area protected from water erosion (>70%)



Proportion of vegetation cover class in area



% Area protected from wind erosion (>50%)




Area


protected 100.0% of

region (5,925 ha)


Total Vegetation Cover Anomaly [%]




Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.








Proportion of the area protected from wind erosion (Total Vegetation Cover > 50%)




Proportion of the area protected from water erosion (Total Vegetation Cover > 70%)



Water erosion historical monthly area protected (Total Veg Cov>70%)







Wollongong_(C) (65,625 ha and no data 2,805 ha) Percentage area and hectares protected with TVC threshold 30,50,70,80,90 and 95%

Land use and forest cover Class	area(ha)	above_30	above_50	above_70	above_80	above_90	above_95
Entire region	65,625	99.5% 65,300	98.8% 64,850	91.2% 59,875	83.8% 55,025	64.8% 42,500	28.6% 18,800
Conservation and natural environments	31,300	100.0% 31,300	100.0% 31,300	99.8% 31,225	99.0% 30,975	86.3% 27,000	43.1% 13,500
Conservation and natural environments Woodland forest	21,650	100.0% 21,650	100.0% 21,650	99.9% 21,625	99.2% 21,475	92.4% 20,000	44.6% 9,650
Conservation and natural environments Forest (non woodland)	9,625	100.0% 9,625	100.0% 9,625	99.5% 9,575	98.4% 9,475	72.7% 7,000	40.0% 3,850
Agriculture	19,000	100.0% 19,000	100.0% 19,000	99.5% 18,900	95.0% 18,050	66.8% 12,700	22.9% 4,350
Grazing	18,950	100.0% 18,950	100.0% 18,950	99.5% 18,850	95.0% 18,000	67.0% 12,700	23.0% 4,350
Grazing non forest	4,875	100.0% 4,875	100.0% 4,875	99.0% 4,825	85.6% 4,175	34.4% 1,675	8.7% 425
Grazing Woodland forest	8,150	100.0% 8,150	100.0% 8,150	100.0% 8,150	99.4% 8,100	87.4% 7,125	27.0% 2,200
Grazing - Forest (non woodland)	5,925	100.0% 5,925	100.0% 5,925	99.2% 5,875	96.6% 5,725	65.8% 3,900	29.1% 1,725

