# Total vegetation cover soil protection Region:LGA Katherine\_(T) NT

# Date: April 2024

This report describes vegetation protecting the soil surface from erosion during a chosen month compared to previous years. This report has been generated using MODIS fractional vegetation cover information available in Rangelands and Pasture Productivity (RAPP) map tool https://map.geo-rapp.org/#australia. The report is based on 500 metre pixel data on monthly time steps. Land use forest cover:

Results can be shown for the whole region (polygon), and separated by land use and forest cover classes which are likely to show different cover patterns and targets. Land use is divided into four broad classes: Conservation and natural environments, Agriculture, production native forests and plantation forests (no report), and other (no report). Agriculture is divided into grazing, crops and horticulture which are sub-divided into non-irrigated and irrigated. If forest is present land use is further divided into: non-forest, woodland forest and non-woodland forest. The area of each land use and forest class are shown as a map and chart. The report content is repeated for each land use and forest covers at least 1% of the area of the chosen region. Total vegetation Cover:

The total vegetation cover indicates where soil is likely to be protected from wind and or water hillslope erosion. Total vegetation cover for this month is shown on a map and chart classified into 4 classes.

• 71-100% High cover - protected from wind and usually water erosion (high rainfall, steep slopes, and erodible soils may need greater than 80, 90, 95 and up to 100% cover)

- 51-70% Moderate cover protected from wind erosion
- 31-50% Low cover not protected
- 0-30% Very Low cover not protected

Erosion protection: Wind erosion 50% total vegetation cover

The vegetation cover threshold required to prevent soil erosion is usually 50% to reduce wind erosion, 70% or 80% to reduce water (hillslope) erosion depending on the steepness and rainfall. Areas protected from erosion for the month:

- Map: water erosion protection (>70% cover) percentage area and hectares.
- Map: wind erosion protection (>50% cover) percentage area and hectares. Comparison with previous years:
  - Map: anomaly comparing this month to the average cover from the same month in previous years.
  - Map: deciles rank of month against the same month in previous years.

Anomalies and deciles until September 2019 are calculated comparing to the same months 2001 to 2019. Extra monthly data will be used to calculate anomalies and deciles post September 2019 as they become available. Time series monthly from January 2001 to current:

#### **Erosion protection**

- Wind erosion protection time series: percentage of the area of the region with greater than 50% cover for each month (orange lines). Horizontal lines are 10th (cover target) and 50th percentiles.
- Water erosion protection time series: percentage of the area of the region with greater than 70% cover for each month (blue line). Horizontal lines are 10th (cover target) and 50th percentiles.

### Rainfall

• Millimetres rainfall each month (black line).

Each time series is also stacked by year. The black line shows the current year of data. Water erosion protection for higher rainfall and steeper slopes:

Water erosion protection on higher slopes. As slope increases, more cover is required to control water erosion. The thresholds reported are:

- the percentage area with pixels greater than 80% total cover.
- the percentage area with pixels greater than 90% total cover.
- the percentage area with pixels greater than 95% total cover.

## Acknowledgment of data:

- 1. http://www.agriculture.gov.au/abares/aclump/land-use/alum-classification
- 2. http://www.agriculture.gov.au/abares/forestsaustralia/sofr/sofr-2018
- 3. https://www.dpi.nsw.gov.au/agriculture/pastures-and-rangelands/establishment-mgmt/production-management2/groundcover
- 4. MODIS Fractional cover algorithm:

https://doi.org/10.4225/08/5848a3f19a7b3



# **Vegetation Cover Apr 2024**

#### Land use and forest cover

Catchment Scale

of Australia (2018)


(2018) and Forests

of Australia (2018)

Derived from

Use of Australia

Proportion of each land class in area




12002000

52°10°10°10


3201050010


· 0.30%

#### **Total Vegetation Cover [%]**




#### % Area protected from water erosion (>70%)







#### Proportion of vegetation cover class in area



#### % Area protected from wind erosion (>50%)




**Total Vegetation Cover Anomaly [%]** 




Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.

**Total Vegetation Cover Decile [%]** 





2



### **Conservation and natural environments**

Catchment Scale Land Use and Forests of Australia (2018) Derived from Catchment Scale Land Use of Australia (2018) and Forests of Australia (2018)

pixel is from

is, red pixels

mean of that

pixel. The mean

month of the map

is only for the

using baseline

from 2001 to 2019.

are about 20% lower than the

the mean. That

Land use and forest cover

59.9% 60 50 39.9% 40 Area (%) 00 20 10 0

0.0

-0.5

#### Proportion of each land class in area

Proportion of vegetation cover class in area

1.0

Land use class


1.5

0.5


0.2%


2.0

2.5




% Area protected from wind erosion (>50%)







**Total Vegetation Cover [%]** 











**Total Vegetation Cover Anomaly [%]** 




Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.

**Total Vegetation Cover Decile [%]** 






₽



Proportion of the area protected from water erosion (Total Vegetation Cover > 70%)



100 90 ---- above\_70 **—** 10th **——** 50th **—** 2024 Apr 80 70-60 4eb Jan May In Mai PQ tern


Wind erosion historical monthly area protected (Total Veg Cov >50%)

5

Australian Government

Ecosystem Research Infrastructure

Water erosion historical monthly area protected (Total Veg Cov>70%)



### **Conservation and natural environments non forest**

1 Conservation and natural environments - Non-forest


1200-2001

· 52°10'10°10


32°1050°10

0.30%


Total Vegetation Cover [%]









Proportion of vegetation cover class in area




% Area protected from wind erosion (>50%)






Land use and forest cover

**Total Vegetation Cover Anomaly [%]** 



Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.

Total Vegetation Cover Decile [%]







Ø



## **Conservation and natural environments non forest timeseries**




Proportion of the area protected from wind erosion (Total Vegetation Cover > 50%)



Proportion of the area protected from water erosion (Total Vegetation Cover > 70%)

Water erosion historical monthly area protected (Total Veg Cov>70%)



## **Conservation and natural environments Woodland forest**

Catchment Scale Land Use and Forests of Australia (2018) Derived from Catchment Scale Land Use of Australia (2018) and Forests of Australia (2018)

12/070001


· 52°10'70°10

32°1050°10


0.30%

Total Vegetation Cover [%]


Land use and forest cover



% Area protected from water erosion (>70%)




Proportion of vegetation cover class in area




% Area protected from wind erosion (>50%)




**Total Vegetation Cover Anomaly [%]** 



Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.




Total Vegetation Cover Decile [%]











Proportion of the area protected from water erosion (Total Vegetation Cover > 70%)




Wind erosion historical monthly area protected (Total Veg Cov >50%)




## Agriculture

Land use and forest cover







**Total Vegetation Cover [%]** 




% Area protected from water erosion (>70%)












Proportion of vegetation cover class in area




% Area protected from wind erosion (>50%)




**Total Vegetation Cover Decile [%]** 





**Total Vegetation Cover Anomaly [%]** 



Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.




Anomaly show how many percetage points each pixel is from the mean. That is, red pixels are about 20% lower than the mean of that pixel. The mean is only for the month of the map using baseline from 2001 to 2019.

Catchment Scale


Derived from

Use of Australia



Proportion of the area protected from wind erosion (Total Vegetation Cover > 50%)







Wind erosion historical monthly area protected (Total Veg Cov >50%)


Water erosion historical monthly area protected (Total Veg Cov>70%)

### Grazing

Catchment Scale Land Use and Forests of Australia (2018) 1 Agriculture - Grazing - Non forest 2 Agriculture - Grazing - Woodland forest Catchment Scale Land Use of Australia (2018) and Forests of Australia (2018) **3** Agriculture - Grazing - Non-woodland forest


Land use and forest cover

**Total Vegetation Cover [%]** 




% Area protected from water erosion (>70%)





#### Proportion of each land class in area

Proportion of vegetation cover class in area





% Area protected from wind erosion (>50%)





**Total Vegetation Cover Decile [%]** 






120010000


52% TO%

1 32°10'50°10

· 0.30%



**Total Vegetation Cover Anomaly [%]** 




Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.






Anomaly show how many percetage points each pixel is from the mean. That is, red pixels are about 20% lower than the mean of that pixel. The mean is only for the month of the map using baseline from 2001 to 2019.

Derived from



Proportion of the area protected from wind erosion (Total Vegetation Cover > 50%)





Wind erosion historical monthly area protected (Total Veg Cov >50%)

## **Grazing non forest**


12%100%

52°10°10°1


32°1050°10

0.30%


Land use and forest cover




Total Vegetation Cover [%]




% Area protected from water erosion (>70%)




Proportion of vegetation cover class in area




% Area protected from wind erosion (>50%)



Total Vegetation Cover Decile [%]




Total Vegetation Cover Anomaly [%]




Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.







Proportion of the area protected from wind erosion (Total Vegetation Cover > 50%)









## **Grazing Woodland forest**




Total Vegetation Cover [%]




% Area protected from water erosion (>70%)







#### Proportion of vegetation cover class in area




% Area protected from wind erosion (>50%)



Total Vegetation Cover Decile [%]




Total Vegetation Cover Anomaly [%]




Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.








Proportion of the area protected from water erosion (Total Vegetation Cover > 70%)






## Grazing - Forest (non woodland)

1210-2001

52°1070°10

320050010

0.30%



Catchment Scale Land Use and Forests of Australia (2018) Derived from Catchment Scale Land Use of Australia (2018) and Forests of Australia (2018)

Anomaly show how many percetage points each


pixel is from the mean. That

is, red pixels are about 20% lower than the


mean of that pixel. The mean

is only for the month of the map using baseline from 2001 to 2019. Total Vegetation Cover [%]


Land use and forest cover




% Area protected from water erosion (>70%)




Proportion of vegetation cover class in area



% Area protected from wind erosion (>50%)




Total Vegetation Cover Decile [%]







**Total Vegetation Cover Anomaly [%]** 

Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.



Proportion of the area protected from water erosion (Total Vegetation Cover > 70%)






## Cropping

12%100%


· 52°10'10°10

320050010


0.30%




Total Vegetation Cover [%]








Proportion of vegetation cover class in area



% Area protected from wind erosion (>50%)




**Total Vegetation Cover Anomaly [%]** 



Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.



**Total Vegetation Cover Decile [%]** 





- 20


10

- 0


-10


-20






Proportion of the area protected from wind erosion (Total Vegetation Cover > 50%)





Wind erosion historical monthly area protected (Total Veg Cov >50%)



# Katherine\_(T) (741,450 ha and no data 341 ha) Percentage area and hectares protected with TVC threshold 30,50,70,80,90 and 95%

Land use and forest cover Class	area(ha)	above_30	above_50	above_70	above_80	above_90	above_95
Entire region	741,450	100.0% 741,450	100.0% 741,325	99.9% 740,725	99.4% 736,775	81.9% 607,200	23.7% 175,425
Conservation and natural environments	60,025	100.0% 60,025	100.0% 60,025	99.9% 59,950	98.7% 59,225	73.5% 44,125	18.6% 11,175
Conservation and natural environments non forest	23,950	100.0% 23,950	100.0% 23,950	99.8% 23,900	98.3% 23,550	70.8% 16,950	18.7% 4,475
Conservation and natural environments Woodland forest	35,925	100.0% 35,925	100.0% 35,925	99.9% 35,900	98.9% 35,525	75.4% 27,100	18.6% 6,700
Agriculture	651,650	100.0% 651,650	100.0% 651,525	99.9% 651,200	99.6% 649,050	83.8% 546,075	24.7% 160,950
Grazing	638,050	100.0% 638,050	100.0% 638,050	100.0% 638,050	99.8% 636,625	84.5% 539,325	24.9% 159,075
Grazing non forest	168,625	100.0% 168,625	100.0% 168,625	100.0% 168,625	99.4% 167,675	82.7% 139,425	26.3% 44,300
Grazing Woodland forest	324,675	100.0% 324,675	100.0% 324,675	100.0% 324,675	99.9% 324,200	86.7% 281,650	28.5% 92,525
Grazing - Forest (non woodland)	144,750	100.0% 144,750	100.0% 144,750	100.0% 144,750	100.0% 144,750	81.7% 118,250	15.4% 22,250
Cropping	9,000	100.0% 9,000	100.0% 9,000	100.0% 9,000	99.2% 8,925	56.4% 5,075	17.8% 1,600

