### Total vegetation cover soil protection Region:LGA MacDonnell (R) NT

This report describes vegetation protecting the soil surface from erosion during a chosen month compared to previous years. This report has been generated using MODIS fractional vegetation cover information available in Rangelands and Pasture Productivity (RAPP) map tool https://map.geo-rapp.org/#australia. The report is based on 500 metre pixel data on monthly time steps.

Land use forest cover:

**Date: February 2024** 

Results can be shown for the whole region (polygon), and separated by land use and forest cover classes which are likely to show different cover patterns and targets. Land use is divided into four broad classes: Conservation and natural environments, Agriculture, production native forests and plantation forests (no report), and other (no report). Agriculture is divided into grazing, crops and horticulture which are sub-divided into non-irrigated and irrigated. If forest is present land use is further divided into: non-forest, woodland forest and non-woodland forest. The area of each land use and forest class are shown as a map and chart. The report content is repeated for each land use and forest cover class that covers at least 1% of the area of the chosen region.

The total vegetation cover indicates where soil is likely to be protected from wind and or water hillslope erosion. Total vegetation cover for this month is shown on a map and chart classified into 4 classes.

- 71-100% High cover protected from wind and usually water erosion (high rainfall, steep slopes, and erodible soils may need greater than 80, 90, 95 and up to 100% cover)
  - 51-70% Moderate cover protected from wind erosion
  - 31-50% Low cover not protected
  - 0-30% Very Low cover not protected

Erosion protection: Wind erosion 50% total vegetation cover

The vegetation cover threshold required to prevent soil erosion is usually 50% to reduce wind erosion, 70% or 80% to reduce water (hillslope) erosion depending on the steepness and rainfall. Areas protected from erosion for the month:

- Map: water erosion protection (>70% cover) percentage area and hectares.
- Map: wind erosion protection (>50% cover) percentage area and hectares.

Comparison with previous years:

Total vegetation Cover:

- Map: anomaly comparing this month to the average cover from the same month in previous years.
- Map: deciles rank of month against the same month in previous years.

Anomalies and deciles until September 2019 are calculated comparing to the same months 2001 to 2019. Extra monthly data will be used to calculate anomalies and deciles post September 2019 as they become available. Time series monthly from January 2001 to current:

### **Erosion protection**

- Wind erosion protection time series: percentage of the area of the region with greater than 50% cover for each month (orange lines). Horizontal lines are 10th (cover target) and 50th percentiles.
- Water erosion protection time series: percentage of the area of the region with greater than 70% cover for each month (blue line). Horizontal lines are 10th (cover target) and 50th percentiles.

### Rainfall

• Millimetres rainfall each month (black line).

Each time series is also stacked by year. The black line shows the current year of data.

Water erosion protection for higher rainfall and steeper slopes:

Water erosion protection on higher slopes. As slope increases, more cover is required to control water erosion. The thresholds reported are:

- the percentage area with pixels greater than 80% total cover.
- the percentage area with pixels greater than 90% total cover.
- the percentage area with pixels greater than 95% total cover.

### **Acknowledgment of data:**

- 1. http://www.agriculture.gov.au/abares/aclump/land-use/alum-classification
- 2. http://www.agriculture.gov.au/abares/forestsaustralia/sofr/sofr-2018
- 3. https://www.dpi.nsw.gov.au/agriculture/pastures-and-rangelands/establishment-mgmt/production-management2/groundcover
- 4. MODIS Fractional cover algorithm:

https://doi.org/10.4225/08/5848a3f19a7b3











### **Vegetation Cover Feb 2024**


### Proportion of each land class in area






# 


### **Proportion of vegetation cover class in area**







### % Area protected from wind erosion (>50%)



### **Total Vegetation Cover Anomaly [%]** Anomaly show how many percetage points each 20 pixel is from the mean. That is, red pixels - 10 are about 20% lower than the mean of that pixel. The mean is only for the month of the map using baseline from 2001 to 2019.


Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.











### **Conservation and natural environments**

# Catchment Scale Land Use and Forests of Australia (2018) Derived from Catchment Scale Use of Australia (2018) Use of Australia (2018) And Forest 1 Conservation and natural environments - Nonforest 40 20 -

# Total Vegetation Cover [%] Total Vegetation Cover [%] Total Vegetation Cover [%] Total Vegetation Cover [%] Total Vegetation Cover [%]

### Land use class Proportion of vegetation cover class in area 70.4% 70 60 50 Area (%) 30 19.8% 20 9.7% 10 -0.1% 31%-50% 0-30% 51%-70% 71%-100%

**Total Vegetation Cover class** 

0.25

0.50

0.75

1.25


1.00

0.00

-0.25

Proportion of each land class in area

### % Area protected from water erosion (>70%)



## % Area protected from wind erosion (>50%) Area not protected 90.0% of region (15,185,498 ha) Area protected 10.0% of region (1,687,278 ha)

## Anomaly show how many percetage points each pixel is from the mean. That is, red pixels are about 20% lower than the mean of that pixel. The mean is only for the month of the map using baseline from 2001 to 2019.

Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.












### **Conservation and natural environments timeseries**




### Wind erosion historical monthly area protected (Total Veg Cov >50%)



Proportion of the area protected from water erosion (Total Vegetation Cover > 70%)




### Water erosion historical monthly area protected (Total Veg Cov>70%)




### **Conservation and natural environments non forest**

### Land use and forest cover




# Total Vegetation Cover [%] Total Vegetation Cover [%] Total Vegetation Cover [%] Total Vegetation Cover [%] Total Vegetation Cover [%]

### **Proportion of vegetation cover class in area**




### % Area protected from water erosion (>70%)




### % Area protected from wind erosion (>50%)



## Anomaly show how many percetage points each pixel is from the mean. That is, red pixels are about 20% lower than the mean of that pixel. The mean is only for the month of the map using baseline from 2001 to 2019.



Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.
















### **Conservation and natural environments non forest timeseries**




### Wind erosion historical monthly area protected (Total Veg Cov >50%)



Proportion of the area protected from water erosion (Total Vegetation Cover > 70%)



Water erosion historical monthly area protected (Total Veg Cov>70%)









### **Agriculture**


### Land use and forest cover




### Proportion of each land class in area




### Proportion of vegetation cover class in area







### % Area protected from water erosion (>70%)




### % Area protected from wind erosion (>50%)



### Total Variation Cover Average [0/1



Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.















### **Agriculture timeseries**






month






### **Grazing**


### Land use and forest cover




### Proportion of each land class in area




### Proportion of vegetation cover class in area






### % Area protected from water erosion (>70%)



### % Area protected from wind erosion (>50%)




### Anomaly show how many percetage points each pixel is from the mean. That is, red pixels are about 20% lower than the mean of that pixel. The mean

is only for the month of the map

using baseline from 2001 to 2019. **Total Vegetation Cover Anomaly [%]** 

Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.

### Total Vegetation Cover Decile [%]














-10


**-**20

### **Grazing timeseries**












### **Grazing non forest**

### Land use and forest cover







### **Proportion of vegetation cover class in area**



### % Area protected from water erosion (>70%)



### % Area protected from wind erosion (>50%)



# Anomaly show how many percetage points each pixel is from the mean. That is, red pixels are about 20% lower than the mean of that pixel. The mean is only for the month of the map using baseline from 2001 to 2019.

Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.













### **Grazing non forest timeseries**





month





### MacDonnell\_(R) (26,957,775 ha and no data 69,619 ha) Percentage area and hectares protected with TVC threshold 30,50,70,80,90 and 95%

Land use and forest cover Class	area(ha)	above_30	above_50	above_70	above_80	above_90	above_95
Entire region	26,957,775	83.6% 22,542,900	10.9% 2,930,250	0.2% 45,825	0.0% 11,400	0.0% 5,575	0.0% 4,125
Conservation and natural environments	16,872,775	80.2% 13,525,625	9.8% 1,654,300	0.1% 14,500	0.0% 575	0.0% 50	0.0% 50
Conservation and natural environments non forest	16,871,075	80.2% 13,524,000	9.8% 1,653,125	0.1% 14,500	0.0% 575	0.0% 50	0.0% 50
Agriculture	9,945,800	89.4% 8,895,850	12.3% 1,221,350	0.1% 12,925	0.0% 950	0.0% 25	0.0% 25
Grazing	9,945,525	89.4% 8,895,575	12.3% 1,221,225	0.1% 12,900	0.0% 950	0.0% 25	0.0% 25
Grazing non forest	9,942,325	89.4% 8,892,375	12.3% 1,218,525	0.1% 12,650	0.0% 925	0.0% 25	0.0% 25







