### [LGA Balonne\_(S) (QLD)] - total vegetation cover soil protection report [Sep 2019]

This report provides information about vegetation covering the soil surface for a region during a single month with comparison to previous years. The total vegetation cover indicates where soil is likely to be protected from wind (>=50% total vegetation cover) and water/hillslope (>=70% total vegetation cover) erosion. Results are shown for the whole region (polygon) and also separated by land use and forest cover class. This is because different land use / forest cover classes are likely to have different cover patterns and targets. [Balonne (S)]

The six maps and two graphs provide a report for the month with:

- Land use and forest cover information for the area:
  - o Map: Land use and forest cover
  - o Chart: Land use and forest cover area
- Total vegetation cover for this month:
  - o Map: total vegetation cover classified into 4 classes
  - o Chart: total vegetation cover percentage area classified into 4 classes
- Areas protected from erosion for the month:
  - o Map: water erosion protection (>70% cover) percentage area and hectares
  - o Map: wind erosion protection (>50% cover) percentage area and hectares
- Comparison with previous years:
  - o Map: anomaly compare this month to the average cover from the same month in previous years
  - o Map: deciles rank this month against the same month in previous years
- Time series from January 2001 to current:
  - o Wind erosion protection time series: percentage of the area of the region with greater than 50% cover for each month since January 2001 (orange line): Horizontal lines are 10th (cover target) and 50th percentiles. Vertical line is month of report.
  - o Water erosion protection time series: percentage of the area of the region with greater than 70% cover for each month since January 2001 (blue line): Horizontal lines are 10th (cover target) and 50th percentiles. Vertical line is month of report.
  - o Rainfall: millimetres rainfall each month (black line). Vertical line is month of report.
- Time series for each month stacked by year
  - o Same data as time series from January 2001 to current month, grouped by month. Black line is current year of data.
- Water erosion protection on higher slopes. As slope increases, more cover is required to control water erosion. The thresholds reported are:
  - o the percentage area with pixels greater than 80% total clover
  - o the percentage area with pixels greater than 90% total clover
  - o the percentage area with pixels greater than 95% total clover
- The following pages repeat the above sequence for each land use and forest cover class. For example
- All agricultural lands, that is grazing, cropping plus Horticulture (depending on what land use is present)
- Grazing lands by forest classes if present
- Cropping lands
- Irrigation lands
- Protected areas by forest classes if present

The following pages repeat the above sequence for each land use and forest cover class if 1% or more of area makes up a land use and forest cover class. Four land uses are reported: Conservation and natural environments, Agriculture, production native forests and plantation forests, and other. Agriculture is further divided into grazing,

crops and horticulture are then divided into non-irrigated and irrigated. Land use is further divided by forest class if present: non-forest, woodland forest and non-woodland forest.

Explanatory notes:

This report has been generated using MODIS fractional vegetation cover information available in Rangelands and Pasture Productivity (RAPP) map tool. The report is based on an analysis of 500 metre pixel data on monthly time steps. Report uses baseline from January 2001 to September 2019 for each month to generate anomalies and deciles. Post September 2019 all similar months are used to calculate anomalies and deciles.

### Acknowledgment of data:

- 1. http://www.agriculture.gov.au/abares/aclump/land-use/alum-classification
- 2. http://www.agriculture.gov.au/abares/forestsaustralia/sofr/sofr-2018
- 3. https://www.dpi.nsw.gov.au/agriculture/pastures-and-rangelands/establishment-mgmt/production-management2/groundcover
- 4. MODIS Fractional cover algorithm:


https://doi.org/10.4225/08/5848a3f19a7b3




# **Vegetation Cover Sep 2019**

#### Proportion of each land class in area

#### Land use and forest cover




**Total Vegetation Cover [%]** 




#### % Area protected from water erosion (>70%)





#### Proportion of vegetation cover class in area



#### % Area protected from wind erosion (>50%)

Area not

protected

60.0% of

(1,868,820


Area protected 40.0% of


region (1,245,880

region


ha)

ha)












#### **Conservation and natural environments**




**Total Vegetation Cover [%]** 




% Area protected from water erosion (>70%)





#### Proportion of vegetation cover class in area

% Area protected from wind erosion (>50%)




Landcare

Programme

NSW


GOVERNMENT

Australian Government




Proportion of the area protected from wind erosion (Total Vegetation Cover > 50%)

Proportion of the area protected from water erosion (Total Vegetation Cover > 70%)




100-80 60 40 20 feb May In Jan Mai P.Q 1/2/ month TERN BOOD CSIRO Australian Government

Water erosion historical monthly area protected (Total Veg Cov>70%)







### **Conservation and natural environments non forest**




**Total Vegetation Cover [%]** 




% Area protected from water erosion (>70%)






#### Proportion of vegetation cover class in area

#### % Area protected from wind erosion (>50%)







Programme

GOVERNMENT

Australian Government




Proportion of the area protected from water erosion (Total Vegetation Cover > 70%)




100-80 60-40 20-0 -May In 4eb Sal (J) 291 month TERN CSIRO Australian Government

Water erosion historical monthly area protected (Total Veg Cov>70%)







### Agriculture




**Total Vegetation Cover [%]** 




% Area protected from water erosion (>70%)




Proportion of vegetation cover class in area



#### % Area protected from wind erosion (>50%)



Total Vegetation Cover Anomaly [%]



Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline the map using baseline from 2001 to 2019.

 $\hat{\mathbf{v}}$ °, A.1 · ~??

**Total Vegetation Cover Decile [%]** 



8


- 20

· 10

0


-10

-20



Proportion of the area protected from wind erosion (Total Vegetation Cover > 50%)

Proportion of the area protected from water erosion (Total Vegetation Cover > 70%)




## **Agriculture timeseries**

80 60-40-20-0 Jan May In 4eb 1<sup>1</sup>1 291 month TERN CSIRO Australian Government


## Wind erosion historical monthly area protected (Total Veg Cov >50%)

Water erosion historical monthly area protected (Total Veg Cov>70%)







### Grazing




**Total Vegetation Cover [%]** 



% Area protected from water erosion (>70%)




Proportion of vegetation cover class in area




#### % Area protected from wind erosion (>50%)




Total Vegetation Cover Anomaly [%]






Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline the map using baseline from 2001 to 2019.

**Total Vegetation Cover Decile [%]** 








Proportion of the area protected from wind erosion (Total Vegetation Cover > 50%)

Proportion of the area protected from water erosion (Total Vegetation Cover > 70%)



### Grazing timeseries


100-80 60-40 20 0lan 4eb May In 1/2/ 26, month TERN (BOO) CSIRO Australian Government

Wind erosion historical monthly area protected (Total Veg Cov >50%)

13




Water erosion historical monthly area protected (Total Veg Cov>70%)







### **Grazing non forest**




**Total Vegetation Cover [%]** 




% Area protected from water erosion (>70%)



Proportion of vegetation cover class in area




#### % Area protected from wind erosion (>50%)




Total Vegetation Cover Anomaly [%]

Anomaly show how many percetage -points each pixel is from the mean. That is, red pixels are about 20% lower than the mean of that pixel. The mean is only for the month of the map using baseline from 2001 to 2019.




Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline the map using baseline from 2001 to 2019.


Total Vegetation Cover Decile [%]








Proportion of the area protected from water erosion (Total Vegetation Cover > 70%)




### Grazing non forest timeseries


Water erosion historical monthly area protected (Total Veg Cov>70%)




### **Grazing Woodland forest**




**Total Vegetation Cover [%]** 




% Area protected from water erosion (>70%)




Proportion of vegetation cover class in area




#### % Area protected from wind erosion (>50%)




## **Grazing Woodland forest timeseries**




Proportion of the area protected from water erosion (Total Vegetation Cover > 70%)




Water erosion historical monthly area protected (Total Veg Cov>70%)




### Grazing - Forest (non woodland)



**Total Vegetation Cover [%]** 



% Area protected from water erosion (>70%)




Programme

GOVERNMENT


60.1% 60 50 · 40 (%) 34.1% Area 05 20 10 5.8% 0.0% 0 0-30% 31%-50% 51%-70% 71%-100% Total Vegetation Cover class

#### Proportion of vegetation cover class in area


#### % Area protected from wind erosion (>50%)



Australian Government




Proportion of the area protected from water erosion (Total Vegetation Cover > 70%)




### **Grazing - Forest (non woodland) timeseries**

Water erosion historical monthly area protected (Total Veg Cov>70%)




13

### Cropping




**Total Vegetation Cover [%]** 



% Area protected from water erosion (>70%)


CSIRO



79.8% 80 70 · 60 , 50 - 05 (%) - 05 30 · 20 · 12.2% 10 -8.0% 0.0% 0 31%-50% 71%-100% 0-30% 51%-70% Total Vegetation Cover class

# Proportion of vegetation cover class in area

#### % Area protected from wind erosion (>50%)



Landcare


Programme

JSW

GOVERNMENT




Australian Government




Proportion of the area protected from wind erosion (Total Vegetation Cover > 50%)

Proportion of the area protected from water erosion (Total Vegetation Cover > 70%)




### **Cropping timeseries**




Water erosion historical monthly area protected (Total Veg Cov>70%)


### Irrigation




**Total Vegetation Cover [%]** 



% Area protected from water erosion (>70%)





Proportion of vegetation cover class in area



#### % Area protected from wind erosion (>50%)


GOVERNMENT





Proportion of the area protected from wind erosion (Total Vegetation Cover > 50%)


Proportion of the area protected from water erosion (Total Vegetation Cover > 70%)




### Irrigation timeseries



Wind erosion historical monthly area protected (Total Veg Cov >50%)



Water erosion historical monthly area protected (Total Veg Cov>70%)



# Balonne\_(S) (3,114,700 ha and no data 641 ha) Percentage area and hectares protected with TVC threshold 30,50,70,80,90 and 95%

Land use and forest cover Class	area(ha)	above_30	above_50	above_70	above_80	above_90	above_95
Entire region	3,114,700	98.1% 3,055,600	40.2% 1,253,500	5.2% 161,250	1.3% 39,900	0.0% 0	0.0% 0
Conservation and natural environments	84,096	99.9% 84,046	90.1% 75,797	23.5% 19,799	$0.6\%\ 474$	0.0% 0	0.0%
Conservation and natural environments non forest	40,491	99.9% 40,440	80.8% 32,698	2.8% 1,152	0.1% 25	0.0% 0	0.0%
Agriculture	2,974,538	98.0% 2,915,986	38.3% 1,139,455	4.6% 135,397	1.3% 38,934	0.0% 0	0.0%
Grazing	2,554,054	98.7% 2,521,865	41.7% 1,065,239	5.3% 134,230	1.5% 38,791	0.0% 0	0.0% 0
Grazing non forest	2,273,731	98.6% 2,241,552	35.4% 804,499	1.4% 32,303	0.1% 1,225	0.0% 0	0.0% 0
Grazing Woodland forest	239,831	100.0% 239,831	93.0% 222,991	36.8% 88,318	13.3% 31,884	0.0% 0	0.0% 0
Grazing - Forest (non woodland)	40,491	100.0% 40,491	94.2% 38,142	34.1% 13,806	14.3% 5,780	0.0% 0	0.0% 0
Cropping	323,928	92.1% 298,181	12.3% 39,691	0.0% 124	0.0% 0	0.0% 0	0.0% 0
Irrigation	96,555	99.4% 96,010	36.2% 34,917	1.2% 1,139	0.2% 173	0.0% 0	0.0% 0





