Total vegetation cover soil protection Region:LGA Balonne_(S) QLD

Date: August 2021

This report describes vegetation protecting the soil surface from erosion during a chosen month compared to previous years. This report has been generated using MODIS fractional vegetation cover information available in Rangelands and Pasture Productivity (RAPP) map tool https://map.geo-rapp.org/#australia. The report is based on 500 metre pixel data on monthly time steps. Land use forest cover:

Results can be shown for the whole region (polygon), and separated by land use and forest cover classes which are likely to show different cover patterns and targets. Land use is divided into four broad classes: Conservation and natural environments, Agriculture, production native forests and plantation forests (no report), and other (no report). Agriculture is divided into grazing, crops and horticulture which are sub-divided into non-irrigated and irrigated. If forest is present land use is further divided into: non-forest, woodland forest and non-woodland forest. The area of each land use and forest class are shown as a map and chart. The report content is repeated for each land use and forest covers at least 1% of the area of the chosen region. Total vegetation Cover:

The total vegetation cover indicates where soil is likely to be protected from wind and or water hillslope erosion. Total vegetation cover for this month is shown on a map and chart classified into 4 classes.

• 71-100% High cover – protected from wind and usually water erosion (high rainfall, steep slopes, and erodible soils may need greater than 80, 90, 95 and up to 100% cover)

- 51-70% Moderate cover protected from wind erosion
- 31-50% Low cover not protected
- 0-30% Very Low cover not protected

Erosion protection: Wind erosion 50% total vegetation cover

The vegetation cover threshold required to prevent soil erosion is usually 50% to reduce wind erosion, 70% or 80% to reduce water (hillslope) erosion depending on the steepness and rainfall. Areas protected from erosion for the month:

- Map: water erosion protection (>70% cover) percentage area and hectares.
- Map: wind erosion protection (>50% cover) percentage area and hectares. Comparison with previous years:
 - Map: anomaly comparing this month to the average cover from the same month in previous years.
 - Map: deciles rank of month against the same month in previous years.

Anomalies and deciles until September 2019 are calculated comparing to the same months 2001 to 2019. Extra monthly data will be used to calculate anomalies and deciles post September 2019 as they become available. Time series monthly from January 2001 to current:

Erosion protection

- Wind erosion protection time series: percentage of the area of the region with greater than 50% cover for each month (orange lines). Horizontal lines are 10th (cover target) and 50th percentiles.
- Water erosion protection time series: percentage of the area of the region with greater than 70% cover for each month (blue line). Horizontal lines are 10th (cover target) and 50th percentiles.

Rainfall

• Millimetres rainfall each month (black line).

Each time series is also stacked by year. The black line shows the current year of data. Water erosion protection for higher rainfall and steeper slopes:

Water erosion protection on higher slopes. As slope increases, more cover is required to control water erosion. The thresholds reported are:

- the percentage area with pixels greater than 80% total cover.
- the percentage area with pixels greater than 90% total cover.
- the percentage area with pixels greater than 95% total cover.

Acknowledgment of data:

- 1. http://www.agriculture.gov.au/abares/aclump/land-use/alum-classification
- 2. http://www.agriculture.gov.au/abares/forestsaustralia/sofr/sofr-2018
- 3. https://www.dpi.nsw.gov.au/agriculture/pastures-and-rangelands/establishment-mgmt/production-management2/groundcover
- 4. MODIS Fractional cover algorithm:


https://doi.org/10.4225/08/5848a3f19a7b3




Vegetation Cover Aug 2021

Proportion of each land class in area

Land use and forest cover



Total Vegetation Cover [%]



% Area protected from water erosion (>70%)

Anomaly show how many percetage -points each


pixel is from


the mean. That

is, red pixels are about 20% lower than the


mean of that

pixel. The mean is only for the month of the map using baseline from 2001 to 2019.





Proportion of vegetation cover class in area



% Area protected from wind erosion (>50%)

Area not

protected

4.0% of

(124,574


Area protected 96.0% of


region (2,989,776

region


ha)

ha)












Conservation and natural environments










Landcare

Programme

Australian Government


Ecosystem Research Infrastructure

csiro




Proportion of the area protected from wind erosion (Total Vegetation Cover > 50%)

Proportion of the area protected from water erosion (Total Vegetation Cover > 70%)







Wind erosion historical monthly area protected (Total Veg Cov >50%)



Conservation and natural environments non forest




Total Vegetation Cover [%]




% Area protected from water erosion (>70%)


csiro



Proportion of vegetation cover class in area



% Area protected from wind erosion (>50%)




Landcare

Programme

Australian Government


Ecosystem Research Infrastructure


Conservation and natural environments non forest timeseries




Proportion of the area protected from wind erosion (Total Vegetation Cover > 50%)


Proportion of the area protected from water erosion (Total Vegetation Cover > 70%)





Agriculture





Area not


Proportion of each land class in area





Total Vegetation Cover Anomaly [%]

Anomaly show how many percetage -points each pixel is from the mean. That is, red pixels are about 20% lower than the mean of that pixel. The mean is only for the month of the map using baseline from 2001 to 2019.




Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline the map using baseline from 2001 to 2019.

 $\hat{\mathbf{v}}$ °, A.1 · 2³


Total Vegetation Cover Decile [%]





Proportion of the area protected from wind erosion (Total Vegetation Cover > 50%)


Proportion of the area protected from water erosion (Total Vegetation Cover > 70%)



Agriculture timeseries




Wind erosion historical monthly area protected (Total Veg Cov >50%)



80 60 40 20-0 -4er way In Jan 1/2/ Wa, Þb, month Ecosystem Research Infrastructure Australian Government


Water erosion historical monthly area protected (Total Veg Cov>70%)








Grazing





Area not



 $\hat{\mathbf{v}}$

protected 70.0% of region (1,787,100 ha) Area protected 30.0% of region (765,900 ha)

· 20


· 10

0

-10


-20

Total Vegetation Cover Anomaly [%]




Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.

Total Vegetation Cover Decile [%]








Proportion of the area protected from wind erosion (Total Vegetation Cover > 50%)






Grazing timeseries




Wind erosion historical monthly area protected (Total Veg Cov >50%)



100-80 60-40-20-0 -4er way In Sal 12 Wa, 26, month tern Ecosystem Research Infrastructure Australian Government


Water erosion historical monthly area protected (Total Veg Cov>70%)









Grazing non forest





Total Vegetation Cover [%]



% Area protected from water erosion (>70%)







Proportion of vegetation cover class in area

% Area protected from wind erosion (>50%)




 $\hat{\mathbf{v}}$

Total Vegetation Cover Anomaly [%]

Anomaly show how many percetage -points each pixel is from the mean. That is, red pixels are about 20% lower than the mean of that pixel. The mean is only for the month of the map using baseline from 2001 to 2019.

Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.

Total Vegetation Cover Decile [%]






· 20

· 10

0


-10

-20



Proportion of the area protected from wind erosion (Total Vegetation Cover > 50%)






Grazing non forest timeseries

100-80 60 40-20-0 -4eb In Jan way 1/1/ WS, 291 month Ecosystem Research Infrastructure Australian Government


Water erosion historical monthly area protected (Total Veg Cov>70%)









Grazing Woodland forest




Total Vegetation Cover [%]




% Area protected from water erosion (>70%)



Proportion of vegetation cover class in area




% Area protected from wind erosion (>50%)





Grazing Woodland forest timeseries



100-

90

80

70-

60


50-


40

30-


Proportion of the area protected from wind erosion (Total Vegetation Cover > 50%)








Water erosion historical monthly area protected (Total Veg Cov>70%)








Grazing - Forest (non woodland)




Total Vegetation Cover [%]



% Area protected from water erosion (>70%)


CSIRO




Landcare

Programme

Proportion of vegetation cover class in area




% Area protected from wind erosion (>50%)




Australian Government

Ecosystem Research Infrastructure




Proportion of the area protected from wind erosion (Total Vegetation Cover > 50%)







Grazing - Forest (non woodland) timeseries




Cropping




Total Vegetation Cover [%]



% Area protected from water erosion (>70%)




Proportion of vegetation cover class in area



% Area protected from wind erosion (>50%)




Total Vegetation Cover Anomaly [%]




Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.

Total Vegetation Cover Decile [%]









Proportion of the area protected from wind erosion (Total Vegetation Cover > 50%)

Proportion of the area protected from water erosion (Total Vegetation Cover > 70%)




Cropping timeseries




Irrigation

Land use and forest cover Catchment Scale Land Use and Forests of Australia (2018) Derived from 1 Agriculture - Cropping - Irrigated Catchment Scale_Lan Use of Australia (2018) and Forests of Australia (2018) 2 Agriculture - Horticulture - Irrigated **Total Vegetation Cover [%]** 120010000 52% TON 32%50% 0.30%


% Area protected from water erosion (>70%)






Proportion of each land class in area

Proportion of vegetation cover class in area



% Area protected from wind erosion (>50%)




Australian Government

Landcare

Programme


Ecosystem Research Infrastructure



40

Proportion of the area protected from wind erosion (Total Vegetation Cover > 50%)


Proportion of the area protected from water erosion (Total Vegetation Cover > 70%)



Irrigation timeseries

80-60-20-0 -Par fer In Way 1's War 26, month

tern Ecosystem Research Infrastructure Australian Government







Balonne_(S) (3,114,350 ha and no data 991 ha) Percentage area and hectares protected with TVC threshold 30,50,70,80,90 and 95%

Land use and forest cover Class	area(ha)	above_30	above_50	above_70	above_80	above_90	above_95
Entire region	3,114,350	99.8% 3,108,850	96.3% 3,000,625	35.1% 1,092,875	10.3% 319,450	2.7% 84,525	0.7% 23,350
Conservation and natural environments	84,100	100.0% 84,100	99.9% 84,050	67.2% 56,525	16.3% 13,675	0.2% 175	0.0% 0
Conservation and natural environments non forest	40,400	100.0% 40,400	100.0% 40,400	47.3% 19,125	4.1% 1,675	0.2% 100	0.0%
Agriculture	2,975,675	100.0% 2,974,425	96.5% 2,870,850	34.1% 1,014,800	10.0% 298,400	2.8% 82,600	0.8% 22,675
Grazing	2,553,000	100.0% 2,552,675	96.5% 2,464,250	30.0% 765,325	6.7% 171,350	1.7% 43,950	0.3% 8,025
Grazing non forest	2,273,450	100.0% 2,273,125	96.1% 2,185,000	24.4% 555,300	3.9% 88,100	0.6% 13,000	0.2% 3,975
Grazing Woodland forest	240,325	100.0% 240,325	99.9% 240,050	75.7% 181,825	30.6% 73,450	11.3% 27,250	1.5% 3,700
Grazing - Forest (non woodland)	39,225	100.0% 39,225	99.9% 39,200	71.9% 28,200	25.0% 9,800	9.4% 3,700	0.9% 350
Cropping	325,225	100.0% 325,125	98.6% 320,650	68.7% 223,475	35.1% 114,150	11.1% 36,200	4.3% 13,825
Irrigation	97,450	99.2% 96,625	88.2% 85,950	26.7% 26,000	13.2% 12,900	2.5% 2,450	0.8% 825

