Total vegetation cover soil protection Region:LGA Blackall-Tambo_(R) QLD

This report describes vegetation protecting the soil surface from erosion during a chosen month compared to previous years. This report has been generated using MODIS fractional vegetation cover information available in Rangelands and Pasture Productivity (RAPP) map tool https://map.geo-rapp.org/#australia. The report is based on 500 metre pixel data on monthly time steps. Land use forest cover:

Results can be shown for the whole region (polygon), and separated by land use and forest cover classes which are likely to show different cover patterns and targets. Land use is divided into four broad classes: Conservation and natural environments, Agriculture, production native forests and plantation forests (no report), and other (no report). Agriculture is divided into grazing, crops and horticulture which are sub-divided into non-irrigated and irrigated. If forest is present land use is further divided into: non-forest, woodland forest and non-woodland forest. The area of each land use and forest class are shown as a map and chart. The report content is repeated for each land use and forest covers at least 1% of the area of the chosen region. Total vegetation Cover:

The total vegetation cover indicates where soil is likely to be protected from wind and or water hillslope erosion. Total vegetation cover for this month is shown on a map and chart classified into 4 classes.

• 71-100% High cover – protected from wind and usually water erosion (high rainfall, steep slopes, and erodible soils may need greater than 80, 90, 95 and up to 100% cover)

- 51-70% Moderate cover protected from wind erosion
- 31-50% Low cover not protected
- 0-30% Very Low cover not protected

Erosion protection: Wind erosion 50% total vegetation cover

The vegetation cover threshold required to prevent soil erosion is usually 50% to reduce wind erosion, 70% or 80% to reduce water (hillslope) erosion depending on the steepness and rainfall. Areas protected from erosion for the month:

- Map: water erosion protection (>70% cover) percentage area and hectares.
- Map: wind erosion protection (>50% cover) percentage area and hectares. Comparison with previous years:
 - Map: anomaly comparing this month to the average cover from the same month in previous years.
 - Map: deciles rank of month against the same month in previous years.

Anomalies and deciles until September 2019 are calculated comparing to the same months 2001 to 2019. Extra monthly data will be used to calculate anomalies and deciles post September 2019 as they become available. Time series monthly from January 2001 to current:

Erosion protection

- Wind erosion protection time series: percentage of the area of the region with greater than 50% cover for each month (orange lines). Horizontal lines are 10th (cover target) and 50th percentiles.
- Water erosion protection time series: percentage of the area of the region with greater than 70% cover for each month (blue line). Horizontal lines are 10th (cover target) and 50th percentiles.

Rainfall

• Millimetres rainfall each month (black line).

Each time series is also stacked by year. The black line shows the current year of data. Water erosion protection for higher rainfall and steeper slopes:

Water erosion protection on higher slopes. As slope increases, more cover is required to control water erosion. The thresholds reported are:

- the percentage area with pixels greater than 80% total cover.
- the percentage area with pixels greater than 90% total cover.
- the percentage area with pixels greater than 95% total cover.

Acknowledgment of data:

- 1. http://www.agriculture.gov.au/abares/aclump/land-use/alum-classification
- 2. http://www.agriculture.gov.au/abares/forestsaustralia/sofr/sofr-2018
- 3. https://www.dpi.nsw.gov.au/agriculture/pastures-and-rangelands/establishment-mgmt/production-management2/groundcover
- 4. MODIS Fractional cover algorithm:


https://doi.org/10.4225/08/5848a3f19a7b3



Vegetation Cover Jan 2021

Land use and forest cover

Proportion of each land class in area




120/07/00/0

52010010010


32%50%


0.30%

Total Vegetation Cover [%]




% Area protected from water erosion (>70%)






Proportion of vegetation cover class in area



% Area protected from wind erosion (>50%)



Area not

protected

17.0% of


(519,107

region

ha)

Area protected 83.0% of region (2,534,467 ha)


Total Vegetation Cover Decile [%]









Anomaly show how many percetage points each pixel is from the mean. That is, red pixels are about 20% lower than the mean of that pixel. The mean is only for the month of the map using baseline from 2001 to 2019.



Total Vegetation Cover Anomaly [%]

Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.





Conservation and natural environments


Land use and forest cover


Proportion of each land class in area

25.2%

2.0


2.5






1.5

% Area protected from wind erosion (>50%)



% Area protected from water erosion (>70%)



- 20

- 10

· 0


-10

-20

32010-


· 0.30°%

Total Vegetation Cover Anomaly [%]




Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.

Total Vegetation Cover Decile [%]







Anomaly show how many percetage points each pixel is from the mean That the mean. That is, red pixels are about 20% lower than the mean of that pixel. The mean is only for the month of the map using baseline from 2001 to 2019.



77.7

Proportion of the area protected from wind erosion (Total Vegetation Cover > 50%)






Wind erosion historical monthly area protected (Total Veg Cov >50%)

100 95 90-85 80 75 70 65 Jan 4eb May In Mai PQ1 1's month tern Ecosystem Research Infrastructure Australian Government

Water erosion historical monthly area protected (Total Veg Cov>70%)







Conservation and natural environments non forest

Catchment Scale Land Use and Forests -of Australia (2018) Derived from 1 Conservation and natural environments - Non-Catchment Scale Land forest Use of Australia (2018) and Forests of Australia (2018)

1210-2001


5201070010


3201050010


0.30%

Total Vegetation Cover [%]


Land use and forest cover









Proportion of vegetation cover class in area




% Area protected from wind erosion (>50%)




Total Vegetation Cover Anomaly [%]



Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.



Total Vegetation Cover Decile [%]





- 20

- 10

· 0


-10

-20

Ø


Anomaly show how many percetage points each pixel is from the mean That the mean. That is, red pixels are about 20% lower than the mean of that pixel. The mean is only for the month of the map using baseline from 2001 to 2019.

Conservation and natural environments non forest timeseries



33.0

Proportion of the area protected from wind erosion (Total Vegetation Cover > 50%)






Wind erosion historical monthly area protected (Total Veg Cov >50%)

100-80-60-40-20-4eb way In War Jan DQ1 1/2/ month tern Ecosystem Research Infrastructure Australian Government

Water erosion historical monthly area protected (Total Veg Cov>70%)









Conservation and natural environments Woodland forest


Land use and forest cover Catchment Scale Land Use and Forests of Australia (2018) Derived from 1 Conservation and natural environments - Woodland Catchment Scale Land forest Use of Australia (2018) and Forests of Australia (2018)


Total Vegetation Cover [%]






% Area protected from water erosion (>70%)












% Area protected from wind erosion (>50%)




Total Vegetation Cover Anomaly [%]



Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.




Total Vegetation Cover Decile [%]






8

Conservation and natural environments Woodland forest timeseries





97.9

Proportion of the area protected from wind erosion (Total Vegetation Cover > 50%)




100 95 ---- above_70 90 **——** 50th **——** 2021 Jan 85 80 75





Conservation and natural environments Forest (non woodland)



120/072000/0

5201070010

3201050010

0.30%

- 20


- 10

· 0


-10

-20


Total Vegetation Cover [%]




% Area protected from water erosion (>70%)









% Area protected from wind erosion (>50%)




Total Vegetation Cover Anomaly [%]



Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.




Total Vegetation Cover Decile [%]






Conservation and natural environments Forest (non woodland) timeseries



Proportion of the area protected from wind erosion (Total Vegetation Cover > 50%)



Water erosion historical monthly area protected (Total Veg Cov>70%)

Agriculture

12º0-200%


· 52% 70%

32°1050010


0.30%


Land use and forest cover


Proportion of each land class in area




Total Vegetation Cover [%]












Proportion of vegetation cover class in area



% Area protected from wind erosion (>50%)




Total Vegetation Cover Anomaly [%]




is, red pixels are about 20% lower than the

mean of that pixel. The mean Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline the map using baseline from 2001 to 2019.

Total Vegetation Cover Decile [%]








17.2

Proportion of the area protected from wind erosion (Total Vegetation Cover > 50%)


Proportion of the area protected from water erosion (Total Vegetation Cover > 70%)



Agriculture timeseries

100-80 60-40 20 4eb way In Sal Wai PQ1 1/2/ month tern Ecosystem Research Infrastructure Australian Government

Water erosion historical monthly area protected (Total Veg Cov>70%)







Grazing


1200-2000

· 52% 70%


32°1050010

0.30%


Land use and forest cover





Total Vegetation Cover [%]



% Area protected from water erosion (>70%)









Proportion of each land class in area


Proportion of vegetation cover class in area



% Area protected from wind erosion (>50%)




Total Vegetation Cover Anomaly [%]



Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline the map using baseline from 2001 to 2019.


Total Vegetation Cover Decile [%]








Anomaly show how many percetage points each pixel is from the mean. That is, red pixels are about 20% lower than the mean of that pixel. The mean is only for the month of the map using baseline from 2001 to 2019.



17.2

Proportion of the area protected from wind erosion (Total Vegetation Cover > 50%)


Proportion of the area protected from water erosion (Total Vegetation Cover > 70%)



100-80 60-40 20 4eb way In Sal Wai PQ 1/2/ month tern Ecosystem Research Infrastructure Australian Government

Wind erosion historical monthly area protected (Total Veg Cov >50%)


Water erosion historical monthly area protected (Total Veg Cov>70%)









Grazing non forest



Total Vegetation Cover [%]



% Area protected from water erosion (>70%)






1200-2000

52°10010

329050010






% Area protected from wind erosion (>50%)




Total Vegetation Cover Anomaly [%]



Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline the map using baseline from 2001 to 2019.


Total Vegetation Cover Decile [%]








Anomaly show how many percetage points each pixel is from the mean. That is, red pixels are about 20% lower than the lower than the mean of that pixel. The mean is only for the month of the map using baseline from 2001 to 2019.



8.0

Proportion of the area protected from water erosion (Total Vegetation Cover > 70%)




Grazing non forest timeseries

100-80 60-40-20-0-4eb way In Jan Wal 1/2/ Þb, month tern Ecosystem Research Infrastructure Australian Government

13


Water erosion historical monthly area protected (Total Veg Cov>70%)









Grazing Woodland forest





Total Vegetation Cover [%]




% Area protected from water erosion (>70%)









Proportion of vegetation cover class in area



% Area protected from wind erosion (>50%)




Total Vegetation Cover Anomaly [%]




Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the man using baseline the map using baseline from 2001 to 2019.

Total Vegetation Cover Decile [%]









67.6

Proportion of the area protected from wind erosion (Total Vegetation Cover > 50%)

Proportion of the area protected from water erosion (Total Vegetation Cover > 70%)







Wind erosion historical monthly area protected (Total Veg Cov >50%)

Water erosion historical monthly area protected (Total Veg Cov>70%)


Grazing - Forest (non woodland)




Total Vegetation Cover [%]



% Area protected from water erosion (>70%)





· 20

- 10


· 0

-10


-20







% Area protected from wind erosion (>50%)




Proportion of vegetation cover class in area

100


96.6%

Total Vegetation Cover Anomaly [%]



Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.


Total Vegetation Cover Decile [%]






Anomaly show how many percetage points each pixel is from the mean That the mean. That is, red pixels are about 20% lower than the lower than the mean of that pixel. The mean is only for the month of the map using baseline from 2001 to 2019.





Proportion of the area protected from wind erosion (Total Vegetation Cover > 50%)



Water erosion historical monthly area protected (Total Veg Cov>70%)

Wind erosion historical monthly area protected (Total Veg Cov >50%)

Blackall-Tambo_(R) (3,053,575 ha and no data 76 ha) Percentage area and hectares protected with TVC threshold 30,50,70,80,90 and 95%

| Land use and forest cover Class | area(ha) | above_30 | above_50 | above_70 | above_80 | above_90 | above_95 |
|---|-----------|--------------------|--------------------|------------------|------------------|-----------------|---------------|
| Entire region | 3,053,575 | 99.9% 3,051,525 | 82.5% 2,520,700 | 23.5% 716,750 | 9.9% 303,800 | 2.0% 62,150 | 0.3% 9,650 |
| Conservation and natural environments | 125,600 | 100.0% 125,600 | 98.9% 124,250 | 73.7% 92,550 | 34.4% 43,225 | 2.4% 2,975 | 0.2% 300 |
| Conservation and natural environments non forest | 31,825 | 100.0% 31,825 | 95.9% 30,525 | 28.8% 9,150 | 3.9% 1,250 | 0.2% 50 | 0.0% |
| Conservation and natural environments Woodland forest | 62,150 | 100.0% 62,150 | 99.9% 62,100 | 88.3% 54,875 | 43.4% 26,975 | 2.7% 1,700 | 0.2% 100 |
| Conservation and natural environments Forest (non woodland) | 31,625 | 100.0% 31,625 | 100.0% 31,625 | 90.2% 28,525 | 47.4% 15,000 | 3.9% 1,225 | 0.6% 200 |
| Agriculture | 2,889,025 | 99.9% 2,886,975 | 81.6% 2,358,525 | 20.8% 600,500 | 8.3% 239,250 | 1.6% 46,375 | 0.2% 6,400 |
| Grazing | 2,888,075 | 99.9% 2,886,025 | 81.6% 2,357,925 | 20.8% 600,500 | 8.3% 239,250 | 1.6% 46,375 | 0.2% 6,400 |
| Grazing non forest | 2,497,025 | 99.9% 2,494,975 | 78.9% 1,969,375 | 11.3% 282,400 | 1.7% 43,675 | 0.1% 1,900 | 0.0% 275 |
| Grazing Woodland forest | 290,800 | 100.0% 290,800 | 99.2% 288,350 | 76.1% 221,250 | 40.8% 118,650 | 8.1% 23,475 | 1.0% 3,000 |
| Grazing - Forest (non woodland) | 100,250 | 100.0% 100,250 | 100.0% 100,200 | 96.6% 96,850 | 76.7% 76,925 | 20.9% 21,000 | 3.1% 3,125 |

