Total vegetation cover soil protection Region:LGA Bulloo_(S) QLD

Date: July 2021

This report describes vegetation protecting the soil surface from erosion during a chosen month compared to previous years. This report has been generated using MODIS fractional vegetation cover information available in Rangelands and Pasture Productivity (RAPP) map tool https://map.geo-rapp.org/#australia. The report is based on 500 metre pixel data on monthly time steps. Land use forest cover:

Results can be shown for the whole region (polygon), and separated by land use and forest cover classes which are likely to show different cover patterns and targets. Land use is divided into four broad classes: Conservation and natural environments, Agriculture, production native forests and plantation forests (no report), and other (no report). Agriculture is divided into grazing, crops and horticulture which are sub-divided into non-irrigated and irrigated. If forest is present land use is further divided into: non-forest, woodland forest and non-woodland forest. The area of each land use and forest class are shown as a map and chart. The report content is repeated for each land use and forest covers at least 1% of the area of the chosen region. Total vegetation Cover:

The total vegetation cover indicates where soil is likely to be protected from wind and or water hillslope erosion. Total vegetation cover for this month is shown on a map and chart classified into 4 classes.

• 71-100% High cover – protected from wind and usually water erosion (high rainfall, steep slopes, and erodible soils may need greater than 80, 90, 95 and up to 100% cover)

- 51-70% Moderate cover protected from wind erosion
- 31-50% Low cover not protected
- 0-30% Very Low cover not protected

Erosion protection: Wind erosion 50% total vegetation cover

The vegetation cover threshold required to prevent soil erosion is usually 50% to reduce wind erosion, 70% or 80% to reduce water (hillslope) erosion depending on the steepness and rainfall. Areas protected from erosion for the month:

- Map: water erosion protection (>70% cover) percentage area and hectares.
- Map: wind erosion protection (>50% cover) percentage area and hectares. Comparison with previous years:
 - Map: anomaly comparing this month to the average cover from the same month in previous years.
 - Map: deciles rank of month against the same month in previous years.

Anomalies and deciles until September 2019 are calculated comparing to the same months 2001 to 2019. Extra monthly data will be used to calculate anomalies and deciles post September 2019 as they become available. Time series monthly from January 2001 to current:

Erosion protection

- Wind erosion protection time series: percentage of the area of the region with greater than 50% cover for each month (orange lines). Horizontal lines are 10th (cover target) and 50th percentiles.
- Water erosion protection time series: percentage of the area of the region with greater than 70% cover for each month (blue line). Horizontal lines are 10th (cover target) and 50th percentiles.

Rainfall

• Millimetres rainfall each month (black line).

Each time series is also stacked by year. The black line shows the current year of data. Water erosion protection for higher rainfall and steeper slopes:

Water erosion protection on higher slopes. As slope increases, more cover is required to control water erosion. The thresholds reported are:

- the percentage area with pixels greater than 80% total cover.
- the percentage area with pixels greater than 90% total cover.
- the percentage area with pixels greater than 95% total cover.

Acknowledgment of data:

- 1. http://www.agriculture.gov.au/abares/aclump/land-use/alum-classification
- 2. http://www.agriculture.gov.au/abares/forestsaustralia/sofr/sofr-2018
- 3. https://www.dpi.nsw.gov.au/agriculture/pastures-and-rangelands/establishment-mgmt/production-management2/groundcover
- 4. MODIS Fractional cover algorithm:


https://doi.org/10.4225/08/5848a3f19a7b3




Vegetation Cover Jul 2021

Land use and forest cover

Proportion of each land class in area






- 12%-20°1

52% 70%


32%50%


· 0.30%

Total Vegetation Cover [%]




% Area protected from water erosion (>70%)







Proportion of vegetation cover class in area



% Area protected from wind erosion (>50%)




Total Vegetation Cover Anomaly [%]



- 10 - 0 - --10 - --20

- 20

Total Vegetation Cover Decile [%]






Deciles show where the


pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are


in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.





Conservation and natural environments

Land use and forest cover Proportion of each land class in area 100 95.3% 80 Catchment Scale Land Use and Forests of Australia (2018) 60 1 Conservation and natural environments - Non-forest Area (%) Derived from Catchment Scale Lan 2 Conservation and natural environments - Woodland Use of Australia forest (2018) and Forests 40 of Australia (2018) 20 4.7% 0 · 1 2 Land use class **Total Vegetation Cover [%]** Proportion of vegetation cover class in area 12%100% 53.6% 50 52010010 40 Area (%) 0 28.0% 320050010 20 0.30% 12.2% 10 6.2% 0 0-30% 31%-50% 51%-70% 71%-100% Total Vegetation Cover class % Area protected from water erosion (>70%) % Area protected from wind erosion (>50%)









---- above_70


—— 10th

—— 50th


—— 2021 Jul

Proportion of the area protected from wind erosion (Total Vegetation Cover > 50%)

Proportion of the area protected from water erosion (Total Vegetation Cover > 70%)



Wind erosion historical monthly area protected (Total Veg Cov >50%)



Conservation and natural environments non forest

Catchment Scale Land Use and Forests of Australia (2018) Derived from 1 Conservation and natural environments - Non-forest Catchment Scale Lan Use of Australia (2018) and Forests of Australia (2018)

12% 200%


52°10010

320050010


0.30%

Total Vegetation Cover [%]


Land use and forest cover




% Area protected from water erosion (>70%)








% Area protected from wind erosion (>50%)





Conservation and natural environments non forest timeseries




---- above_70


—— 2021 Jul

—— 10th

—— 50th

Proportion of the area protected from wind erosion (Total Vegetation Cover > 50%)







Agriculture

Land use and forest cover

Proportion of each land class in area



Total Vegetation Cover Anomaly [%]




is, red pixels are about 20% lower than the

mean of that

Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the man using baseline the map using baseline from 2001 to 2019.

Total Vegetation Cover Decile [%]






-10

-20


8



—— 10th

Proportion of the area protected from wind erosion (Total Vegetation Cover > 50%)


Proportion of the area protected from water erosion (Total Vegetation Cover > 70%)



Agriculture timeseries

Wind erosion historical monthly area protected (Total Veg Cov >50%)

40 35 30 25 20-15 10-5-0 feb lar way In War 1/2/ P.Q. month tern Ecosystem Research Infrastructure Australian Government








Grazing


Land use and forest cover 99.9% 100 -80 Catchment Scale Land Use and Forests of Australia (2018) Derived from Catchment Scale Land Use of Australia (2018) and Forests of Australia (2018) Area (%) 60 1 Agriculture - Grazing - Non forest 2 Agriculture - Grazing - Woodland forest 40 20 -0.1%0 1 2 Land use class Proportion of vegetation cover class in area **Total Vegetation Cover [%]** 12º0010000 66.4% 60 52% TON 50 - 04 - 06 - 06 32010

Proportion of each land class in area


30.1% 20 -10 -2.9% 0.6% 0 31%-50% 0-30% 51%-70% 71%-100% Total Vegetation Cover class

% Area protected from wind erosion (>50%)






% Area protected from water erosion (>70%)



Total Vegetation Cover Anomaly [%]




is, red pixels are about 20% lower than the

mean of that

Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the man using baseline the map using baseline from 2001 to 2019.

Total Vegetation Cover Decile [%]





-10


-20

10











Proportion of the area protected from wind erosion (Total Vegetation Cover > 50%)

Proportion of the area protected from water erosion (Total Vegetation Cover > 70%)



Grazing timeseries


40 35 30 25 20-15 10-5-0 feb lar In War way hy P.Q. month tern Ecosystem Research Infrastructure Australian Government









Grazing non forest



Total Vegetation Cover [%]



% Area protected from water erosion (>70%)




1 12º00 200%

52°10'TOOK


32010

· 0.30%






% Area protected from wind erosion (>50%)



Total Vegetation Cover Anomaly [%]




is, red pixels are about 20% lower than the

mean of that

Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the man using baseline the map using baseline from 2001 to 2019.


Total Vegetation Cover Decile [%]





-10


-20



—— 10th

Proportion of the area protected from wind erosion (Total Vegetation Cover > 50%)


Proportion of the area protected from water erosion (Total Vegetation Cover > 70%)



Grazing non forest timeseries

40 35 30 25 20 15 10-5-0 feb lar In War way hy Þb, month tern Ecosystem Research Infrastructure Australian Government

13







Bulloo_(S) (7,375,550 ha and no data 22,251 ha) Percentage area and hectares protected with TVC threshold 30,50,70,80,90 and 95%

Land use and forest cover Class	area(ha)	above_30	above_50	above_70	above_80	above_90	above_95
Entire region	7,375,550	96.8% 7,136,125	34.4% 2,539,000	2.1% 157,525	0.3% 23,900	0.0% 2,525	0.0% 350
Conservation and natural environments	457,600	93.8% 429,025	65.8% 301,000	12.2% 55,900	0.8% 3,625	0.1% 350	0.0% 0
Conservation and natural environments non forest	436,300	93.5% 407,725	64.1% 279,700	9.0% 39,325	0.5% 2,000	0.1% 250	0.0% 0
Agriculture	6,414,550	97.1% 6,230,825	30.7% 1,972,050	0.6% 39,975	0.1% 4,200	0.0% 425	0.0% 125
Grazing	6,414,550	97.1% 6,230,825	30.7% 1,972,050	0.6% 39,975	0.1% 4,200	0.0% 425	0.0% 125
Grazing non forest	6,405,900	97.1% 6,222,175	30.7% 1,963,575	0.6% 36,200	0.1% 3,600	0.0% 400	0.0% 125

