Total vegetation cover soil protection Region:LGA Bulloo_(S) QLD

This report describes vegetation protecting the soil surface from erosion during a chosen month compared to previous years. This report has been generated using MODIS fractional vegetation cover information available in Rangelands and Pasture Productivity (RAPP) map tool https://map.geo-rapp.org/#australia. The report is based on 500 metre pixel data on monthly time steps.

Land use forest cover:

Date: January 2023

Results can be shown for the whole region (polygon), and separated by land use and forest cover classes which are likely to show different cover patterns and targets. Land use is divided into four broad classes: Conservation and natural environments, Agriculture, production native forests and plantation forests (no report), and other (no report). Agriculture is divided into grazing, crops and horticulture which are sub-divided into non-irrigated and irrigated. If forest is present land use is further divided into: non-forest, woodland forest and non-woodland forest. The area of each land use and forest class are shown as a map and chart. The report content is repeated for each land use and forest cover class that covers at least 1% of the area of the chosen region. Total vegetation Cover:

The total vegetation cover indicates where soil is likely to be protected from wind and or water hillslope erosion. Total vegetation cover for this month is shown on a map and chart classified into 4 classes.

- 71-100% High cover protected from wind and usually water erosion (high rainfall, steep slopes, and erodible soils may need greater than 80, 90, 95 and up to 100% cover)
 - 51-70% Moderate cover protected from wind erosion
 - 31-50% Low cover not protected
 - 0-30% Very Low cover not protected

Erosion protection: Wind erosion 50% total vegetation cover

The vegetation cover threshold required to prevent soil erosion is usually 50% to reduce wind erosion, 70% or 80% to reduce water (hillslope) erosion depending on the steepness and rainfall. Areas protected from erosion for the month:

- Map: water erosion protection (>70% cover) percentage area and hectares.
- Map: wind erosion protection (>50% cover) percentage area and hectares.

Comparison with previous years:

- Map: anomaly comparing this month to the average cover from the same month in previous years.
- Map: deciles rank of month against the same month in previous years.

Anomalies and deciles until September 2019 are calculated comparing to the same months 2001 to 2019. Extra monthly data will be used to calculate anomalies and deciles post September 2019 as they become available. Time series monthly from January 2001 to current:

Erosion protection

- Wind erosion protection time series: percentage of the area of the region with greater than 50% cover for each month (orange lines). Horizontal lines are 10th (cover target) and 50th percentiles.
- Water erosion protection time series: percentage of the area of the region with greater than 70% cover for each month (blue line). Horizontal lines are 10th (cover target) and 50th percentiles.

Rainfall

• Millimetres rainfall each month (black line).

Each time series is also stacked by year. The black line shows the current year of data.

Water erosion protection for higher rainfall and steeper slopes:

Water erosion protection on higher slopes. As slope increases, more cover is required to control water erosion. The thresholds reported are:

- the percentage area with pixels greater than 80% total cover.
- the percentage area with pixels greater than 90% total cover.
- the percentage area with pixels greater than 95% total cover.

Acknowledgment of data:

- 1. http://www.agriculture.gov.au/abares/aclump/land-use/alum-classification
- 2. http://www.agriculture.gov.au/abares/forestsaustralia/sofr/sofr-2018
- 3. https://www.dpi.nsw.gov.au/agriculture/pastures-and-rangelands/establishment-mgmt/production-management2/groundcover
- 4. MODIS Fractional cover algorithm:

https://doi.org/10.4225/08/5848a3f19a7b3












Vegetation Cover Jan 2023

Land use and forest cover






% Area protected from water erosion (>70%)




Total Vegetation Cover Anomaly [%]

pixel is from




Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.


Proportion of each land class in area




Proportion of vegetation cover class in area



% Area protected from wind erosion (>50%)



Total Vegetation Cover Decile [%]














Conservation and natural environments

Land use and forest cover Proportion of each land class in area 100 95.3% 80 Catchment Scale Land Use and Forests of Australia (2018) 60 Area (%) 1 Conservation and natural environments - Non-forest Derived from Catchment Scale Lan 2 Conservation and natural environments - Woodland Use of Australia (2018) and Forests 40 of Australia (2018) 20 0.25 -0.250.00 0.50 0.75 1.25 1.00 Land use class Proportion of vegetation cover class in area **Total Vegetation Cover [%]** 54.9% 50 40 Area (%) 00 23.6% 19.7% 20 10 1.8% 0-30% 31%-50% 51%-70% 71%-100% **Total Vegetation Cover class** % Area protected from water erosion (>70%) % Area protected from wind erosion (>50%) Area not Area not protected 98.2% of protected 43.0% of region (196,822 region (449,486 ha) ha) Area Area protected protected 1.8% of 57.0% of region region (8,239 ha) (260,903 ha) **Total Vegetation Cover Anomaly [%] Total Vegetation Cover Decile [%]** - 20 Anomaly show how many percetage points each Deciles show where the pixel value lies in the pixel is from - 10 the mean. That is, red pixels record, from highest to lowest, for that month. That is, red pixels are are about 20% lower than the mean of that in the lowest 10% of pixel. The mean records for that month of the map using baseline from 2001 to 2019. is only for the month of the map using baseline from 2001 to 2019. -10**-**20












Conservation and natural environments timeseries






month


Water erosion historical monthly area protected (Total Veg Cov>70%)






Conservation and natural environments non forest


Land use and forest cover



Total Vegetation Cover [%]



% Area protected from water erosion (>70%)




Total Vegetation Cover Anomaly [%]

pixel is from


is, red pixels

mean of that




Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.


Proportion of vegetation cover class in area



% Area protected from wind erosion (>50%)



Total Vegetation Cover Decile [%]















Conservation and natural environments non forest timeseries





month





Agriculture


Land use and forest cover 1 Agriculture - Grazing - Non forest 2 Agriculture - Grazing - Woodland forest

Catchment Scale
Land Use and Forests
of Australia (2018)
Derived from
Catchment Scale Land
Use of Australia
(2018) and Forests
of Australia (2018)


is, red pixels are about 20% lower than the

mean of that


using baseline from 2001 to 2019.



% Area protected from water erosion (>70%)




Total Vegetation Cover Anomaly [%]




Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the man using baseling. the map using baseline from 2001 to 2019.


Proportion of each land class in area




Proportion of vegetation cover class in area



% Area protected from wind erosion (>50%)



Total Vegetation Cover Decile [%]














Agriculture timeseries




Wind erosion historical monthly area protected (Total Veg Cov >50%)



Proportion of the area protected from water erosion (Total Vegetation Cover > 70%)




Water erosion historical monthly area protected (Total Veg Cov>70%)




Grazing

Land use and forest cover Catchment Scale Land Use and Forests of Australia (2018) Derived from Catchment Scale Land Use of Australia (2018) and Forests of Australia (2018) 1 Agriculture - Grazing - Non forest 2 Agriculture - Grazing - Woodland forest



% Area protected from water erosion (>70%)




Total Vegetation Cover Anomaly [%]

the mean. That is, red pixels are about 20% lower than the

mean of that

using baseline from 2001 to 2019.



Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the man using baseline. the map using baseline from 2001 to 2019.

99.9% 100 -80 Area (%) 40 20 -

Proportion of each land class in area

Proportion of vegetation cover class in area

0.50

Land use class

0.75


1.00

1.25


0.25

-0.25


0.00



% Area protected from wind erosion (>50%)



Total Vegetation Cover Decile [%]














Grazing timeseries




Wind erosion historical monthly area protected (Total Veg Cov >50%)



Proportion of the area protected from water erosion (Total Vegetation Cover > 70%)




Water erosion historical monthly area protected (Total Veg Cov>70%)




Grazing non forest


Land use and forest cover



Total Vegetation Cover [%]




% Area protected from water erosion (>70%)



Total Vegetation Cover Anomaly [%]


is, red pixels are about 20% lower than the

mean of that




Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the man using baseline. the map using baseline from 2001 to 2019.


Proportion of vegetation cover class in area



% Area protected from wind erosion (>50%)



Total Vegetation Cover Decile [%]














Grazing non forest timeseries



Wind erosion historical monthly area protected (Total Veg Cov >50%) 100 → 2001 80 ____ 2005 60-2013 **←** 2014 40 **→** 2015 2016 × 2017 2019 2020 2021 2022 20 **---** 2023

month





Bulloo_(S) (7,389,500 ha and no data 8,301 ha) Percentage area and hectares protected with TVC threshold 30,50,70,80,90 and 95%

Land use and forest cover Class	area(ha)	above_30	above_50	above_70	above_80	above_90	above_95
Entire region	7,389,500	76.3% 5,638,200	15.5% 1,143,800	1.4% 103,575	0.4% 27,200	0.1% 5,575	0.0% 1,325
Conservation and natural environments	457,725	76.4% 349,900	56.8% 259,800	1.8% 8,450	0.0%	0.0% 0	0.0% 0
Conservation and natural environments non forest	436,425	75.3% 328,600	54.6% 238,500	0.8% 3,625	0.0%	0.0% 0	0.0%
Agriculture	6,422,550	75.8% 4,868,000	9.7% 624,350	0.2% 15,300	0.0% 1,125	0.0% 25	0.0%
Grazing	6,422,550	75.8% 4,868,000	9.7% 624,350	0.2% 15,300	0.0% 1,125	0.0% 25	0.0%
Grazing non forest	6,413,900	75.8% 4,859,400	9.6% 616,400	0.2% 13,450	0.0% 1,000	0.0% 25	0.0% 0







