## Total vegetation cover soil protection Region:LGA Etheridge\_(S) QLD

## **Date: December 2021**

This report describes vegetation protecting the soil surface from erosion during a chosen month compared to previous years. This report has been generated using MODIS fractional vegetation cover information available in Rangelands and Pasture Productivity (RAPP) map tool https://map.geo-rapp.org/#australia. The report is based on 500 metre pixel data on monthly time steps. Land use forest cover:

Results can be shown for the whole region (polygon), and separated by land use and forest cover classes which are likely to show different cover patterns and targets. Land use is divided into four broad classes: Conservation and natural environments, Agriculture, production native forests and plantation forests (no report), and other (no report). Agriculture is divided into grazing, crops and horticulture which are sub-divided into non-irrigated and irrigated. If forest is present land use is further divided into: non-forest, woodland forest and non-woodland forest. The area of each land use and forest class are shown as a map and chart. The report content is repeated for each land use and forest covers at least 1% of the area of the chosen region. Total vegetation Cover:

The total vegetation cover indicates where soil is likely to be protected from wind and or water hillslope erosion. Total vegetation cover for this month is shown on a map and chart classified into 4 classes.

• 71-100% High cover – protected from wind and usually water erosion (high rainfall, steep slopes, and erodible soils may need greater than 80, 90, 95 and up to 100% cover)

- 51-70% Moderate cover protected from wind erosion
- 31-50% Low cover not protected
- 0-30% Very Low cover not protected

Erosion protection: Wind erosion 50% total vegetation cover

The vegetation cover threshold required to prevent soil erosion is usually 50% to reduce wind erosion, 70% or 80% to reduce water (hillslope) erosion depending on the steepness and rainfall. Areas protected from erosion for the month:

• Map: water erosion protection (>70% cover) percentage area and hectares.

• Map: wind erosion protection (>50% cover) percentage area and hectares. Comparison with previous years:

• Map: anomaly comparing this month to the average cover from the same month in previous years.

• Map: deciles rank of month against the same month in previous years.

Anomalies and deciles until September 2019 are calculated comparing to the same months 2001 to 2019. Extra monthly data will be used to calculate anomalies and deciles post September 2019 as they become available. Time series monthly from January 2001 to current:

**Erosion protection** 

- Wind erosion protection time series: percentage of the area of the region with greater than 50% cover for each month (orange lines). Horizontal lines are 10th (cover target) and 50th percentiles.
- Water erosion protection time series: percentage of the area of the region with greater than 70% cover for each month (blue line). Horizontal lines are 10th (cover target) and 50th percentiles.

### Rainfall

• Millimetres rainfall each month (black line).

Each time series is also stacked by year. The black line shows the current year of data. Water erosion protection for higher rainfall and steeper slopes:

Water erosion protection on higher slopes. As slope increases, more cover is required to control water erosion. The thresholds reported are:

- the percentage area with pixels greater than 80% total cover.
- the percentage area with pixels greater than 90% total cover.
- the percentage area with pixels greater than 95% total cover.

## Acknowledgment of data:

- 1. http://www.agriculture.gov.au/abares/aclump/land-use/alum-classification
- 2. http://www.agriculture.gov.au/abares/forestsaustralia/sofr/sofr-2018
- 3. https://www.dpi.nsw.gov.au/agriculture/pastures-and-rangelands/establishment-mgmt/production-management2/groundcover
- 4. MODIS Fractional cover algorithm:


https://doi.org/10.4225/08/5848a3f19a7b3




## **Vegetation Cover Dec 2021**

### Land use and forest cover


Proportion of each land class in area




### **Total Vegetation Cover [%]**




### % Area protected from water erosion (>70%)







### Proportion of vegetation cover class in area




### % Area protected from wind erosion (>50%)



**Total Vegetation Cover Anomaly [%]** 



Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019. Total Vegetation Cover Decile [%]






12010001


52010010010

3201050010


0.30%


Anomaly show how many percetage points each pixel is from the mean. That is, red pixels are about 20% lower than the mean of that pixel. The mean is only for the month of the map using baseline from 2001 to 2019.





Proportion of the area protected from water erosion (Total Vegetation Cover > 80%)





**Ecosystem Research Infrastructure** Australian Government

Programm

### **Conservation and natural environments**


forest

woodland forest


Catchment Scale Land Use and Forests of Australia (2018) Derived from Catchment Scale Land Use of Australia (2018) and Forests of Australia (2018)

Land use and forest cover


### Proportion of each land class in area




Proportion of vegetation cover class in area



% Area protected from wind erosion (>50%)



**Total Vegetation Cover [%]** 




1 Conservation and natural environments - Non-forest

3 Conservation and natural environments - Non-

2 Conservation and natural environments - Woodland


% Area protected from water erosion (>70%)




**Total Vegetation Cover Anomaly [%]** 

20 2 10 0 -10 -20

Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.











3

Anomaly show how many percetage points each pixel is from the mean. That is, red pixels are about 20% lower than the mean of that pixel. The mean is only for the month of the map using baseline from 2001 to 2019.



Proportion of the area protected from wind erosion (Total Vegetation Cover > 50%)


Proportion of the area protected from water erosion (Total Vegetation Cover > 70%)






Wind erosion historical monthly area protected (Total Veg Cov >50%)

Water erosion historical monthly area protected (Total Veg Cov>70%)









Programm


### **Conservation and natural environments non forest**

Land use and forest cover




**Total Vegetation Cover [%]** 







% Area protected from water erosion (>70%)



Proportion of vegetation cover class in area




% Area protected from wind erosion (>50%)




Land Use and Forests of Australia (2018) Derived from Catchment Scale Land Use of Australia (2018) and Forests of Australia (2018)


Catchment Scale

**Total Vegetation Cover Anomaly [%]** 



Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.










Anomaly show how many percetage points each pixel is from the mean. That is, red pixels are about 20% lower than the mean of that pixel. The mean is only for the month of the map using baseline from 2001 to 2019.




## **Conservation and natural environments non forest timeseries**





Proportion of the area protected from wind erosion (Total Vegetation Cover > 50%)

Proportion of the area protected from water erosion (Total Vegetation Cover > 70%)



Water erosion historical monthly area protected (Total Veg Cov>70%)






1**0** 

Australian Government

Ecosystem Research Infrastructure





## **Conservation and natural environments Woodland forest**

Catchment Scale Land Use and Forests of Australia (2018) Derived from Catchment Scale Land Use of Australia (2018) and Forests of Australia (2018) 1 Conservation and natural environments - Woodland forest


**Total Vegetation Cover [%]** 

Land use and forest cover







% Area protected from water erosion (>70%)









% Area protected from wind erosion (>50%)




**Total Vegetation Cover Anomaly [%]** 



Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.




**Total Vegetation Cover Decile [%]** 








Anomaly show how many percetage points each pixel is from the mean. That is, red pixels are about 20% lower than the mean of that pixel. The mean is only for the month of the map using baseline from 2001 to 2019.





Proportion of the area protected from wind erosion (Total Vegetation Cover > 50%)





Water erosion historical monthly area protected (Total Veg Cov>70%)








## Agriculture

Catchment Scale Land Use and Forests of Australia (2018) Derived from Catchment Scale Land Use of Australia (2018) and Forests of Australia (2018)


1 Agriculture - Grazing - Non forest 2 Agriculture - Grazing - Woodland forest 3 Agriculture - Grazing - Non-woodland forest 4 Agriculture - Cropping - Non-irrigated 5 Agriculture - Cropping - Irrigated 6 Agriculture - Horticulture - Irrigated


**Total Vegetation Cover [%]** 


Land use and forest cover




% Area protected from water erosion (>70%)











### Proportion of each land class in area


Proportion of vegetation cover class in area




% Area protected from wind erosion (>50%)



**Total Vegetation Cover Decile [%]** 



**Total Vegetation Cover Anomaly [%]** 




Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.






Anomaly show how many percetage points each pixel is from the mean. That is, red pixels are about 20% lower than the mean of that pixel. The mean is only for the month of the map using baseline from 2001 to 2019.






Proportion of the area protected from wind erosion (Total Vegetation Cover > 50%)

Proportion of the area protected from water erosion (Total Vegetation Cover > 70%)





## Agriculture timeseries



Wind erosion historical monthly area protected (Total Veg Cov >50%)









### Grazing

Catchment Scale Land Use and Forests of Australia (2018) Derived from Catchment Scale Land Use of Australia (2018) and Forests of Australia (2018)


Land use and forest cover




**Total Vegetation Cover [%]** 




% Area protected from water erosion (>70%)







1 Agriculture - Grazing - Non forest




### Proportion of each land class in area



Proportion of vegetation cover class in area




% Area protected from wind erosion (>50%)




Area not protected 0.0% of region (0 ha) Area protected 100.0% of region (3,376,000 ha)

**Total Vegetation Cover Decile [%]** 



**Total Vegetation Cover Anomaly [%]** 




Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.






1**2** 


Anomaly show how many percetage points each pixel is from the mean. That is, red pixels are about 20% lower than the mean of that pixel. The mean is only for the month of the map using baseline from 2001 to 2019.



Proportion of the area protected from wind erosion (Total Vegetation Cover > 50%)









Wind erosion historical monthly area protected (Total Veg Cov >50%)









## **Grazing non forest**


Land use and forest cover





**Total Vegetation Cover [%]** 




% Area protected from water erosion (>70%)









Proportion of vegetation cover class in area



% Area protected from wind erosion (>50%)




Total Vegetation Cover Anomaly [%]



Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline the map using baseline from 2001 to 2019.

**Total Vegetation Cover Decile [%]** 








Anomaly show how many percetage points each pixel is from the mean. That is, red pixels are about 20% lower than the mean of that pixel. The mean is only for the month of the map using baseline from 2001 to 2019.


of Australia (2018)






Proportion of the area protected from wind erosion (Total Vegetation Cover > 50%)

Proportion of the area protected from water erosion (Total Vegetation Cover > 70%)




Water erosion historical monthly area protected (Total Veg Cov>70%)

Wind erosion historical monthly area protected (Total Veg Cov >50%)




## **Grazing Woodland forest**




Catchment Scale Land Use and Forests of Australia (2018) Derived from Catchment Scale Land Use of Australia (2018) and Forests of Australia (2018)


**Total Vegetation Cover [%]** 



% Area protected from water erosion (>70%)








Area

ha)


protected 96.0% of

region (2,136,048

### Proportion of vegetation cover class in area




% Area protected from wind erosion (>50%)



2<sup>?5</sup>

Anomaly show how many percetage points each pixel is from the mean. That is, red pixels are about 20% lower than the mean of that mean of that pixel. The mean is only for the month of the map using baseline from 2001 to 2019.



CSIRO

tern


Ecosystem Research Infrastructure

Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline the map using baseline from 2001 to 2019.

23









Proportion of the area protected from wind erosion (Total Vegetation Cover > 50%)
















## Grazing - Forest (non woodland)




Catchment Scale Land Use and Forests of Australia (2018) Derived from Catchment Scale Land Use of Australia (2018) and Forests of Australia (2018)


**Total Vegetation Cover [%]** 


Land use and forest cover






% Area protected from water erosion (>70%)







### Proportion of vegetation cover class in area




% Area protected from wind erosion (>50%)




**Total Vegetation Cover Anomaly [%]** 



Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.








Anomaly show how many percetage points each pixel is from the mean. That is, red pixels are about 20% lower than the mean of that pixel. The mean is only for the month of the map using baseline from 2001 to 2019.




## Grazing - Forest (non woodland) timeseries





Proportion of the area protected from wind erosion (Total Vegetation Cover > 50%)


Proportion of the area protected from water erosion (Total Vegetation Cover > 70%)



Water erosion historical monthly area protected (Total Veg Cov>70%)







# Etheridge\_(S) (3,919,625 ha and no data 161 ha) Percentage area and hectares protected with TVC threshold 30,50,70,80,90 and 95%

Land use and forest cover Class	area(ha)	above_30	above_50	above_70	above_80	above_90	above_95
Entire region	3,919,625	100.0% 3,919,325	99.7% 3,906,775	94.6% 3,706,075	76.6% 3,002,650	21.5% 844,600	2.5% 97,000
Conservation and natural environments	435,100	100.0% 435,100	100.0% 435,025	94.1% 409,550	74.6% 324,625	25.9% 112,550	3.6% 15,550
Conservation and natural environments non forest	112,250	100.0% 112,250	99.9% 112,175	87.0% 97,700	60.2% 67,525	9.1% 10,175	1.4% 1,600
Conservation and natural environments Woodland forest	302,575	100.0% 302,575	100.0% 302,575	96.4% 291,600	78.4% 237,225	30.0% 90,900	4.0% 12,200
Agriculture	3,379,575	100.0% 3,379,275	99.7% 3,368,875	95.2% 3,217,950	77.9% 2,633,400	21.5% 726,600	2.4% 81,000
Grazing	3,376,000	100.0% 3,375,700	99.7% 3,366,100	95.3% 3,216,625	78.0% 2,632,600	21.5% 726,475	2.4% 81,000
Grazing non forest	1,049,650	100.0% 1,049,350	99.1% 1,039,925	93.2% 978,575	68.9% 723,125	11.7% 123,200	1.4% 14,425
Grazing Woodland forest	2,225,050	100.0% 2,225,050	100.0% 2,224,875	96.0% 2,137,125	81.6% 1,814,550	25.2% 561,775	2.6% 58,600
Grazing - Forest (non woodland)	101,300	100.0% 101,300	100.0% 101,300	99.6% 100,925	93.7% 94,925	41.0% 41,500	7.9% 7,975

