### Total vegetation cover soil protection Region:LGA Gladstone\_(R) QLD

## Date: May 2025

This report describes vegetation protecting the soil surface from erosion during a chosen month compared to previous years. This report has been generated using MODIS fractional vegetation cover information available in Rangelands and Pasture Productivity (RAPP) map tool https://map.geo-rapp.org/#australia. The report is based on 500 metre pixel data on monthly time steps. Land use forest cover:

Results can be shown for the whole region (polygon), and separated by land use and forest cover classes which are likely to show different cover patterns and targets. Land use is divided into four broad classes: Conservation and natural environments, Agriculture, production native forests and plantation forests (no report), and other (no report). Agriculture is divided into grazing, crops and horticulture which are sub-divided into non-irrigated and irrigated. If forest is present land use is further divided into: non-forest, woodland forest and non-woodland forest. The area of each land use and forest class are shown as a map and chart. The report content is repeated for each land use and forest covers at least 1% of the area of the chosen region. Total vegetation Cover:

The total vegetation cover indicates where soil is likely to be protected from wind and or water hillslope erosion. Total vegetation cover for this month is shown on a map and chart classified into 4 classes.

• 71-100% High cover - protected from wind and usually water erosion (high rainfall, steep slopes, and erodible soils may need greater than 80, 90, 95 and up to 100% cover)

- 51-70% Moderate cover protected from wind erosion
- 31-50% Low cover not protected
- 0-30% Very Low cover not protected

Erosion protection: Wind erosion 50% total vegetation cover

The vegetation cover threshold required to prevent soil erosion is usually 50% to reduce wind erosion, 70% or 80% to reduce water (hillslope) erosion depending on the steepness and rainfall. Areas protected from erosion for the month:

- Map: water erosion protection (>70% cover) percentage area and hectares.
- Map: wind erosion protection (>50% cover) percentage area and hectares. Comparison with previous years:
  - Map: anomaly comparing this month to the average cover from the same month in previous years.
  - Map: deciles rank of month against the same month in previous years.

Anomalies and deciles until September 2019 are calculated comparing to the same months 2001 to 2019. Extra monthly data will be used to calculate anomalies and deciles post September 2019 as they become available. Time series monthly from January 2001 to current:

### **Erosion protection**

- Wind erosion protection time series: percentage of the area of the region with greater than 50% cover for each month (orange lines). Horizontal lines are 10th (cover target) and 50th percentiles.
- Water erosion protection time series: percentage of the area of the region with greater than 70% cover for each month (blue line). Horizontal lines are 10th (cover target) and 50th percentiles.

### Rainfall

• Millimetres rainfall each month (black line).

Each time series is also stacked by year. The black line shows the current year of data. Water erosion protection for higher rainfall and steeper slopes:

Water erosion protection on higher slopes. As slope increases, more cover is required to control water erosion. The thresholds reported are:

- the percentage area with pixels greater than 80% total cover.
- the percentage area with pixels greater than 90% total cover.
- the percentage area with pixels greater than 95% total cover.

### Acknowledgment of data:

- 1. http://www.agriculture.gov.au/abares/aclump/land-use/alum-classification
- 2. http://www.agriculture.gov.au/abares/forestsaustralia/sofr/sofr-2018
- 3. https://www.dpi.nsw.gov.au/agriculture/pastures-and-rangelands/establishment-mgmt/production-management2/groundcover
- 4. MODIS Fractional cover algorithm:

https://doi.org/10.4225/08/5848a3f19a7b3




### **Vegetation Cover May 2025**

#### Land use and forest cover


#### Proportion of each land class in area




2019.





### **Total Vegetation Cover [%]**




#### % Area protected from water erosion (>70%)









32.7% 30 25 · 21.0% 02 Area (%) 12 <u>16.5%</u> 10 6.9%<sup>7.8%</sup>



#### Proportion of vegetation cover class in area





#### % Area protected from wind erosion (>50%)






-20










50-

10-

### **Conservation and natural environments**

forest

Land use and forest cover



Derived from

Use of Australia

the mean. That


is, red pixels are about 20% lower than the

mean of that


pixel. The mean


using baseline from 2001 to 2019.

**Total Vegetation Cover [%]** 



% Area protected from water erosion (>70%)





1 Conservation and natural environments - Non-forest


3 Conservation and natural environments - Non-woodland forest

2 Conservation and natural environments - Woodland


20

10


0




### Proportion of each land class in area




#### Proportion of vegetation cover class in area




#### % Area protected from wind erosion (>50%)




**Total Vegetation Cover Anomaly [%]** 




Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.








Proportion of the area protected from water erosion (Total Vegetation Cover > 70%)





### **Conservation and natural environments timeseries**

99.5 99.0 ---- above\_70 --- 10th --- 50th 98.5 2025 May 98.0 97.5 97.0 4eb In War May 1sr PG, V) month tern Landcare Ecosystem Research Infrastructure Australian Government Programme

Water erosion historical monthly area protected (Total Veg Cov>70%)









### **Conservation and natural environments Woodland forest**


Land use and forest cover





**Total Vegetation Cover [%]** 




% Area protected from water erosion (>70%)








#### Proportion of vegetation cover class in area



% Area protected from wind erosion (>50%)



**Total Vegetation Cover Anomaly [%]** 



is, red pixels are about 20% lower than the


mean of that

pixel. The mean

using baseline from 2001 to 2019.


Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.

**Total Vegetation Cover Decile [%]** 







8




Proportion of the area protected from wind erosion (Total Vegetation Cover > 50%)






Wind erosion historical monthly area protected (Total Veg Cov >50%)


Water erosion historical monthly area protected (Total Veg Cov>70%)






### **Conservation and natural environments Forest (non woodland)**


Land use and forest cover




**Total Vegetation Cover [%]** 




% Area protected from water erosion (>70%)







Proportion of vegetation cover class in area




% Area protected from wind erosion (>50%)




**Total Vegetation Cover Anomaly [%]** 

Anomaly show how many percetage points each pixel is from the mean. That is, red pixels are about 20% lower than the mean of that pixel. The mean is only for the month of the map using baseline from 2001 to 2019.





Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the man using baseline the map using baseline from 2001 to 2019.

Area not protected 0.0% of region (0 ha) Area protected 100.0% of region (100,900 ha)











Wind erosion historical monthly area protected (Total Veg Cov >50%)


100.0 99.8 99.6 ---- above\_70 **—** 10th **--** 50th 2025 May 99.4 99.2 99.0 98.8 4eb 1ar In May PQ' Wal month tern Ecosystem Research Infrastructure Australian Government

Water erosion historical monthly area protected (Total Veg Cov>70%)



Proportion of the area protected from water erosion (Total Vegetation Cover > 80%)





Australian Government

Ecosystem Research Infrastructure





### Agriculture

4 Agriculture - Grazing - Irrigated


7200-200010

52% 70%


3201050010

0-30%


Land use and forest cover




**Total Vegetation Cover [%]** 




% Area protected from water erosion (>70%)







#### Proportion of each land class in area



#### Proportion of vegetation cover class in area



#### % Area protected from wind erosion (>50%)



**Total Vegetation Cover Anomaly [%]** 

the mean. That


is, red pixels are about 20% lower than the

mean of that


pixel. The mean

using baseline from 2001 to 2019.


is only for the month of the map




Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.









Proportion of the area protected from wind erosion (Total Vegetation Cover > 50%)





Wind erosion historical monthly area protected (Total Veg Cov >50%)

Water erosion historical monthly area protected (Total Veg Cov>70%)



### Grazing

1 Agriculture - Grazing - Non forest 2 Agriculture - Grazing - Woodland forest

120020000


52% 70%

· 320050010


0.30%

3 Agriculture - Grazing - Non-woodland forest


Land use and forest cover




**Total Vegetation Cover [%]** 




% Area protected from water erosion (>70%)




Proportion of each land class in area




Proportion of vegetation cover class in area



#### % Area protected from wind erosion (>50%)




**Total Vegetation Cover Anomaly [%]** 



Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.

**Total Vegetation Cover Decile [%]** 







Anomaly show how many percetage points each pixel is from the mean. That is, red pixels are about 20% lower than the mean of that pixel. The mean is only for the month of the map using baseline from 2001 to 2019.




1**2** 




Proportion of the area protected from wind erosion (Total Vegetation Cover > 50%)






Wind erosion historical monthly area protected (Total Veg Cov >50%)

Water erosion historical monthly area protected (Total Veg Cov>70%)



### **Grazing non forest**

Land use and forest cover



1 Agriculture - Grazing - Non forest


12%100%

52% 70%


3201050010

0.30%


**Total Vegetation Cover [%]** 




% Area protected from water erosion (>70%)




Proportion of vegetation cover class in area



% Area protected from wind erosion (>50%)




**Total Vegetation Cover Anomaly [%]** 




Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.

**Total Vegetation Cover Decile [%]** 







Anomaly show how many percetage points each pixel is from the mean. That is, red pixels are about 20% lower than the lower than the lower than the mean of that pixel. The mean is only for the month of the map using baseline from 2001 to 2019.



Proportion of the area protected from wind erosion (Total Vegetation Cover > 50%)




Water erosion historical monthly area protected (Total Veg Cov>70%)




### **Grazing Woodland forest**

Land use and forest cover





1 Agriculture - Grazing - Woodland forest


**Total Vegetation Cover [%]** 



% Area protected from water erosion (>70%)







0.0%

51%-70%

#### Proportion of vegetation cover class in area

0.0%

Total Vegetation Cover class

31%-50%

100

80

60

40

20

0

0.0%


0-30%

Area (%)


100.0%

71%-100%

**Total Vegetation Cover Anomaly [%]** 




Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019. **Total Vegetation Cover Decile [%]** 






Anomaly show how many percetage points each pixel is from the mean. That is, red pixels are about 20% lower than the mean of that pixel. The mean is only for the month of the map using baseline from 2001 to 2019.






Proportion of the area protected from wind erosion (Total Vegetation Cover > 50%)



Wind erosion historical monthly area protected (Total Veg Cov >50%)

Water erosion historical monthly area protected (Total Veg Cov>70%)




### **Grazing - Forest (non woodland)**


1 Agriculture - Grazing - Non-woodland forest


**Total Vegetation Cover [%]** 

Land use and forest cover




% Area protected from water erosion (>70%)








### Proportion of vegetation cover class in area




#### % Area protected from wind erosion (>50%)




Catchment Scale -Land Use and Forests of Australia (2018) Derived from -Catchment Scale Land Use of Australia (2018) and Forests of Australia (2018)


**Total Vegetation Cover Anomaly [%]** 




Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.









Proportion of the area protected from wind erosion (Total Vegetation Cover > 50%)



Wind erosion historical monthly area protected (Total Veg Cov >50%)

Water erosion historical monthly area protected (Total Veg Cov>70%)





### **Production native forests and plantation forests**

1 Production native forests and plantation forests

12%200%


52% 70%

32%50%


0.30%

**Total Vegetation Cover [%]** 


Land use and forest cover




% Area protected from water erosion (>70%)







#### % Area protected from wind erosion (>50%)




Catchment Scale Land Use and Forests of Australia (2018) Derived from Catchment Scale Land Use of Australia (2018) and Forests of Australia (2018)

are about 20% lower than the


mean of that

pixel. The mean

**Total Vegetation Cover Anomaly [%]** 




Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.







### Production native forests and plantation forests timeseries




Proportion of the area protected from wind erosion (Total Vegetation Cover > 50%)




Water erosion historical monthly area protected (Total Veg Cov>70%)









# Gladstone\_(R) (1,037,000 ha and no data 11,254 ha) Percentage area and hectares protected with TVC threshold 30,50,70,80,90 and 95%

Land use and forest cover Class	area(ha)	above_30	above_50	above_70	above_80	above_90	above_95
Entire region	1,037,000	99.9% 1,036,300	99.8% 1,034,525	99.1% 1,027,525	97.8% 1,014,325	87.4% 906,075	57.6% 597,175
Conservation and natural environments	155,550	99.9% 155,425	99.8% 155,175	99.1% 154,225	97.6% 151,775	81.1% 126,125	51.2% 79,575
Conservation and natural environments Woodland forest	50,025	99.8% 49,925	99.7% 49,875	98.8% 49,400	96.0% 48,025	78.4% 39,225	49.0% 24,500
Conservation and natural environments Forest (non woodland)	100,900	100.0% 100,875	99.9% 100,825	99.7% 100,625	99.1% 99,975	83.2% 83,975	52.4% 52,825
Agriculture	734,600	100.0% 734,525	99.9% 734,225	99.9% 733,700	99.6% 731,600	92.0% 675,700	62.1% 456,350
Grazing	733,050	100.0% 732,975	99.9% 732,675	99.9% 732,175	99.6% 730,150	92.0% 674,675	62.2% 455,725
Grazing non forest	341,500	100.0% 341,475	99.9% 341,200	99.8% 340,775	99.4% 339,600	92.5% 316,050	63.7% 217,400
Grazing Woodland forest	172,475	100.0% 172,475	100.0% 172,450	100.0% 172,425	99.8% 172,125	92.5% 159,525	61.0% 105,275
Grazing - Forest (non woodland)	219,075	100.0% 219,025	100.0% 219,025	100.0% 218,975	99.7% 218,425	90.9% 199,100	60.7% 133,050
Production native forests and plantation forests	71,975	100.0% 71,975	100.0% 71,975	100.0% 71,975	99.8% 71,825	88.8% 63,925	60.4% 43,450

