Total vegetation cover soil protection Region:LGA Goondiwindi (R) QLD

This report describes vegetation protecting the soil surface from erosion during a chosen month compared to previous years. This report has been generated using MODIS fractional vegetation cover information available in Rangelands and Pasture Productivity (RAPP) map tool https://map.geo-rapp.org/#australia. The report is based on 500 metre pixel data on monthly time steps. Land use forest cover:

Results can be shown for the whole region (polygon), and separated by land use and forest cover classes which are likely to show different cover patterns and targets. Land use is divided into four broad classes: Conservation and natural environments, Agriculture, production native forests and plantation forests (no report), and other (no report). Agriculture is divided into grazing, crops and horticulture which are sub-divided into non-irrigated and irrigated. If forest is present land use is further divided into: non-forest, woodland forest and non-woodland forest. The area of each land use and forest class are shown as a map and chart. The report content is repeated for each land use and forest cover class that covers at least 1% of the area of the chosen region. Total vegetation Cover:

The total vegetation cover indicates where soil is likely to be protected from wind and or water hillslope erosion. Total vegetation cover for this month is shown on a map and chart classified into 4 classes.

- 71-100% High cover protected from wind and usually water erosion (high rainfall, steep slopes, and erodible soils may need greater than 80, 90, 95 and up to 100% cover)
 - 51-70% Moderate cover protected from wind erosion
 - 31-50% Low cover not protected
 - 0-30% Very Low cover not protected

Erosion protection: Wind erosion 50% total vegetation cover

The vegetation cover threshold required to prevent soil erosion is usually 50% to reduce wind erosion, 70% or 80% to reduce water (hillslope) erosion depending on the steepness and rainfall. Areas protected from erosion for the month:

- Map: water erosion protection (>70% cover) percentage area and hectares.
- Map: wind erosion protection (>50% cover) percentage area and hectares.

Comparison with previous years:

- Map: anomaly comparing this month to the average cover from the same month in previous years.
- Map: deciles rank of month against the same month in previous years.

Anomalies and deciles until September 2019 are calculated comparing to the same months 2001 to 2019. Extra monthly data will be used to calculate anomalies and deciles post September 2019 as they become available. Time series monthly from January 2001 to current:

Erosion protection

- Wind erosion protection time series: percentage of the area of the region with greater than 50% cover for each month (orange lines). Horizontal lines are 10th (cover target) and 50th percentiles.
- Water erosion protection time series: percentage of the area of the region with greater than 70% cover for each month (blue line). Horizontal lines are 10th (cover target) and 50th percentiles.

Rainfall

• Millimetres rainfall each month (black line).

Each time series is also stacked by year. The black line shows the current year of data.

Water erosion protection for higher rainfall and steeper slopes:

Water erosion protection on higher slopes. As slope increases, more cover is required to control water erosion. The thresholds reported are:

- the percentage area with pixels greater than 80% total cover.
- the percentage area with pixels greater than 90% total cover.
- the percentage area with pixels greater than 95% total cover.

Acknowledgment of data:

- 1. http://www.agriculture.gov.au/abares/aclump/land-use/alum-classification
- 2. http://www.agriculture.gov.au/abares/forestsaustralia/sofr/sofr-2018
- 3. https://www.dpi.nsw.gov.au/agriculture/pastures-and-rangelands/establishment-mgmt/production-management2/groundcover
- 4. MODIS Fractional cover algorithm:

https://doi.org/10.4225/08/5848a3f19a7b3















Date: December 2019

Vegetation Cover Dec 2019


Land use and forest cover




Proportion of each land class in area




Total Vegetation Cover [%]




Proportion of vegetation cover class in area




% Area protected from water erosion (>70%)




% Area protected from wind erosion (>50%)



Total Vegetation Cover Anomaly [%]



Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.



















Conservation and natural environments


Proportion of each land class in area Land use and forest cover 73.1% 70 60 Catchment Scale Land Use and Forests of Australia (2018) Derived from 50 1 Conservation and natural environments - Nonforest 2 Conservation and natural environments - Woodland Catchment Scale μ nd Use of Australia (2018) and Forests of Australia (2018) 3 Conservation and natural environments - Non-woodland forest 30 21.0% 20 10 5.9% 2 3 Land use class Proportion of vegetation cover class in area **Total Vegetation Cover [%]** 75.6% 70 60 50 30 20 18.5% 10 -5.6% 0-30% 31%-50% 51%-70% 71%-100% **Total Vegetation Cover class** % Area protected from water erosion (>70%) % Area protected from wind erosion (>50%) Area not protected 24.4% of Area not protected 6.0% of region (5,477 ha) region (1,347 ha) Area Area protected protected 94.0% of 75.6% of region (21,103 region (16,972 ha) ha) **Total Vegetation Cover Anomaly [%] Total Vegetation Cover Decile [%]** - 20 Anomaly show how many percetage points each 8,5) pixel is from Deciles show where the - 10 pixel value lies in the the mean. That record, from highest to lowest, for that month. That is, red pixels are is, red pixels are about 20% lower than the in the lowest 10% of mean of that pixel. The mean records for that month of is only for the month of the map using baseline the map using baseline from 2001 to 2019. -10from 2001 to 2019. **-**20 Planning, Industry & Environment National

Australian Government


Landcare Programme


Conservation and natural environments timeseries






Wind erosion historical monthly area protected (Total Veg Cov >50%)






Agriculture


Land use and forest cover




Proportion of each land class in area









Proportion of vegetation cover class in area




% Area protected from water erosion (>70%)




% Area protected from wind erosion (>50%)



Total Vegetation Cover Anomaly [%]



Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.



















Agriculture timeseries










Grazing


Catchment Scale Land Use and Forests of Australia (2018) Derived from Catchment Scale Use of Australia (2018) and Forests of Australia (2018) 1 Agriculture - Grazing - Non forest 2 Agriculture - Grazing - Woodland forest 3 Agriculture - Grazing - Non-woodland forest (2018) and Forests of Australia (2018)


80 - 80.1% 70 - 60 - 50 - 30 - 20 - 18.1% 10 - 0 - 1.7%

Land use class

Proportion of each land class in area










Total Vegetation Cover class


31%-50%

0-30%




51%-70%

71%-100%



Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.



















Grazing timeseries






Wind erosion historical monthly area protected (Total Veg Cov >50%)






Grazing non forest


Land use and forest cover



Total Vegetation Cover [%] Total Vegetation Cover [%] Total Vegetation Cover [%]

% Area protected from water erosion (>70%)







Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.

Proportion of vegetation cover class in area 50 - 50.7% 40 - 39.5% 20 - 10 - 7.5% 0-30% 31%-50% 51%-70% 71%-100%

% Area protected from wind erosion (>50%)

Total Vegetation Cover class





















Grazing non forest timeseries












Grazing Woodland forest

Land use and forest cover




Total Vegetation Cover [%]






Total Vegetation Cover Anomaly [%]




Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.


Proportion of vegetation cover class in area



% Area protected from wind erosion (>50%)



Total Vegetation Cover Decile [%]


















Grazing Woodland forest timeseries






Grazing - Forest (non woodland)


Land use and forest cover




Total Vegetation Cover [%]




Proportion of vegetation cover class in area




% Area protected from water erosion (>70%)




% Area protected from wind erosion (>50%)



Total Vegetation Cover Anomaly [%]



Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.





























Cropping


Land use and forest cover



Total Vegetation Cover [%]

% Area protected from water erosion (>70%)







Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the man using baseline. the map using baseline from 2001 to 2019.

Proportion of vegetation cover class in area 80 77.5% 70 60 50 Area (%) 30 -20 · 15.4% 10 -6.6% 0.5% 31%-50% 0-30% 51%-70% 71%-100% **Total Vegetation Cover class**

% Area protected from wind erosion (>50%)





















Cropping timeseries













Irrigation













Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.


































Production native forests and plantation forests

Land use and forest cover 1 Production native forests and plantation forests




Catchment Scale
Land Use and Forests
of Australia (2018)
Derived from


Catchment Scale Land

Use of Australia (2018) and Forests of Australia (2018)


Proportion of vegetation cover class in area 100 96.5% 80 Area (%) 20 0-30% 31%-50% 51%-70% 71%-100% **Total Vegetation Cover class**




% Area protected from water erosion (>70%)










Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.



















Production native forests and plantation forests timeseries









Goondiwindi_(R) (1,924,450 ha and no data 1,242 ha) Percentage area and hectares protected with TVC threshold 30,50,70,80,90 and 95%

Land use and forest cover Class	area(ha)	above_30	above_50	above_70	above_80	above_90	above_95
Entire region	1,924,450	97.1% 1,868,975	50.5% 972,075	22.8% 438,125	16.5% 318,325	4.5% 86,325	0.0% 875
Conservation and natural environments	22,450	99.7% 22,375	94.1% 21,125	75.6% 16,975	62.7% 14,075	10.0% 2,250	0.0%
Agriculture	1,701,025	96.8% 1,646,000	44.6% 758,825	14.2% 242,325	8.0% 136,500	1.6% 27,375	0.0% 450
Grazing	1,173,850	98.2% 1,152,775	56.8% 666,700	20.4% 239,475	11.6% 136,075	2.3% 27,375	0.0% 450
Grazing non forest	940,625	97.8% 919,600	47.1% 442,850	7.5% 70,850	1.6% 15,275	0.1% 575	0.0%
Grazing Woodland forest	212,950	100.0% 212,900	96.4% 205,350	75.2% 160,225	54.3% 115,650	11.9% 25,325	0.2% 450
Grazing - Forest (non woodland)	20,275	100.0% 20,275	91.2% 18,500	41.4% 8,400	25.4% 5,150	7.3% 1,475	0.0%
Cropping	449,500	93.4% 419,700	15.9% 71,400	0.5% 2,275	0.1% 425	0.0% 0	0.0% 0
Irrigation	77,575	94.7% 73,425	26.6% 20,650	0.7% 525	0.0% 0	0.0% 0	0.0%
Production native forests and plantation forests	184,550	100.0% 184,525	99.5% 183,550	96.5% 178,050	90.8% 167,625	30.7% 56,700	0.2% 425











