# Total vegetation cover soil protection Region:LGA Goondiwindi (R) QLD

This report describes vegetation protecting the soil surface from erosion during a chosen month compared to previous years. This report has been generated using MODIS fractional vegetation cover information available in Rangelands and Pasture Productivity (RAPP) map tool https://map.geo-rapp.org/#australia. The report is based on 500 metre pixel data on monthly time steps.

Land use forest cover:

Date: July 2024

Results can be shown for the whole region (polygon), and separated by land use and forest cover classes which are likely to show different cover patterns and targets. Land use is divided into four broad classes: Conservation and natural environments, Agriculture, production native forests and plantation forests (no report), and other (no report). Agriculture is divided into grazing, crops and horticulture which are sub-divided into non-irrigated and irrigated. If forest is present land use is further divided into: non-forest, woodland forest and non-woodland forest. The area of each land use and forest class are shown as a map and chart. The report content is repeated for each land use and forest cover class that covers at least 1% of the area of the chosen region. Total vegetation Cover:

The total vegetation cover indicates where soil is likely to be protected from wind and or water hillslope erosion. Total vegetation cover for this month is shown on a map and chart classified into 4 classes.

- 71-100% High cover protected from wind and usually water erosion (high rainfall, steep slopes, and erodible soils may need greater than 80, 90, 95 and up to 100% cover)
  - 51-70% Moderate cover protected from wind erosion
  - 31-50% Low cover not protected
  - 0-30% Very Low cover not protected

Erosion protection: Wind erosion 50% total vegetation cover

The vegetation cover threshold required to prevent soil erosion is usually 50% to reduce wind erosion, 70% or 80% to reduce water (hillslope) erosion depending on the steepness and rainfall. Areas protected from erosion for the month:

- Map: water erosion protection (>70% cover) percentage area and hectares.
- Map: wind erosion protection (>50% cover) percentage area and hectares.

Comparison with previous years:

- Map: anomaly comparing this month to the average cover from the same month in previous years.
- Map: deciles rank of month against the same month in previous years.

Anomalies and deciles until September 2019 are calculated comparing to the same months 2001 to 2019. Extra monthly data will be used to calculate anomalies and deciles post September 2019 as they become available. Time series monthly from January 2001 to current:

# **Erosion protection**

- Wind erosion protection time series: percentage of the area of the region with greater than 50% cover for each month (orange lines). Horizontal lines are 10th (cover target) and 50th percentiles.
- Water erosion protection time series: percentage of the area of the region with greater than 70% cover for each month (blue line). Horizontal lines are 10th (cover target) and 50th percentiles.

#### Rainfall

• Millimetres rainfall each month (black line).

Each time series is also stacked by year. The black line shows the current year of data.

Water erosion protection for higher rainfall and steeper slopes:

Water erosion protection on higher slopes. As slope increases, more cover is required to control water erosion. The thresholds reported are:

- the percentage area with pixels greater than 80% total cover.
- the percentage area with pixels greater than 90% total cover.
- the percentage area with pixels greater than 95% total cover.

## **Acknowledgment of data:**

- 1. http://www.agriculture.gov.au/abares/aclump/land-use/alum-classification
- 2. http://www.agriculture.gov.au/abares/forestsaustralia/sofr/sofr-2018
- 3. https://www.dpi.nsw.gov.au/agriculture/pastures-and-rangelands/establishment-mgmt/production-management2/groundcover
- 4. MODIS Fractional cover algorithm:

https://doi.org/10.4225/08/5848a3f19a7b3











# **Vegetation Cover Jul 2024**


#### Land use and forest cover




#### Proportion of each land class in area




#### Total Vegetation Cover [%]




Proportion of vegetation cover class in area




# % Area protected from water erosion (>70%)



% Area protected from wind erosion (>50%)



## Total Vegetation Cover Anomaly [%]



Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.


**Total Vegetation Cover Decile [%]** 

# tern Ecosystem Research Infrastructure














## **Conservation and natural environments**



















Deciles show where the pixel value lies in the

record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of


records for that month of


the map using baseline from 2001 to 2019.







## **Conservation and natural environments timeseries**












# **Agriculture**




#### Proportion of each land class in area









Proportion of vegetation cover class in area




#### % Area protected from water erosion (>70%)



% Area protected from wind erosion (>50%)



# Total Vegetation Cover Anomaly [%]



Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.

# Total Vegetation Cover Decile [%]

# IIIII CSIRO













# **Agriculture timeseries**












# **Grazing**




#### Proportion of each land class in area









#### Proportion of vegetation cover class in area




## % Area protected from water erosion (>70%)




% Area protected from wind erosion (>50%)



# Total Vegetation Cover Anomaly [%]



Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.

















# **Grazing timeseries**






Wind erosion historical monthly area protected (Total Veg Cov >50%)







# **Grazing non forest**

#### Land use and forest cover




#### **Total Vegetation Cover [%]**







# **Proportion of vegetation cover class in area**




#### % Area protected from wind erosion (>50%)



# **Total Vegetation Cover Anomaly [%]**



Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.

















# **Grazing non forest timeseries**












# **Grazing Woodland forest**

#### Land use and forest cover




# Total Vegetation Cover [%]







#### % Area protected from water erosion (>70%)




#### % Area protected from wind erosion (>50%)



# Total Vegetation Cover Anomaly [%]



Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.














# **Grazing Woodland forest timeseries**







# **Grazing - Forest (non woodland)**

#### Land use and forest cover




#### Total Vegetation Cover [%]







## % Area protected from water erosion (>70%)




% Area protected from wind erosion (>50%)



#### **Total Vegetation Cover Anomaly [%]**



Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.



























# **Cropping**


#### Land use and forest cover




#### Total Vegetation Cover [%]



#### \_\_\_\_\_




# Total Vegetation Cover Anomaly [%]





Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.

#### **Proportion of vegetation cover class in area**



#### % Area protected from wind erosion (>50%)

















# **Cropping timeseries**











Water erosion historical monthly area protected (Total Veg Cov>70%)


# Irrigation





#### 99.2% 100 80 Area (%) 60 40 20 0.8% 0.25 0.50 -0.250.00 0.75 1.00 1.25 Land use class


Proportion of each land class in area


















Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.






















# **Production native forests and plantation forests**


#### Land use and forest cover




#### Total Vegetation Cover [%]




# Proportion of vegetation cover class in area




#### % Area protected from water erosion (>70%)




% Area protected from wind erosion (>50%)



# Total Vegetation Cover Anomaly [%]



Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.















# **Production native forests and plantation forests timeseries**





# Goondiwindi\_(R) (1,924,450 ha and no data 1,242 ha) Percentage area and hectares protected with TVC threshold 30,50,70,80,90 and 95%

Land use and forest cover Class	area(ha)	above_30	above_50	above_70	above_80	above_90	above_95
Entire region	1,924,450	99.8% 1,921,550	99.5% 1,914,875	90.9% 1,748,775	67.3% 1,295,625	21.4% 411,975	3.1% 60,300
Conservation and natural environments	22,450	100.0% 22,450	100.0% 22,450	99.3% 22,300	90.8% 20,375	42.0% 9,425	4.5% 1,000
Agriculture	1,701,000	99.9% 1,699,875	99.6% 1,694,575	90.1% 1,532,325	63.9% 1,086,775	19.2% 327,225	3.2% 54,525
Grazing	1,173,825	100.0% 1,173,550	99.9% 1,172,575	93.9% 1,101,975	71.3% 837,050	22.6% 265,600	2.9% 34,050
Grazing non forest	940,600	100.0% 940,375	99.9% 939,425	92.5% 870,450	66.2% 622,625	18.8% 176,900	2.8% 26,475
Grazing Woodland forest	212,950	100.0% 212,925	100.0% 212,900	99.4% 211,750	92.9% 197,825	39.0% 83,125	3.4% 7,150
Grazing - Forest (non woodland)	20,275	99.9% 20,250	99.9% 20,250	97.5% 19,775	81.9% 16,600	27.5% 5,575	2.1% 425
Cropping	449,500	100.0% 449,300	99.6% 447,675	85.8% 385,475	50.7% 228,100	12.7% 57,050	4.3% 19,300
Irrigation	77,575	99.2% 76,925	95.7% 74,225	57.7% 44,775	27.7% 21,525	5.9% 4,550	1.5% 1,175
Production native forests and plantation forests	184,550	100.0% 184,550	100.0% 184,550	100.0% 184,475	99.2% 183,125	40.0% 73,850	2.5% 4,525







