### Total vegetation cover soil protection Region:LGA Isaac\_(R) QLD

This report describes vegetation protecting the soil surface from erosion during a chosen month compared to previous years. This report has been generated using MODIS fractional vegetation cover information available in Rangelands and Pasture Productivity (RAPP) map tool https://map.geo-rapp.org/#australia. The report is based on 500 metre pixel data on monthly time steps.

Date: January 2024

Results can be shown for the whole region (polygon), and separated by land use and forest cover classes which are likely to show different cover patterns and targets. Land use is divided into four broad classes: Conservation and natural environments, Agriculture, production native forests and plantation forests (no report), and other (no report). Agriculture is divided into grazing, crops and horticulture which are sub-divided into non-irrigated and irrigated. If forest is present land use is further divided into: non-forest, woodland forest and non-woodland forest. The area of each land use and forest class are shown as a map and chart. The report content is repeated for each land use and forest cover class that covers at least 1% of the area of the chosen region. Total vegetation Cover:

The total vegetation cover indicates where soil is likely to be protected from wind and or water hillslope erosion. Total vegetation cover for this month is shown on a map and chart classified into 4 classes.

- 71-100% High cover protected from wind and usually water erosion (high rainfall, steep slopes, and erodible soils may need greater than 80, 90, 95 and up to 100% cover)
  - 51-70% Moderate cover protected from wind erosion
  - 31-50% Low cover not protected
  - 0-30% Very Low cover not protected

Erosion protection: Wind erosion 50% total vegetation cover

The vegetation cover threshold required to prevent soil erosion is usually 50% to reduce wind erosion, 70% or 80% to reduce water (hillslope) erosion depending on the steepness and rainfall. Areas protected from erosion for the month:

- Map: water erosion protection (>70% cover) percentage area and hectares.
- Map: wind erosion protection (>50% cover) percentage area and hectares.

Comparison with previous years:

Land use forest cover:

- Map: anomaly comparing this month to the average cover from the same month in previous years.
- Map: deciles rank of month against the same month in previous years.

Anomalies and deciles until September 2019 are calculated comparing to the same months 2001 to 2019. Extra monthly data will be used to calculate anomalies and deciles post September 2019 as they become available. Time series monthly from January 2001 to current:

#### **Erosion protection**

- Wind erosion protection time series: percentage of the area of the region with greater than 50% cover for each month (orange lines). Horizontal lines are 10th (cover target) and 50th percentiles.
- Water erosion protection time series: percentage of the area of the region with greater than 70% cover for each month (blue line). Horizontal lines are 10th (cover target) and 50th percentiles.

#### Rainfall

• Millimetres rainfall each month (black line).

Each time series is also stacked by year. The black line shows the current year of data.

Water erosion protection for higher rainfall and steeper slopes:

Water erosion protection on higher slopes. As slope increases, more cover is required to control water erosion. The thresholds reported are:

- the percentage area with pixels greater than 80% total cover.
- the percentage area with pixels greater than 90% total cover.
- the percentage area with pixels greater than 95% total cover.

#### **Acknowledgment of data:**

- 1. http://www.agriculture.gov.au/abares/aclump/land-use/alum-classification
- 2. http://www.agriculture.gov.au/abares/forestsaustralia/sofr/sofr-2018
- 3. https://www.dpi.nsw.gov.au/agriculture/pastures-and-rangelands/establishment-mgmt/production-management2/groundcover
- 4. MODIS Fractional cover algorithm:

https://doi.org/10.4225/08/5848a3f19a7b3











#### **Vegetation Cover Jan 2024**


#### Land use and forest cover




#### Proportion of each land class in area




#### Total Vegetation Cover [%]




#### Proportion of vegetation cover class in area




#### 0/ Aven pretected from water exector (> 700/)




% Area protected from wind erosion (>50%)



#### Total Vegetation Cover Anomaly [%]



Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.



















#### **Conservation and natural environments**






























#### **Conservation and natural environments timeseries**






#### **Conservation and natural environments Woodland forest**


### Land use and forest cover Catchment Scaler Land Use and Forests of Australia (2018) Derived from 1 Conservation and natural environments - Woodland forest Catchment Scale Land Use of Australia (2018) and Forests of Australia (2018)

# **Total Vegetation Cover [%]**

#### 80 60 Area (%) 20 1.6% 0-30% 31%-50% 51%-70% 71%-100% **Total Vegetation Cover class** % Area protected from wind erosion (>50%)


100






**Proportion of vegetation cover class in area** 

98.3%



Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the man using baseling. the map using baseline from 2001 to 2019.

















#### **Agriculture**

70

60

50

Area (%) 30 .

20

10

0

# Catchment Scaler Land Use and Forests of Australia (2018) Derived from Catchment Scale Land Use of Australia (2018) 3 Agriculture - Grazing - Non forest 2 Agriculture - Grazing - Woodland forest 3 Agriculture - Grazing - Non-woodland forest 4 Agriculture - Grazing - Non-woodland forest 5 Agriculture - Grazing - Non-woodland forest 6 Agriculture - Grazing - Non-woodland forest 7 Agriculture - Grazing - Non-woodland forest 8 Agriculture - Grazing - Non-woodland forest 9 Agriculture - Grazing - Non-woodland forest 1 Agriculture - Grazing - Non forest 2 Agriculture - Grazing - Non-woodland forest 3 Agriculture - Grazing - Non-woodland forest 4 Agriculture - Grazing - Non-woodland forest 5 Agriculture - Grazing - Non-woodland forest 6 Agriculture - Grazing - Non-woodland forest 7 Agriculture - Grazing - Non-woodland forest 8 Agriculture - Grazing - Non-woodland forest 9 Agriculture - Gra


# 68.4%


Proportion of each land class in area

#### Proportion of vegetation cover class in area


Land use class

21.3%







#### % Area protected from water erosion (>70%)



% Area protected from wind erosion (>50%)



#### Total Vegetation Cover Anomaly [%]



Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.

# Total Vegetation Cover Decile [%]


## tern Ecosystem Research Infrastructure









#### **Agriculture timeseries**






#### **Grazing**


#### Land use and forest cover




#### Proportion of each land class in area




#### **Total Vegetation Cover [%]**




#### Proportion of vegetation cover class in area




#### % Area protected from water erosion (>70%)




% Area protected from wind erosion (>50%)



#### **Total Vegetation Cover Anomaly [%]**



Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.

















#### **Grazing timeseries**






Wind erosion historical monthly area protected (Total Veg Cov >50%)






#### **Grazing non forest**


#### Land use and forest cover




#### Total Vegetation Cover [%]



#### % Area protected from water erosion (>70%)




#### **Total Vegetation Cover Anomaly [%]**





Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.

#### **Proportion of vegetation cover class in area**



#### % Area protected from wind erosion (>50%)

















#### **Grazing non forest timeseries**











#### **Grazing Woodland forest**


#### Land use and forest cover




#### Total Vegetation Cover [%]



#### % Area protected from water erosion (>70%)




#### **Total Vegetation Cover Anomaly [%]**





Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.

#### Proportion of vegetation cover class in area



#### % Area protected from wind erosion (>50%)
















#### **Grazing Woodland forest timeseries**






#### **Grazing - Forest (non woodland)**


#### Land use and forest cover




#### **Total Vegetation Cover [%]**




% Area protected from water erosion (>70%)






#### **Total Vegetation Cover Anomaly [%]**





Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the man using baseling. the map using baseline from 2001 to 2019.

#### **Proportion of vegetation cover class in area**



#### % Area protected from wind erosion (>50%)





















#### **Cropping**


#### Land use and forest cover




#### Total Vegetation Cover [%]



#### % Area protected from water erosion (>70%)




#### Total Vegetation Cover Anomaly [%]





Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.

#### Proportion of vegetation cover class in area



#### % Area protected from wind erosion (>50%)

















#### **Cropping timeseries**












#### **Production native forests and plantation forests**

#### Land use and forest cover




#### Total Vegetation Cover [%]







#### % Area protected from water erosion (>70%)




% Area protected from wind erosion (>50%)



#### **Total Vegetation Cover Anomaly [%]**



Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.















#### **Production native forests and plantation forests timeseries**





### Isaac\_(R) (5,850,825 ha and no data 19,793 ha) Percentage area and hectares protected with TVC threshold 30,50,70,80,90 and 95%

Land use and forest cover Class	area(ha)	above_30	above_50	above_70	above_80	above_90	above_95
Entire region	5,850,825	99.7% 5,835,875	98.3% 5,749,525	91.3% 5,343,350	74.7% 4,372,450	37.6% 2,201,475	16.4% 956,675
Conservation and natural environments	173,950	100.0% 173,900	99.6% 173,300	97.4% 169,375	91.2% 158,600	61.0% 106,050	29.4% 51,100
Conservation and natural environments Woodland forest	108,650	100.0% 108,625	99.8% 108,475	98.3% 106,775	92.5% 100,525	62.2% 67,575	30.6% 33,200
Agriculture	5,394,025	99.8% 5,381,350	98.4% 5,305,750	91.3% 4,927,300	74.1% 3,995,200	36.2% 1,952,225	15.4% 831,675
Grazing	5,153,650	99.9% 5,148,150	99.4% 5,122,725	93.9% 4,838,350	76.5% 3,944,600	37.5% 1,935,025	16.0% 825,325
Grazing non forest	3,693,250	99.9% 3,687,875	99.2% 3,663,575	92.1% 3,401,200	70.9% 2,618,075	29.8% 1,101,050	11.9% 441,000
Grazing Woodland forest	1,147,125	100.0% 1,147,000	99.9% 1,145,975	98.2% 1,126,625	89.7% 1,029,375	54.2% 622,300	24.1% 276,375
Grazing - Forest (non woodland)	313,275	100.0% 313,275	100.0% 313,175	99.1% 310,525	94.9% 297,150	67.6% 211,675	34.5% 107,950
Cropping	224,225	96.9% 217,200	74.7% 167,525	33.5% 75,175	17.4% 38,925	5.5% 12,375	1.9% 4,350
Production native forests and plantation forests	163,200	100.0% 163,200	100.0% 163,200	99.6% 162,575	96.4% 157,275	68.3% 111,450	33.2% 54,250







