# Total vegetation cover soil protection Region:LGA Isaac (R) QLD

This report describes vegetation protecting the soil surface from erosion during a chosen month compared to previous years. This report has been generated using MODIS fractional vegetation cover information available in Rangelands and Pasture Productivity (RAPP) map tool https://map.geo-rapp.org/#australia. The report is based on 500 metre pixel data on monthly time steps.

Land use forest cover:

**Date: October 2024** 

Results can be shown for the whole region (polygon), and separated by land use and forest cover classes which are likely to show different cover patterns and targets. Land use is divided into four broad classes: Conservation and natural environments, Agriculture, production native forests and plantation forests (no report), and other (no report). Agriculture is divided into grazing, crops and horticulture which are sub-divided into non-irrigated and irrigated. If forest is present land use is further divided into: non-forest, woodland forest and non-woodland forest. The area of each land use and forest class are shown as a map and chart. The report content is repeated for each land use and forest cover class that covers at least 1% of the area of the chosen region. Total vegetation Cover:

The total vegetation cover indicates where soil is likely to be protected from wind and or water hillslope erosion. Total vegetation cover for this month is shown on a map and chart classified into 4 classes.

- 71-100% High cover protected from wind and usually water erosion (high rainfall, steep slopes, and erodible soils may need greater than 80, 90, 95 and up to 100% cover)
  - 51-70% Moderate cover protected from wind erosion
  - 31-50% Low cover not protected
  - 0-30% Very Low cover not protected

Erosion protection: Wind erosion 50% total vegetation cover

The vegetation cover threshold required to prevent soil erosion is usually 50% to reduce wind erosion, 70% or 80% to reduce water (hillslope) erosion depending on the steepness and rainfall. Areas protected from erosion for the month:

- Map: water erosion protection (>70% cover) percentage area and hectares.
- Map: wind erosion protection (>50% cover) percentage area and hectares.

Comparison with previous years:

- Map: anomaly comparing this month to the average cover from the same month in previous years.
- Map: deciles rank of month against the same month in previous years.

Anomalies and deciles until September 2019 are calculated comparing to the same months 2001 to 2019. Extra monthly data will be used to calculate anomalies and deciles post September 2019 as they become available. Time series monthly from January 2001 to current:

# **Erosion protection**

- Wind erosion protection time series: percentage of the area of the region with greater than 50% cover for each month (orange lines). Horizontal lines are 10th (cover target) and 50th percentiles.
- Water erosion protection time series: percentage of the area of the region with greater than 70% cover for each month (blue line). Horizontal lines are 10th (cover target) and 50th percentiles.

# Rainfall

• Millimetres rainfall each month (black line).

Each time series is also stacked by year. The black line shows the current year of data.

Water erosion protection for higher rainfall and steeper slopes:

Water erosion protection on higher slopes. As slope increases, more cover is required to control water erosion. The thresholds reported are:

- the percentage area with pixels greater than 80% total cover.
- the percentage area with pixels greater than 90% total cover.
- the percentage area with pixels greater than 95% total cover.

# **Acknowledgment of data:**

- 1. http://www.agriculture.gov.au/abares/aclump/land-use/alum-classification
- 2. http://www.agriculture.gov.au/abares/forestsaustralia/sofr/sofr-2018
- 3. https://www.dpi.nsw.gov.au/agriculture/pastures-and-rangelands/establishment-mgmt/production-management2/groundcover
- 4. MODIS Fractional cover algorithm:

https://doi.org/10.4225/08/5848a3f19a7b3











# **Vegetation Cover Oct 2024**


#### Land use and forest cover




### Proportion of each land class in area




# Total Vegetation Cover [%]




Proportion of vegetation cover class in area




#### 0/ Aven pretected from water exector (> 700/)




% Area protected from wind erosion (>50%)



### Total Vegetation Cover Anomaly [%]



Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.



















# **Conservation and natural environments**















Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.













# **Conservation and natural environments timeseries**







# **Conservation and natural environments Woodland forest**

# Catchment Scale Land Use and Forests of Australia (2018) Derived from Catchment Scale Use of Australia (2018) Australia (2018) 1 Conservation and natural environments - Woodland forest of Australia (2018)


# Total Vegetation Cover [%]

# 100 - 99.6% 80 - 99.6% 80 - 99.6% 30 - 99.6% 40 - 99.6% 20 - 99.6% 100 - 99.6






**Proportion of vegetation cover class in area** 



Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.













# **Conservation and natural environments Woodland forest timeseries**






# **Agriculture**

# Catchment Scale Land Use and Forests of Australia (2018) Derived from Catchment Scale Land Use of Australia (2018) 3 Agriculture - Grazing - Woodland forest Agriculture - Grazing - Woodland forest Agriculture - Grazing - Irrigated S Agriculture - Cropping - Non-irrigated Agriculture - Cropping - Non-irrigated S Agriculture - Cropping - Irrigated S Agriculture - Cropping - Irrigated S Agriculture - Cropping - Irrigated

# 

Proportion of each land class in area

#### **Total Vegetation Cover [%]**




Proportion of vegetation cover class in area


Land use class

10


0




# % Area protected from water erosion (>70%)




% Area protected from wind erosion (>50%)



# Total Vegetation Cover Anomaly [%]



Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.
















# **Agriculture timeseries**






# **Grazing**


# Land use and forest cover




#### Proportion of each land class in area




**Total Vegetation Cover [%]** 




Proportion of vegetation cover class in area




# % Area protected from water erosion (>70%)




% Area protected from wind erosion (>50%)



# **Total Vegetation Cover Anomaly [%]**



Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.

















# **Grazing timeseries**











Water erosion historical monthly area protected (Total Veg Cov>70%)

# **Grazing non forest**


#### Land use and forest cover




#### Total Vegetation Cover [%]



# % Area protected from water erosion (>70%)




# **Total Vegetation Cover Anomaly [%]**





Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.

### Proportion of vegetation cover class in area



#### % Area protected from wind erosion (>50%)

















# **Grazing non forest timeseries**











# **Grazing Woodland forest**


#### Land use and forest cover




#### Total Vegetation Cover [%]



# % Area protected from water erosion (>70%)




# Total Vegetation Cover Anomaly [%]





Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.

### Proportion of vegetation cover class in area



#### % Area protected from wind erosion (>50%)

















# **Grazing Woodland forest timeseries**












# **Grazing - Forest (non woodland)**

#### Land use and forest cover




#### Total Vegetation Cover [%]






# Total Vegetation Cover Anomaly [%]





Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.

#### **Proportion of vegetation cover class in area**



# % Area protected from wind erosion (>50%)






















Wind erosion historical monthly area protected (Total Veg Cov >50%)






# **Cropping**


#### Land use and forest cover




#### Total Vegetation Cover [%]



#### % Area protected from water erosion (>70%)




# Total Vegetation Cover Anomaly [%]





Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.

#### Proportion of vegetation cover class in area



# % Area protected from wind erosion (>50%)

















# **Cropping timeseries**





month






# **Production native forests and plantation forests**


# Land use and forest cover Catchment Scale Land Use and Forests of Australia (2018) Derived from 1 Production native forests and plantation forests Catchment Scale Land Use of Australia (2018) and Forests of Australia (2018)


# **Total Vegetation Cover [%]**

# 99.4% 100 80 Area (%) 20 -0-30% 31%-50% 51%-70% 71%-100% **Total Vegetation Cover class**


**Proportion of vegetation cover class in area** 







Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the man using baseling. the map using baseline from 2001 to 2019.















# **Production native forests and plantation forests timeseries**









# Isaac\_(R) (5,862,050 ha and no data 8,568 ha) Percentage area and hectares protected with TVC threshold 30,50,70,80,90 and 95%

Land use and forest cover Class	area(ha)	above_30	above_50	above_70	above_80	above_90	above_95
Entire region	5,862,050	99.9% 5,858,075	99.1% 5,810,075	92.3% 5,408,475	74.1% 4,344,450	33.1% 1,940,675	12.9% 753,950
Conservation and natural environments	176,050	100.0% 175,975	99.9% 175,825	98.8% 173,975	95.0% 167,175	68.5% 120,525	38.8% 68,225
Conservation and natural environments Woodland forest	109,225	100.0% 109,225	100.0% 109,175	99.6% 108,800	96.7% 105,575	69.1% 75,475	40.6% 44,350
Agriculture	5,398,900	100.0% 5,396,575	99.3% 5,361,825	92.4% 4,986,525	73.3% 3,955,675	30.7% 1,657,000	11.3% 610,025
Grazing	5,158,300	100.0% 5,156,250	99.5% 5,132,450	94.3% 4,863,000	75.6% 3,898,700	31.8% 1,640,100	11.7% 603,200
Grazing non forest	3,694,375	99.9% 3,692,500	99.4% 3,670,400	92.3% 3,409,275	68.4% 2,527,675	22.1% 815,650	6.9% 254,400
Grazing Woodland forest	1,147,825	100.0% 1,147,675	99.9% 1,146,125	99.2% 1,138,550	92.6% 1,063,425	52.3% 600,600	20.3% 233,000
Grazing - Forest (non woodland)	316,100	100.0% 316,075	99.9% 315,925	99.7% 315,175	97.3% 307,600	70.8% 223,850	36.6% 115,800
Cropping	224,225	99.9% 224,050	95.3% 213,775	49.3% 110,475	20.3% 45,625	4.5% 10,075	1.4% 3,150
Production native forests and plantation forests	164,500	100.0% 164,500	100.0% 164,500	99.4% 163,450	97.6% 160,575	80.7% 132,825	33.8% 55,525







