Total vegetation cover soil protection Region:LGA Quilpie_(S) QLD

Date: May 2022

This report describes vegetation protecting the soil surface from erosion during a chosen month compared to previous years. This report has been generated using MODIS fractional vegetation cover information available in Rangelands and Pasture Productivity (RAPP) map tool https://map.geo-rapp.org/#australia. The report is based on 500 metre pixel data on monthly time steps. Land use forest cover:

Results can be shown for the whole region (polygon), and separated by land use and forest cover classes which are likely to show different cover patterns and targets. Land use is divided into four broad classes: Conservation and natural environments, Agriculture, production native forests and plantation forests (no report), and other (no report). Agriculture is divided into grazing, crops and horticulture which are sub-divided into non-irrigated and irrigated. If forest is present land use is further divided into: non-forest, woodland forest and non-woodland forest. The area of each land use and forest class are shown as a map and chart. The report content is repeated for each land use and forest covers at least 1% of the area of the chosen region. Total vegetation Cover:

The total vegetation cover indicates where soil is likely to be protected from wind and or water hillslope erosion. Total vegetation cover for this month is shown on a map and chart classified into 4 classes.

• 71-100% High cover - protected from wind and usually water erosion (high rainfall, steep slopes, and erodible soils may need greater than 80, 90, 95 and up to 100% cover)

- 51-70% Moderate cover protected from wind erosion
- 31-50% Low cover not protected
- 0-30% Very Low cover not protected

Erosion protection: Wind erosion 50% total vegetation cover

The vegetation cover threshold required to prevent soil erosion is usually 50% to reduce wind erosion, 70% or 80% to reduce water (hillslope) erosion depending on the steepness and rainfall. Areas protected from erosion for the month:

- Map: water erosion protection (>70% cover) percentage area and hectares.
- Map: wind erosion protection (>50% cover) percentage area and hectares. Comparison with previous years:
 - Map: anomaly comparing this month to the average cover from the same month in previous years.
 - Map: deciles rank of month against the same month in previous years.

Anomalies and deciles until September 2019 are calculated comparing to the same months 2001 to 2019. Extra monthly data will be used to calculate anomalies and deciles post September 2019 as they become available. Time series monthly from January 2001 to current:

Erosion protection

- Wind erosion protection time series: percentage of the area of the region with greater than 50% cover for each month (orange lines). Horizontal lines are 10th (cover target) and 50th percentiles.
- Water erosion protection time series: percentage of the area of the region with greater than 70% cover for each month (blue line). Horizontal lines are 10th (cover target) and 50th percentiles.

Rainfall

• Millimetres rainfall each month (black line).

Each time series is also stacked by year. The black line shows the current year of data. Water erosion protection for higher rainfall and steeper slopes:

Water erosion protection on higher slopes. As slope increases, more cover is required to control water erosion. The thresholds reported are:

- the percentage area with pixels greater than 80% total cover.
- the percentage area with pixels greater than 90% total cover.
- the percentage area with pixels greater than 95% total cover.

Acknowledgment of data:

- 1. http://www.agriculture.gov.au/abares/aclump/land-use/alum-classification
- 2. http://www.agriculture.gov.au/abares/forestsaustralia/sofr/sofr-2018
- 3. https://www.dpi.nsw.gov.au/agriculture/pastures-and-rangelands/establishment-mgmt/production-management2/groundcover
- 4. MODIS Fractional cover algorithm:

https://doi.org/10.4225/08/5848a3f19a7b3




Vegetation Cover May 2022

Land use and forest cover

Proportion of each land class in area






12%200%

52010010010


3201050010


0.30%

Total Vegetation Cover [%]




% Area protected from water erosion (>70%)







Proportion of vegetation cover class in area



% Area protected from wind erosion (>50%)




Total Vegetation Cover Anomaly [%]



Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.

Total Vegetation Cover Decile [%]





10

0


-10

-20



Anomaly show how many percetage points each pixel is from the mean. That is, red pixels are about 20% lower than the mean of that pixel. The mean is only for the month of the map using baseline from 2001 to 2019.

2





Conservation and natural environments

Catchment Scale Land Use and Forests of Australia (2018) Derived from Catchment Scale Land Use of Australia (2018) and Forests of Australia (2018)

Land use and forest cover

 Conservation and natural environments - Nonforest
Conservation and natural environments - Woodland forest

20

10

0

70 - 68.9%60 - 50 - 50 - 50 - 50 - 50 - 50 - 51.1%

Proportion of each land class in area

Proportion of vegetation cover class in area

0.50

Land use class

0.75


1.00

1.25


0.00

-0.25


0.25




% Area protected from wind erosion (>50%)




Total Vegetation Cover [%]




% Area protected from water erosion (>70%)




Total Vegetation Cover Anomaly [%]



Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.



Total Vegetation Cover Decile [%]






2




Anomaly show how many percetage points each pixel is from the mean. That is, red pixels are about 20% lower than the mean of that pixel. The mean is only for the month of the map using baseline from 2001 to 2019.



Proportion of the area protected from wind erosion (Total Vegetation Cover > 50%)







Wind erosion historical monthly area protected (Total Veg Cov >50%)

Water erosion historical monthly area protected (Total Veg Cov>70%)

JUN

month





Conservation and natural environments non forest

Catchment Scale 1 Conservation and natural environments - Non-forest

Land Use and Forests of Australia (2018) Derived from Catchment Scale Land Use of Australia (2018) and Forests of Australia (2018)

pixel is from

is, red pixels

the mean. That

are about 20% lower than the


mean of that pixel. The mean


is only for the

from 2001 to 2019.


Total Vegetation Cover [%]

Land use and forest cover







% Area protected from water erosion (>70%)




Proportion of vegetation cover class in area




% Area protected from wind erosion (>50%)




Total Vegetation Cover Anomaly [%]




Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.



Total Vegetation Cover Decile [%]








Proportion of the area protected from wind erosion (Total Vegetation Cover > 50%)


Proportion of the area protected from water erosion (Total Vegetation Cover > 70%)






Wind erosion historical monthly area protected (Total Veg Cov >50%)

Water erosion historical monthly area protected (Total Veg Cov>70%)



Conservation and natural environments Woodland forest




12%100%

52°10°10°10

32%50%

1 0.30%


Total Vegetation Cover [%]








Proportion of vegetation cover class in area





% Area protected from wind erosion (>50%)













Total Vegetation Cover Anomaly [%]



Proportion of the area protected from wind erosion (Total Vegetation Cover > 50%)

Proportion of the area protected from water erosion (Total Vegetation Cover > 70%)



Wind erosion historical monthly area protected (Total Veg Cov >50%)

100 95 ---- above_70 **—** 10th **--** 50th 90 85 80 fed Jan May hill 1st Mai PQ


tern

Ecosystem Research Infrastructure



Australian Government

Water erosion historical monthly area protected (Total Veg Cov>70%)









Agriculture


Catchment Scale Land Use and Forests of Australia (2018) Derived from Catchment Scale Land Use of Australia (2018) and Forests of Australia (2018)




Total Vegetation Cover [%]




% Area protected from water erosion (>70%)




1200-200% 52°10010 3201050010 0.30%








Proportion of vegetation cover class in area



% Area protected from wind erosion (>50%)




Total Vegetation Cover Decile [%]






Total Vegetation Cover Anomaly [%]



Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.




Anomaly show how many percetage points each pixel is from the mean. That is, red pixels are about 20% lower than the mean of that pixel. The mean is only for the month of the map using baseline from 2001 to 2019.



Proportion of the area protected from wind erosion (Total Vegetation Cover > 50%)


Proportion of the area protected from water erosion (Total Vegetation Cover > 70%)



Agriculture timeseries




Wind erosion historical monthly area protected (Total Veg Cov >50%)



60-50 40-30 20 10 0 4eb way In Jan Mai 1/2/ *b*6, month tern National Landcare Ecosystem Research Infrastructure Australian Government Programm

Water erosion historical monthly area protected (Total Veg Cov>70%)




NSW

Grazing


Catchment Scale Land Use and Forests of Australia (2018) Derived from Catchment Scale Land Use of Australia (2018) and Forests of Australia (2018)

Land use and forest cover 1 Agriculture - Grazing - Non forest 2 Agriculture - Grazing - Woodland forest

Total Vegetation Cover [%]



% Area protected from water erosion (>70%)




3201050010 0.30%


1200-2000

52°10010






Proportion of vegetation cover class in area



% Area protected from wind erosion (>50%)




Total Vegetation Cover Decile [%]





Total Vegetation Cover Anomaly [%]




Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.




Anomaly show how many percetage points each pixel is from the mean. That is, red pixels are about 20% lower than the mean of that pixel. The mean is only for the month of the map using baseline from 2001 to 2019.





Proportion of the area protected from wind erosion (Total Vegetation Cover > 50%)


Proportion of the area protected from water erosion (Total Vegetation Cover > 70%)



Grazing timeseries




Wind erosion historical monthly area protected (Total Veg Cov >50%)




60-50 40-30 20 10 0 4eb way In Jan Mai 1/2/ *b*6, month tern National Landcare Ecosystem Research Infrastructure Australian Government Programm

Water erosion historical monthly area protected (Total Veg Cov>70%)




NSW


Grazing non forest




Total Vegetation Cover [%]



% Area protected from water erosion (>70%)



12%-100% 52°1070010 32°10,50°10 0.30%



10.8%

Proportion of vegetation cover class in area

27.8%

60

50

40

20

10

0

0.7%

0-30%


Area (%) 00


60.7%

Area not




Total Vegetation Cover Decile [%]





Total Vegetation Cover Anomaly [%]




Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.



Anomaly show how many percetage points each pixel is from the mean. That is, red pixels are about 20% lower than the lower than the mean of that pixel. The mean is only for the month of the map using baseline from 2001 to 2019.




Grazing non forest timeseries




Proportion of the area protected from wind erosion (Total Vegetation Cover > 50%)

Proportion of the area protected from water erosion (Total Vegetation Cover > 70%)



Water erosion historical monthly area protected (Total Veg Cov>70%)



Wind erosion historical monthly area protected (Total Veg Cov >50%)


Grazing Woodland forest

120/07/00/0

52°10'10°10

320050010


0.30%




Derived from Catchment Scale Land Use of Australia (2018) and Forests of Australia (2018)

Total Vegetation Cover [%]


Land use and forest cover




% Area protected from water erosion (>70%)




Proportion of vegetation cover class in area



% Area protected from wind erosion (>50%)



Total Vegetation Cover Anomaly [%]





Deciles show where the pixel value lies in the

record, from highest to

lowest, for that month. That is, red pixels are in the lowest 10% of

records for that month of


the map using baseline from 2001 to 2019.



Anomaly show how many percetage points each pixel is from the mean That the mean. That is, red pixels are about 20% lower than the mean of that pixel. The mean is only for the month of the map using baseline from 2001 to 2019.




Grazing Woodland forest timeseries



Proportion of the area protected from wind erosion (Total Vegetation Cover > 50%)


Proportion of the area protected from water erosion (Total Vegetation Cover > 70%)



100-90-80-70-60 50 40 30 20 4eb lar way In Mar 1¹₁ PQ month tern Ecosystem Research Infrastructure Australian Government

Wind erosion historical monthly area protected (Total Veg Cov >50%)

Water erosion historical monthly area protected (Total Veg Cov>70%)







Quilpie_(S) (6,728,400 ha and no data 12,868 ha) Percentage area and hectares protected with TVC threshold 30,50,70,80,90 and 95%

Land use and forest cover Class	area(ha)	above_30	above_50	above_70	above_80	above_90	above_95
Entire region	6,728,400	99.2% 6,675,925	75.5% 5,078,175	22.5% 1,517,050	8.0% 538,950	0.5% 32,575	0.0% 2,775
Conservation and natural environments	253,625	100.0% 253,625	97.6% 247,475	86.2% 218,525	62.9% 159,575	3.4% 8,625	0.2% 525
Conservation and natural environments non forest	78,700	100.0% 78,700	92.2% 72,575	57.9% 45,575	29.6% 23,325	0.6% 450	0.0% 25
Conservation and natural environments Woodland forest	174,925	100.0% 174,925	100.0% 174,900	98.9% 172,950	77.9% 136,250	4.7% 8,175	0.3% 500
Agriculture	6,032,550	99.3% 5,990,900	75.5% 4,557,150	20.8% 1,257,600	6.2% 371,825	0.4% 22,750	0.0% 1,725
Grazing	6,032,550	99.3% 5,990,900	75.5% 4,557,150	20.8% 1,257,600	6.2% 371,825	0.4% 22,750	0.0% 1,725
Grazing non forest	5,152,475	99.2% 5,110,900	71.4% 3,680,350	10.8% 554,325	1.7% 87,400	0.1% 3,400	0.0% 500
Grazing Woodland forest	880,075	100.0% 880,000	99.6% 876,800	79.9% 703,275	32.3% 284,425	2.2% 19,350	0.1% 1,225

