# Total vegetation cover soil protection Region:LGA Tablelands (R) QLD

This report describes vegetation protecting the soil surface from erosion during a chosen month compared to previous years. This report has been generated using MODIS fractional vegetation cover information available in Rangelands and Pasture Productivity (RAPP) map tool https://map.geo-rapp.org/#australia. The report is based on 500 metre pixel data on monthly time steps.

Land use forest cover:

Results can be shown for the whole region (polygon), and separated by land use and forest cover classes which are likely to show different cover patterns and targets. Land use is divided into four broad classes: Conservation and natural environments, Agriculture, production native forests and plantation forests (no report), and other (no report). Agriculture is divided into grazing, crops and horticulture which are sub-divided into non-irrigated and irrigated. If forest is present land use is further divided into: non-forest, woodland forest and non-woodland forest. The area of each land use and forest class are shown as a map and chart. The report content is repeated for each land use and forest cover class that covers at least 1% of the area of the chosen region. Total vegetation Cover:

The total vegetation cover indicates where soil is likely to be protected from wind and or water hillslope erosion. Total vegetation cover for this month is shown on a map and chart classified into 4 classes.

- 71-100% High cover protected from wind and usually water erosion (high rainfall, steep slopes, and erodible soils may need greater than 80, 90, 95 and up to 100% cover)
  - 51-70% Moderate cover protected from wind erosion
  - 31-50% Low cover not protected
  - 0-30% Very Low cover not protected

Erosion protection: Wind erosion 50% total vegetation cover

The vegetation cover threshold required to prevent soil erosion is usually 50% to reduce wind erosion, 70% or 80% to reduce water (hillslope) erosion depending on the steepness and rainfall. Areas protected from erosion for the month:

- Map: water erosion protection (>70% cover) percentage area and hectares.
- Map: wind erosion protection (>50% cover) percentage area and hectares.

Comparison with previous years:

- Map: anomaly comparing this month to the average cover from the same month in previous years.
- Map: deciles rank of month against the same month in previous years.

Anomalies and deciles until September 2019 are calculated comparing to the same months 2001 to 2019. Extra monthly data will be used to calculate anomalies and deciles post September 2019 as they become available. Time series monthly from January 2001 to current:

# **Erosion protection**

- Wind erosion protection time series: percentage of the area of the region with greater than 50% cover for each month (orange lines). Horizontal lines are 10th (cover target) and 50th percentiles.
- Water erosion protection time series: percentage of the area of the region with greater than 70% cover for each month (blue line). Horizontal lines are 10th (cover target) and 50th percentiles.

# Rainfall

• Millimetres rainfall each month (black line).

Each time series is also stacked by year. The black line shows the current year of data.

Water erosion protection for higher rainfall and steeper slopes:

Water erosion protection on higher slopes. As slope increases, more cover is required to control water erosion. The thresholds reported are:

- the percentage area with pixels greater than 80% total cover.
- the percentage area with pixels greater than 90% total cover.
- the percentage area with pixels greater than 95% total cover.

# **Acknowledgment of data:**

- 1. http://www.agriculture.gov.au/abares/aclump/land-use/alum-classification
- 2. http://www.agriculture.gov.au/abares/forestsaustralia/sofr/sofr-2018
- 3. https://www.dpi.nsw.gov.au/agriculture/pastures-and-rangelands/establishment-mgmt/production-management2/groundcover
- 4. MODIS Fractional cover algorithm:

https://doi.org/10.4225/08/5848a3f19a7b3









**Date: September 2022** 

# **Vegetation Cover Sep 2022**

### Land use and forest cover

### Legend with land class forest cover and number, i.e. Forests is 12 1 Conservation and natural environments - Non-forest 2 Conservation and natural environments - Woodland forest 3 Conservation and natural environments -Non-Woodland forest 4 Agriculture - Grazing - Non-forest 5 Agriculture - Grazing - Woodland forest 6 Agriculture - Grazing - Non-woodland forest 7 Agriculture - Grazing - Irrigated 8 Agriculture - Cropping - Non-irrigated 9 Agriculture - Cropping - Irrigated 10 Agriculture - Horticulture - Non-irrigated 11 Agriculture - Horticulture - Irrigated 12 Production native forests and plantation forests 13 Other uses

### Catchment Scale Land Use and Forests of Australia (2018) Derived from Catchment Scale Land Use of Australia (2018) and Forests of Australia (2018)

Anomaly show how many percetage points each pixel is from

the mean. That


is, red pixels are about 20% lower than the


mean of that

using baseline from 2001 to 2019.


pixel. The mean is only for the month of the map

### **Total Vegetation Cover [%]**






### % Area protected from water erosion (>70%)




### **Total Vegetation Cover Anomaly [%]**




Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.


### Proportion of each land class in area




### Proportion of vegetation cover class in area



% Area protected from wind erosion (>50%)





















\_

# **Conservation and natural environments**

### Catchment Scale Land Use and Forests of Australia (2018) Derived from Catchment Scale Land Use of Australia (2018) and Forests of Australia (2018)

Anomaly show how many percetage points each

pixel is from


the mean. That is, red pixels

are about 20% lower than the mean of that


pixel. The mean

using baseline from 2001 to 2019.


is only for the month of the map




### **Total Vegetation Cover [%]**



### % Area protected from water erosion (>70%)




### **Total Vegetation Cover Anomaly [%]**




Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.


### **Proportion of each land class in area**




### Proportion of vegetation cover class in area



### % Area protected from wind erosion (>50%)

















# **Conservation and natural environments timeseries**






month







# **Conservation and natural environments Woodland forest**


### Catchment Scale Land Use and Forests of Australia (2018) Derived from Catchment Scale Land Use of Australia


(2018) and Forests of Australia (2018)

# 1 Conservation and natural environments - Woodland forest


### **Total Vegetation Cover [%]**

Land use and forest cover







# % Area protected from water erosion (>70%)



% Area protected from wind erosion (>50%)




### **Total Vegetation Cover Anomaly [%]**



Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.

### **Total Vegetation Cover Decile [%]**





Anomaly show how many percetage points each

pixel is from the mean. That

is, red pixels are about 20%

lower than the mean of that

pixel. The mean

is only for the month of the map using baseline from 2001 to 2019.
















# **Conservation and natural environments Woodland forest timeseries**













# **Conservation and natural environments Forest (non woodland)**

### Catchment Scale Land Use and Forests of Australia (2018) Derived from Catchment Scale Land Use of Australia (2018) and Forests


of Australia (2018)




### Total Vegetation Cover [%]



### % Area protected from water erosion (>70%)




### **Total Vegetation Cover Anomaly [%]**





Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.

### Proportion of vegetation cover class in area



### % Area protected from wind erosion (>50%)






Anomaly show how many percetage points each pixel is from the mean. That is, red pixels are about 20% lower than the mean of that pixel. The mean is only for the month of the map using baseline from 2001 to 2019.

















month







# **Agriculture**

### Land use and forest cover

# 1 Agriculture - Grazing - Non forest 2 Agriculture - Grazing - Woodland forest 3 Agriculture - Grazing - Non-woodland forest 4 Agriculture - Grazing - Irrigated 5 Agriculture - Cropping - Non-irrigated 6 Agriculture - Cropping - Irrigated 7 Agriculture - Horticulture - Irrigated

### Catchment Scale Land Use and Forests of Australia (2018) Derived from Catchment Scale Land Use of Australia (2018) and Forests of Australia (2018)

Anomaly show how many percetage points each

pixel is from the mean. That

is, red pixels

mean of that


pixel. The mean

using baseline from 2001 to 2019.


is only for the month of the map

are about 20% lower than the


### **Total Vegetation Cover [%]**



### % Area protected from water erosion (>70%)




### **Total Vegetation Cover Anomaly [%]**




Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.


### **Proportion of each land class in area**




Proportion of vegetation cover class in area



### % Area protected from wind erosion (>50%)



# **Total Vegetation Cover Decile [%]**








**Ecosystem Research Infrastructure** 









# **Agriculture timeseries**







# Grazing

# Catchment Scale Land Use and Forests of Australia (2018)

Derived from

Use of Australia (2018) and Forests

of Australia (2018)

Anomaly show how many percetage points each pixel is from the mean. That

is, red pixels are about 20%


lower than the

pixel. The mean


is only for the month of the map using baseline from 2001 to 2019.

mean of that


Catchment Scale Land




# Total Vegetation Cover [%]



### % Area protected from water erosion (>70%)




### **Total Vegetation Cover Anomaly [%]**




Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.


### Proportion of each land class in area




### **Proportion of vegetation cover class in area**



### % Area protected from wind erosion (>50%)


















# **Grazing timeseries**







# **Grazing non forest**


### Land use and forest cover

Catchment Scale Land Use and Forests of Australia (2018) Derived from Catchment Scale Land Use of Australia (2018) and Forests of Australia (2018)


Anomaly show how many percetage points each pixel is from the mean. That is, red pixels are about 20% lower than the

lower than the mean of that pixel. The mean


is only for the month of the map using baseline from 2001 to 2019.




### **Total Vegetation Cover [%]**




### Proportion of vegetation cover class in area




# % Area protected from water erosion (>70%)




% Area protected from wind erosion (>50%)



### **Total Vegetation Cover Anomaly [%]**



Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.




















# **Grazing non forest timeseries**











# **Grazing Woodland forest**


### Land use and forest cover

Catchment Scale Land Use and Forests of Australia (2018) Derived from Catchment Scale Land Use of Australia (2018) and Forests of Australia (2018)


Anomaly show how many percetage points each pixel is from the mean. That is, red pixels are about 20% lower than the

lower than the mean of that pixel. The mean


is only for the month of the map using baseline from 2001 to 2019.




### **Total Vegetation Cover [%]**




# Proportion of vegetation cover class in area




# % Area protected from water erosion (>70%)




% Area protected from wind erosion (>50%)



### **Total Vegetation Cover Anomaly [%]**



Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.


















# **Grazing Woodland forest timeseries**







# **Grazing - Forest (non woodland)**


### Land use and forest cover

Catchment Scale Land Use and Forests of Australia (2018) Derived from Catchment Scale Land Use of Australia (2018) and Forests of Australia (2018)


Anomaly show how many percetage points each pixel is from the mean. That is, red pixels are about 20% lower than the

lower than the mean of that pixel. The mean


is only for the month of the map using baseline from 2001 to 2019.




### **Total Vegetation Cover [%]**




### Proportion of vegetation cover class in area




# % Area protected from water erosion (>70%)




% Area protected from wind erosion (>50%)



### **Total Vegetation Cover Anomaly [%]**



Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.
























# Irrigation

# \_

Land Use and Forests of Australia (2018) Derived from Catchment Scale Land Use of Australia (2018) and Forests of Australia (2018)

Anomaly show how many percetage points each

pixel is from the mean. That

are about 20% lower than the mean of that

pixel. The mean


using baseline from 2001 to 2019.

is only for the month of the map


is, red pixels

Catchment Scale


### Land use and forest cover




### **Total Vegetation Cover [%]**



### % Area protected from water erosion (>70%)




### **Total Vegetation Cover Anomaly [%]**




Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.


### Proportion of each land class in area




### Proportion of vegetation cover class in area



### % Area protected from wind erosion (>50%)
































# **Production native forests and plantation forests**

# Land use and forest cover

Catchment Scale Land Use and Forests of Australia (2018) Derived from Catchment Scale Land Use of Australia (2018) and Forests of Australia (2018)

Anomaly show how many percetage points each


pixel is from the mean. That

are about 20% lower than the mean of that


pixel. The mean

is only for the month of the map using baseline from 2001 to 2019.


is, red pixels




### **Total Vegetation Cover [%]**




### Proportion of vegetation cover class in area




# % Area protected from water erosion (>70%)




% Area protected from wind erosion (>50%)



### **Total Vegetation Cover Anomaly [%]**



Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.


















# **Production native forests and plantation forests timeseries**







# Tablelands\_(R) (1,125,300 ha and no data 2,986 ha) Percentage area and hectares protected with TVC threshold 30,50,70,80,90 and 95%

Land use and forest cover Class	area(ha)	above_30	above_50	above_70	above_80	above_90	above_95
Entire region	1,125,300	100.0% 1,125,275	100.0% 1,125,175	99.8% 1,123,000	98.7% 1,110,450	84.0% 945,800	37.0% 416,750
Conservation and natural environments	327,200	100.0% 327,200	100.0% 327,200	100.0% 327,125	99.8% 326,675	88.6% 289,950	44.5% 145,550
Conservation and natural environments Woodland forest	57,075	100.0% 57,075	100.0% 57,075	100.0% 57,050	99.8% 56,950	92.0% 52,500	53.3% 30,400
Conservation and natural environments Forest (non woodland)	267,975	100.0% 267,975	100.0% 267,975	100.0% 267,925	99.9% 267,600	88.0% 235,750	42.7% 114,300
Agriculture	741,850	100.0% 741,850	100.0% 741,850	99.8% 740,325	98.4% 729,900	82.9% 614,850	34.2% 253,700
Grazing	723,375	100.0% 723,375	100.0% 723,375	99.9% 722,425	98.9% 715,525	84.5% 611,150	35.0% 253,125
Grazing non forest	119,125	100.0% 119,125	100.0% 119,125	99.5% 118,525	97.8% 116,550	62.6% 74,600	14.5% 17,225
Grazing Woodland forest	380,825	100.0% 380,825	100.0% 380,825	99.9% 380,550	98.8% 376,200	85.0% 323,700	30.9% 117,600
Grazing - Forest (non woodland)	223,425	100.0% 223,425	100.0% 223,425	100.0% 223,350	99.7% 222,775	95.3% 212,850	52.9% 118,300
Irrigation	17,725	100.0% 17,725	100.0% 17,725	96.8% 17,150	76.9% 13,625	18.6% 3,300	2.3% 400
Production native forests and plantation forests	26,650	100.0% 26,650	100.0% 26,650	100.0% 26,650	99.7% 26,575	84.7% 22,575	44.5% 11,850







