Total vegetation cover soil protection Region:LGA Toowoomba_(R) QLD

This report describes vegetation protecting the soil surface from erosion during a chosen month compared to previous years. This report has been generated using MODIS fractional vegetation cover information available in Rangelands and Pasture Productivity (RAPP) map tool https://map.geo-rapp.org/#australia. The report is based on 500 metre pixel data on monthly time steps. Land use forest cover:

Results can be shown for the whole region (polygon), and separated by land use and forest cover classes which are likely to show different cover patterns and targets. Land use is divided into four broad classes: Conservation and natural environments, Agriculture, production native forests and plantation forests (no report), and other (no report). Agriculture is divided into grazing, crops and horticulture which are sub-divided into non-irrigated and irrigated. If forest is present land use is further divided into: non-forest, woodland forest and non-woodland forest. The area of each land use and forest class are shown as a map and chart. The report content is repeated for each land use and forest covers at least 1% of the area of the chosen region. Total vegetation Cover:

The total vegetation cover indicates where soil is likely to be protected from wind and or water hillslope erosion. Total vegetation cover for this month is shown on a map and chart classified into 4 classes.

• 71-100% High cover - protected from wind and usually water erosion (high rainfall, steep slopes, and erodible soils may need greater than 80, 90, 95 and up to 100% cover)

- 51-70% Moderate cover protected from wind erosion
- 31-50% Low cover not protected
- 0-30% Very Low cover not protected

Erosion protection: Wind erosion 50% total vegetation cover

The vegetation cover threshold required to prevent soil erosion is usually 50% to reduce wind erosion, 70% or 80% to reduce water (hillslope) erosion depending on the steepness and rainfall. Areas protected from erosion for the month:

- Map: water erosion protection (>70% cover) percentage area and hectares.
- Map: wind erosion protection (>50% cover) percentage area and hectares. Comparison with previous years:
 - Map: anomaly comparing this month to the average cover from the same month in previous years.
 - Map: deciles rank of month against the same month in previous years.

Anomalies and deciles until September 2019 are calculated comparing to the same months 2001 to 2019. Extra monthly data will be used to calculate anomalies and deciles post September 2019 as they become available. Time series monthly from January 2001 to current:

Erosion protection

- Wind erosion protection time series: percentage of the area of the region with greater than 50% cover for each month (orange lines). Horizontal lines are 10th (cover target) and 50th percentiles.
- Water erosion protection time series: percentage of the area of the region with greater than 70% cover for each month (blue line). Horizontal lines are 10th (cover target) and 50th percentiles.

Rainfall

• Millimetres rainfall each month (black line).

Each time series is also stacked by year. The black line shows the current year of data. Water erosion protection for higher rainfall and steeper slopes:

Water erosion protection on higher slopes. As slope increases, more cover is required to control water erosion. The thresholds reported are:

- the percentage area with pixels greater than 80% total cover.
- the percentage area with pixels greater than 90% total cover.
- the percentage area with pixels greater than 95% total cover.

Acknowledgment of data:

- 1. http://www.agriculture.gov.au/abares/aclump/land-use/alum-classification
- 2. http://www.agriculture.gov.au/abares/forestsaustralia/sofr/sofr-2018
- 3. https://www.dpi.nsw.gov.au/agriculture/pastures-and-rangelands/establishment-mgmt/production-management2/groundcover
- 4. MODIS Fractional cover algorithm:


https://doi.org/10.4225/08/5848a3f19a7b3




Vegetation Cover Sep 2022

Land use and forest cover







Total Vegetation Cover [%]




% Area protected from water erosion (>70%)





Proportion of vegetation cover class in area



% Area protected from wind erosion (>50%)



region (1,099,960


12%100%

· 52°10'70°10


320050010

0.30%

Total Vegetation Cover Anomaly [%]




Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019. **Total Vegetation Cover Decile [%]**






pixel is from the mean. That is, red pixels are about 20% lower than the mean of that pixel. The mean is only for the month of the map using baseline from 2001 to 2019.

Derived from





Conservation and natural environments

forest

woodland forest

Catchment Scale Land Use and Forests of Australia (2018) Catchment Scale Land Use of Australia (2018) and Forests of Australia (2018)

Derived from

pixel is from the mean. That

is, red pixels are about 20% lower than the


mean of that

pixel. The mean

using baseline from 2001 to 2019.

Land use and forest cover

Proportion of each land class in area



12%200%

, 52°1001001c

32010-50010


0.30%


1 Conservation and natural environments - Non-forest


3 Conservation and natural environments - Non-

2 Conservation and natural environments - Woodland


Total Vegetation Cover [%]









Proportion of vegetation cover class in area




% Area protected from wind erosion (>50%)




Total Vegetation Cover Anomaly [%]




Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.




Total Vegetation Cover Decile [%]











Water erosion historical monthly area protected (Total Veg Cov>70%)

Conservation and natural environments Woodland forest

Land use and forest cover Catchment Scale Land Use and Forests of Australia (2018) Derived from 1 Conservation and natural environments - Woodland forest Catchment Scale Land Use of Australia (2018) and Forests of Australia (2018)


12%100%

52°10°10°10


32%50%

0.30%


Total Vegetation Cover [%]








Proportion of vegetation cover class in area



% Area protected from wind erosion (>50%)



Total Vegetation Cover Anomaly [%]

Anomaly show how many percetage points each


pixel is from the mean. That is, red pixels are about 20%

lower than the

using baseline from 2001 to 2019.


is only for the month of the map

mean of that pixel. The mean






Ø



Proportion of the area protected from water erosion (Total Vegetation Cover > 70%)



Water erosion historical monthly area protected (Total Veg Cov>70%)


Agriculture

Catchment Scale Land Use and Forests of Australia (2018) Derived from Catchment Scale Land Use of Australia (2018) and Forests of Australia (2018)


1 Agriculture - Grazing - Non forest 2 Agriculture - Grazing - Woodland forest 3 Agriculture - Grazing - Non-woodland forest 4 Agriculture - Grazing - Irrigated 5 Agriculture - Cropping - Non-irrigated 6 Agriculture - Cropping - Irrigated 7 Agriculture - Horticulture - Non-irrigated


Total Vegetation Cover [%]

Land use and forest cover












8 Agriculture - Horticulture - Irrigated









Proportion of vegetation cover class in area




% Area protected from wind erosion (>50%)



Total Vegetation Cover Decile [%]



Total Vegetation Cover Anomaly [%]




Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.






Anomaly show how many percetage points each pixel is from the mean. That is, red pixels are about 20% lower than the mean of that pixel. The mean is only for the month of the map using baseline from 2001 to 2019.




Proportion of the area protected from wind erosion (Total Vegetation Cover > 50%)

Proportion of the area protected from water erosion (Total Vegetation Cover > 70%)




Agriculture timeseries



Wind erosion historical monthly area protected (Total Veg Cov >50%)

90 80 70 60 50 40 4e0 Jan Inu Way Mai Þ6, month tern Ecosystem Research Infrastructure Australian Government

Water erosion historical monthly area protected (Total Veg Cov>70%)



Grazing

1 Agriculture - Grazing - Non forest

12%200%

52°10°10°10

32%50%

0.30%

2 Agriculture - Grazing - Woodland forest


3 Agriculture - Grazing - Non-woodland forest

Catchment Scale Land Use and Forests of Australia (2018) Catchment Scale Land Use of Australia (2018) and Forests of Australia (2018)


Derived from

Land use and forest cover

Total Vegetation Cover [%]




% Area protected from water erosion (>70%)




73.2% 70 60 50 · Area (%) 30 21.2% 20 10 5.7% 0 -0.5 0.5 1.5 2.0 0.0 1.0 2.5 Land use class

Proportion of each land class in area


Proportion of vegetation cover class in area




% Area protected from wind erosion (>50%)



Total Vegetation Cover Decile [%]



Total Vegetation Cover Anomaly [%]




Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.






Anomaly show how many percetage points each points each pixel is from the mean. That is, red pixels are about 20% lower than the mean of that pixel. The mean is only for the month of the map using baseline from 2001 to 2019.




Proportion of the area protected from wind erosion (Total Vegetation Cover > 50%)

Proportion of the area protected from water erosion (Total Vegetation Cover > 70%)




Grazing timeseries



Wind erosion historical monthly area protected (Total Veg Cov >50%)

100-95 90 85 80 75 70 65 4eb Jan way In Mai Þb, month tern Ecosystem Research Infrastructure Australian Government

Water erosion historical monthly area protected (Total Veg Cov>70%)



Grazing non forest


120010001

52% TON


32%50%

0.30%


Land use and forest cover




Total Vegetation Cover [%]









Proportion of vegetation cover class in area




% Area protected from wind erosion (>50%)



Total Vegetation Cover Decile [%]



Total Vegetation Cover Anomaly [%]







Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the man using baseline

the map using baseline from 2001 to 2019.




Anomaly show how many percetage points each pixel is from the mean. That is, red pixels are about 20% lower than the mean of that pixel. The mean is only for the month of the map using baseline from 2001 to 2019.






Proportion of the area protected from wind erosion (Total Vegetation Cover > 50%)

Proportion of the area protected from water erosion (Total Vegetation Cover > 70%)



Grazing non forest timeseries

Water erosion historical monthly area protected (Total Veg Cov>70%)



Grazing Woodland forest


12%200%

52°1070°10


3201050010

0.30%


Land use and forest cover




Total Vegetation Cover [%]









Proportion of vegetation cover class in area




% Area protected from wind erosion (>50%)




Total Vegetation Cover Decile [%]



Total Vegetation Cover Anomaly [%]











Anomaly show how many percetage points each pixel is from the mean. That is, red pixels are about 20% lower than the mean of that pixel. The mean is only for the month of the map using baseline from 2001 to 2019.

Derived from






Proportion of the area protected from water erosion (Total Vegetation Cover > 70%)



Water erosion historical monthly area protected (Total Veg Cov>70%)


Grazing - Forest (non woodland)




Total Vegetation Cover [%]


Derived from

pixel. The mean is only for the month of the map using baseline from 2001 to 2019.







% Area protected from water erosion (>70%)




Proportion of vegetation cover class in area




% Area protected from wind erosion (>50%)



Total Vegetation Cover Decile [%]



Total Vegetation Cover Anomaly [%]




Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.






Grazing - Forest (non woodland) timeseries



Proportion of the area protected from wind erosion (Total Vegetation Cover > 50%)

Proportion of the area protected from water erosion (Total Vegetation Cover > 70%)




Water erosion historical monthly area protected (Total Veg Cov>70%)


Cropping

Catchment Scale Land Use and Forests of Australia (2018) Derived from Catchment Scale Land Use of Australia (2018) and Forests of Australia (2018) 1 Agriculture - Cropping - Non-irrigated


Total Vegetation Cover [%]

Land use and forest cover







% Area protected from water erosion (>70%)




Proportion of vegetation cover class in area



% Area protected from wind erosion (>50%)




Total Vegetation Cover Anomaly [%]




pixel is from the mean. That is, red pixels are about 20% lower than the mean of that

Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the man using baseline the map using baseline from 2001 to 2019.

Total Vegetation Cover Decile [%]









Proportion of the area protected from wind erosion (Total Vegetation Cover > 50%)

Proportion of the area protected from water erosion (Total Vegetation Cover > 70%)




Cropping timeseries



Wind erosion historical monthly area protected (Total Veg Cov >50%)

80-60-40 20-4eb way In Sal 12 W31 DG, month Landcare Ecosystem Research Infrastructure Australian Government Programm


Water erosion historical monthly area protected (Total Veg Cov>70%)




NSW


Irrigation

Catchment Scale Land Use and Forests of Australia (2018) Derived from Catchment Scale Land Use of Australia (2018) and Forests of Australia (2018)




Total Vegetation Cover [%]






% Area protected from water erosion (>70%)




100 97.8% 80 60 Area (%) 40 20 1.7% 0.5% 0 · -0.5 2.0 0.0 0.5 1.0 1.5 2.5 Land use class

Proportion of each land class in area


Proportion of vegetation cover class in area



% Area protected from wind erosion (>50%)




Total Vegetation Cover Anomaly [%]



Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.


Total Vegetation Cover Decile [%]






20

Anomaly show how many percetage points each pixel is from the mean. That is, red pixels are about 20% lower than the mean of that pixel. The mean is only for the month of the map from 2001 to 2019.



Proportion of the area protected from wind erosion (Total Vegetation Cover > 50%)

Proportion of the area protected from water erosion (Total Vegetation Cover > 70%)




Irrigation timeseries



Wind erosion historical monthly area protected (Total Veg Cov >50%)

80-60-40-20-0 -4e0 Jan way In wat PQ 12 month Ecosystem Research Infrastructure Australian Government


Water erosion historical monthly area protected (Total Veg Cov>70%)







Production native forests and plantation forests




12%100%

, 52°1001001c


32%50%

0.30%


Total Vegetation Cover [%]




% Area protected from water erosion (>70%)




Proportion of vegetation cover class in area




% Area protected from wind erosion (>50%)




Total Vegetation Cover Anomaly [%]



Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.



Total Vegetation Cover Decile [%]








Anomaly show how many percetage points each pixel is from the mean. That is, red pixels are about 20% lower than the mean of that pixel. The mean is only for the month of the map using baseline from 2001 to 2019.

Derived from


Use of Australia





Proportion of the area protected from wind erosion (Total Vegetation Cover > 50%)

Proportion of the area protected from water erosion (Total Vegetation Cover > 70%)



Water erosion historical monthly area protected (Total Veg Cov>70%)

Toowoomba_(R) (1,292,550 ha and no data 3,204 ha) Percentage area and hectares protected with TVC threshold 30,50,70,80,90 and 95%

Land use and forest cover Class	area(ha)	above_30	above_50	above_70	above_80	above_90	above_95
Entire region	1,292,550	99.8% 1,290,250	97.5% 1,260,325	85.1% 1,100,475	70.0% 904,325	34.9% 451,350	7.3% 94,075
Conservation and natural environments	23,775	100.0% 23,775	100.0% 23,775	99.9% 23,750	99.4% 23,625	91.0% 21,625	55.1% 13,100
Conservation and natural environments Woodland forest	13,450	100.0% 13,450	100.0% 13,450	100.0% 13,450	99.8% 13,425	90.7% 12,200	46.1% 6,200
Agriculture	1,097,100	99.8% 1,095,000	97.2% 1,066,075	83.4% 914,725	66.3% 727,175	30.9% 338,500	6.4% 69,875
Grazing	592,750	100.0% 592,750	100.0% 592,600	98.8% 585,375	92.8% 550,075	52.1% 308,550	11.2% 66,100
Grazing non forest	433,700	100.0% 433,700	100.0% 433,550	98.3% 426,450	90.5% 392,525	45.6% 197,625	9.5% 41,200
Grazing Woodland forest	125,375	100.0% 125,375	100.0% 125,375	99.9% 125,300	98.9% 124,000	67.1% 84,150	13.4% 16,850
Grazing - Forest (non woodland)	33,675	100.0% 33,675	100.0% 33,675	99.9% 33,625	99.6% 33,550	79.5% 26,775	23.9% 8,050
Cropping	397,325	99.9% 396,750	96.4% 383,175	72.3% 287,275	40.8% 161,925	6.9% 27,550	0.8% 3,275
Irrigation	105,800	98.6% 104,275	84.2% 89,075	38.6% 40,875	13.3% 14,025	1.8% 1,925	0.4% 425
Production native forests and plantation forests	132,550	100.0% 132,550	100.0% 132,550	100.0% 132,500	99.8% 132,325	63.5% 84,175	7.2% 9,550

