Total vegetation cover soil protection Region:LGA Toowoomba_(R) QLD

Date: January 2023

This report describes vegetation protecting the soil surface from erosion during a chosen month compared to previous years. This report has been generated using MODIS fractional vegetation cover information available in Rangelands and Pasture Productivity (RAPP) map tool https://map.geo-rapp.org/#australia. The report is based on 500 metre pixel data on monthly time steps. Land use forest cover:

Results can be shown for the whole region (polygon), and separated by land use and forest cover classes which are likely to show different cover patterns and targets. Land use is divided into four broad classes: Conservation and natural environments, Agriculture, production native forests and plantation forests (no report), and other (no report). Agriculture is divided into grazing, crops and horticulture which are sub-divided into non-irrigated and irrigated. If forest is present land use is further divided into: non-forest, woodland forest and non-woodland forest. The area of each land use and forest class are shown as a map and chart. The report content is repeated for each land use and forest covers at least 1% of the area of the chosen region. Total vegetation Cover:

The total vegetation cover indicates where soil is likely to be protected from wind and or water hillslope erosion. Total vegetation cover for this month is shown on a map and chart classified into 4 classes.

• 71-100% High cover - protected from wind and usually water erosion (high rainfall, steep slopes, and erodible soils may need greater than 80, 90, 95 and up to 100% cover)

- 51-70% Moderate cover protected from wind erosion
- 31-50% Low cover not protected
- 0-30% Very Low cover not protected

Erosion protection: Wind erosion 50% total vegetation cover

The vegetation cover threshold required to prevent soil erosion is usually 50% to reduce wind erosion, 70% or 80% to reduce water (hillslope) erosion depending on the steepness and rainfall. Areas protected from erosion for the month:

- Map: water erosion protection (>70% cover) percentage area and hectares.
- Map: wind erosion protection (>50% cover) percentage area and hectares. Comparison with previous years:
 - Map: anomaly comparing this month to the average cover from the same month in previous years.
 - Map: deciles rank of month against the same month in previous years.

Anomalies and deciles until September 2019 are calculated comparing to the same months 2001 to 2019. Extra monthly data will be used to calculate anomalies and deciles post September 2019 as they become available. Time series monthly from January 2001 to current:

Erosion protection

- Wind erosion protection time series: percentage of the area of the region with greater than 50% cover for each month (orange lines). Horizontal lines are 10th (cover target) and 50th percentiles.
- Water erosion protection time series: percentage of the area of the region with greater than 70% cover for each month (blue line). Horizontal lines are 10th (cover target) and 50th percentiles.

Rainfall

• Millimetres rainfall each month (black line).

Each time series is also stacked by year. The black line shows the current year of data. Water erosion protection for higher rainfall and steeper slopes:

Water erosion protection on higher slopes. As slope increases, more cover is required to control water erosion. The thresholds reported are:

- the percentage area with pixels greater than 80% total cover.
- the percentage area with pixels greater than 90% total cover.
- the percentage area with pixels greater than 95% total cover.

Acknowledgment of data:

- 1. http://www.agriculture.gov.au/abares/aclump/land-use/alum-classification
- 2. http://www.agriculture.gov.au/abares/forestsaustralia/sofr/sofr-2018
- 3. https://www.dpi.nsw.gov.au/agriculture/pastures-and-rangelands/establishment-mgmt/production-management2/groundcover
- 4. MODIS Fractional cover algorithm:

https://doi.org/10.4225/08/5848a3f19a7b3



Vegetation Cover Jan 2023

Land use and forest cover

Derived from


pixel is from

is, red pixels are about 20% lower than the


mean of that

using baseline from 2001 to 2019.







Total Vegetation Cover [%]




% Area protected from water erosion (>70%)






Proportion of vegetation cover class in area



% Area protected from wind erosion (>50%)



(1,171,005


12%100%

5201070010


3201050010

0.30%

Total Vegetation Cover Anomaly [%]




Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019. **Total Vegetation Cover Decile [%]**






2







tern Ecosystem Ecosystem Research Infrastructure Australian Government

Conservation and natural environments

forest

woodland forest

12%200%

, 52°1001001c


320050010

0.30%

Catchment Scale Land Use and Forests

Land use and forest cover

Proportion of each land class in area




1 Conservation and natural environments - Non-forest

3 Conservation and natural environments - Non-


2 Conservation and natural environments - Woodland

of Australia (2018) Derived from Catchment Scale Land Use of Australia (2018) and Forests of Australia (2018)


Total Vegetation Cover [%]









Proportion of vegetation cover class in area




% Area protected from wind erosion (>50%)




Total Vegetation Cover Anomaly [%]



Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.




Total Vegetation Cover Decile [%]








Anomaly show how many percetage points each pixel is from the mean. That is, red pixels are about 20% lower than the mean of that pixel. The mean is only for the month of the map using baseline from 2001 to 2019.



Proportion of the area protected from wind erosion (Total Vegetation Cover > 50%)





Water erosion historical monthly area protected (Total Veg Cov>70%)

Conservation and natural environments Woodland forest

Land use and forest cover Catchment Scale Land Use and Forests of Australia (2018) Derived from 1 Conservation and natural environments - Woodland forest Catchment Scale Land Use of Australia (2018) and Forests of Australia (2018)


12%100%

52°10°10°10

32%50%

0.30%


Total Vegetation Cover [%]









Proportion of vegetation cover class in area



% Area protected from wind erosion (>50%)











Anomaly show how many percetage points each pixel is from the mean. That is, red pixels are about 20% lower than the mean of that pixel. The mean is only for the month of the map using baseline from 2001 to 2019.





Proportion of the area protected from water erosion (Total Vegetation Cover > 70%)



Water erosion historical monthly area protected (Total Veg Cov>70%)

Agriculture

Catchment Scale Land Use and Forests of Australia (2018) Derived from Catchment Scale Land Use of Australia (2018) and Forests of Australia (2018)

pixel is from

is, red pixels


are about 20% lower than the

mean of that


1 Agriculture - Grazing - Non forest 2 Agriculture - Grazing - Woodland forest 3 Agriculture - Grazing - Non-woodland forest 4 Agriculture - Grazing - Irrigated 5 Agriculture - Cropping - Non-irrigated


Land use and forest cover

Total Vegetation Cover [%]




% Area protected from water erosion (>70%)






6 Agriculture - Cropping - Irrigated 7 Agriculture - Horticulture - Non-irrigated


8 Agriculture - Horticulture - Irrigated









Proportion of vegetation cover class in area




% Area protected from wind erosion (>50%)



Total Vegetation Cover Decile [%]




Total Vegetation Cover Anomaly [%]



Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.








Proportion of the area protected from wind erosion (Total Vegetation Cover > 50%)

Proportion of the area protected from water erosion (Total Vegetation Cover > 70%)




Agriculture timeseries

Wind erosion historical monthly area protected (Total Veg Cov >50%)

90 80 70 60 50 40 4e0 Jan In Way Mai Þ6, month tern Ecosystem Research Infrastructure Australian Government

Water erosion historical monthly area protected (Total Veg Cov>70%)



Grazing

1 Agriculture - Grazing - Non forest

12%200%

52°10°10°10

32%50%

0.30%

2 Agriculture - Grazing - Woodland forest


3 Agriculture - Grazing - Non-woodland forest

Catchment Scale Land Use and Forests of Australia (2018) Catchment Scale Land Use of Australia (2018) and Forests of Australia (2018)


Derived from

Land use and forest cover

Total Vegetation Cover [%]




% Area protected from water erosion (>70%)




73.2% 70 60 50 · Area (%) 30 21.2% 20 10 5.7% 0 -0.5 0.5 1.5 2.0 0.0 1.0 2.5 Land use class

Proportion of each land class in area


Proportion of vegetation cover class in area




% Area protected from wind erosion (>50%)



Total Vegetation Cover Decile [%]



Total Vegetation Cover Anomaly [%]




Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.







Anomaly show how many percetage points each points each pixel is from the mean. That is, red pixels are about 20% lower than the mean of that pixel. The mean is only for the month of the map using baseline from 2001 to 2019.




Proportion of the area protected from wind erosion (Total Vegetation Cover > 50%)

Proportion of the area protected from water erosion (Total Vegetation Cover > 70%)





Wind erosion historical monthly area protected (Total Veg Cov >50%)



Water erosion historical monthly area protected (Total Veg Cov>70%)

Grazing non forest


120010001

52% TON


32%50%

0.30%


Land use and forest cover




Total Vegetation Cover [%]









Proportion of vegetation cover class in area




% Area protected from wind erosion (>50%)



Total Vegetation Cover Decile [%]



Total Vegetation Cover Anomaly [%]






Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the man using baseline

the map using baseline from 2001 to 2019.




12

Anomaly show how many percetage points each pixel is from the mean. That is, red pixels are about 20% lower than the mean of that pixel. The mean is only for the month of the map using baseline from 2001 to 2019.



Proportion of the area protected from wind erosion (Total Vegetation Cover > 50%)

Proportion of the area protected from water erosion (Total Vegetation Cover > 70%)




Grazing non forest timeseries

Wind erosion historical monthly area protected (Total Veg Cov >50%)

100-90-80-70-60 4eb lar way In War PQ 1/2/ month Ecosystem Research Infrastructure Australian Government

Water erosion historical monthly area protected (Total Veg Cov>70%)



Grazing Woodland forest

12%200%


52°1070°10

3201050010


0.30%

Land use and forest cover


Derived from




Total Vegetation Cover [%]









Proportion of vegetation cover class in area




% Area protected from wind erosion (>50%)




Total Vegetation Cover Decile [%]




Total Vegetation Cover Anomaly [%]














Proportion of the area protected from water erosion (Total Vegetation Cover > 70%)







Water erosion historical monthly area protected (Total Veg Cov>70%)

Grazing - Forest (non woodland)




Total Vegetation Cover [%]







% Area protected from water erosion (>70%)



Proportion of vegetation cover class in area




% Area protected from wind erosion (>50%)




Catchment Scale Land Use and Forests of Australia (2018) Derived from Catchment Scale Land Use of Australia (2018) and Forests of Australia (2018)

Total Vegetation Cover Decile [%]




Total Vegetation Cover Anomaly [%]




Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.






Anomaly show how many percetage points each pixel is from the mean. That is, red pixels are about 20% lower than the mean of that pixel. The mean pixel. The mean is only for the month of the map using baseline from 2001 to 2019.

Grazing - Forest (non woodland) timeseries




Proportion of the area protected from wind erosion (Total Vegetation Cover > 50%)

Proportion of the area protected from water erosion (Total Vegetation Cover > 70%)



Water erosion historical monthly area protected (Total Veg Cov>70%)

Cropping




12% 200%

52°10°10°10


32%50%

0.30%


Total Vegetation Cover [%]









Proportion of vegetation cover class in area



% Area protected from wind erosion (>50%)




Total Vegetation Cover Anomaly [%]




Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline the map using baseline from 2001 to 2019.

Total Vegetation Cover Decile [%]











Proportion of the area protected from wind erosion (Total Vegetation Cover > 50%)

Proportion of the area protected from water erosion (Total Vegetation Cover > 70%)




Cropping timeseries



Wind erosion historical monthly area protected (Total Veg Cov >50%)

80-60-40 20-4eb way Jun Jan 121 Wa1 291 month Landcare Ecosystem Research Infrastructure Australian Government Programm

Water erosion historical monthly area protected (Total Veg Cov>70%)




NSW


Irrigation

Catchment Scale Land Use and Forests of Australia (2018) 1 Agriculture - Grazing - Irrigated Derived from 2 Agriculture - Cropping - Irrigated Catchment Scale Land Use of Australia (2018) and Forests of Australia (2018) 3 Agriculture - Horticulture - Irrigated


Land use and forest cover

Total Vegetation Cover [%]






% Area protected from water erosion (>70%)




100 97.8% 80 60 Area (%) 40 20 1.7%0.5% 0 1.0 -0.5 0.5 2.0 0.0 1.5 2.5 Land use class

Proportion of each land class in area


Proportion of vegetation cover class in area



% Area protected from wind erosion (>50%)



Total Vegetation Cover Anomaly [%]



pixel is from the mean. That


is, red pixels are about 20% lower than the

mean of that pixel. The mean


is only for the month of the map

using baseline from 2001 to 2019.

Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.




Total Vegetation Cover Decile [%]










Proportion of the area protected from wind erosion (Total Vegetation Cover > 50%)






Irrigation timeseries



Wind erosion historical monthly area protected (Total Veg Cov >50%)

80-60-40 20-0 -4eb Jan way In War PQ 1/2/ month Ecosystem Research Infrastructure Australian Government


Water erosion historical monthly area protected (Total Veg Cov>70%)







Production native forests and plantation forests



12%100%


, 52°1001001c

32%50%


0.30%

Total Vegetation Cover [%]


Land use and forest cover




% Area protected from water erosion (>70%)



Proportion of vegetation cover class in area




% Area protected from wind erosion (>50%)




Catchment Scale Land Use and Forests of Australia (2018) Derived from Catchment Scale Land Use of Australia (2018) and Forests of Australia (2018)


Total Vegetation Cover Anomaly [%]



Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.




Total Vegetation Cover Decile [%]








Anomaly show how many percetage points each pixel is from the mean. That is, red pixels are about 20% lower than the mean of that pixel. The mean is only for the month of the map using baseline from 2001 to 2019.



Proportion of the area protected from wind erosion (Total Vegetation Cover > 50%)

Proportion of the area protected from water erosion (Total Vegetation Cover > 70%)



Water erosion historical monthly area protected (Total Veg Cov>70%)

Toowoomba_(R) (1,292,500 ha and no data 3,254 ha) Percentage area and hectares protected with TVC threshold 30,50,70,80,90 and 95%

Land use and forest cover Class	area(ha)	above_30	above_50	above_70	above_80	above_90	above_95
Entire region	1,292,500	100.0% 1,292,400	99.3% 1,283,775	90.6% 1,170,975	76.0% 981,975	45.8% 591,500	16.1% 207,925
Conservation and natural environments	23,775	100.0% 23,775	100.0% 23,775	99.8% 23,725	98.8% 23,500	79.5% 18,900	35.2% 8,375
Conservation and natural environments Woodland forest	13,450	100.0% 13,450	100.0% 13,450	100.0% 13,450	99.3% 13,350	79.4% 10,675	30.3% 4,075
Agriculture	1,097,050	100.0% 1,096,975	99.2% 1,088,625	89.5% 981,400	73.1% 801,650	40.8% 447,400	15.0% 164,125
Grazing	592,725	100.0% 592,725	100.0% 592,500	99.0% 586,900	94.4% 559,450	62.5% 370,475	23.4% 138,450
Grazing non forest	433,700	100.0% 433,700	99.9% 433,475	98.7% 428,075	92.7% 402,125	56.6% 245,425	21.5% 93,400
Grazing Woodland forest	125,350	100.0% 125,350	100.0% 125,350	99.8% 125,150	98.8% 123,825	77.5% 97,200	26.4% 33,075
Grazing - Forest (non woodland)	33,675	100.0% 33,675	100.0% 33,675	100.0% 33,675	99.5% 33,500	82.7% 27,850	35.6% 11,975
Cropping	397,275	100.0% 397,275	99.0% 393,325	83.0% 329,675	53.3% 211,550	17.2% 68,175	5.7% 22,750
Irrigation	105,825	99.9% 105,750	96.0% 101,575	60.1% 63,625	27.9% 29,500	7.8% 8,275	2.7% 2,850
Production native forests and plantation forests	132,550	100.0% 132,550	100.0% 132,550	100.0% 132,500	99.4% 131,725	85.9% 113,850	24.1% 32,000

