# Total vegetation cover soil protection Region:LGA Whitsunday (R) QLD

This report describes vegetation protecting the soil surface from erosion during a chosen month compared to previous years. This report has been generated using MODIS fractional vegetation cover information available in Rangelands and Pasture Productivity (RAPP) map tool https://map.geo-rapp.org/#australia. The report is based on 500 metre pixel data on monthly time steps.

Land use forest cover:

Results can be shown for the whole region (polygon), and separated by land use and forest cover classes which are likely to show different cover patterns and targets. Land use is divided into four broad classes: Conservation and natural environments, Agriculture, production native forests and plantation forests (no report), and other (no report). Agriculture is divided into grazing, crops and horticulture which are sub-divided into non-irrigated and irrigated. If forest is present land use is further divided into: non-forest, woodland forest and non-woodland forest. The area of each land use and forest class are shown as a map and chart. The report content is repeated for each land use and forest cover class that covers at least 1% of the area of the chosen region. Total vegetation Cover:

The total vegetation cover indicates where soil is likely to be protected from wind and or water hillslope erosion. Total vegetation cover for this month is shown on a map and chart classified into 4 classes.

- 71-100% High cover protected from wind and usually water erosion (high rainfall, steep slopes, and erodible soils may need greater than 80, 90, 95 and up to 100% cover)
  - 51-70% Moderate cover protected from wind erosion
  - 31-50% Low cover not protected
  - 0-30% Very Low cover not protected

Erosion protection: Wind erosion 50% total vegetation cover

The vegetation cover threshold required to prevent soil erosion is usually 50% to reduce wind erosion, 70% or 80% to reduce water (hillslope) erosion depending on the steepness and rainfall. Areas protected from erosion for the month:

- Map: water erosion protection (>70% cover) percentage area and hectares.
- Map: wind erosion protection (>50% cover) percentage area and hectares.

Comparison with previous years:

- Map: anomaly comparing this month to the average cover from the same month in previous years.
- Map: deciles rank of month against the same month in previous years.

Anomalies and deciles until September 2019 are calculated comparing to the same months 2001 to 2019. Extra monthly data will be used to calculate anomalies and deciles post September 2019 as they become available. Time series monthly from January 2001 to current:

## **Erosion protection**

- Wind erosion protection time series: percentage of the area of the region with greater than 50% cover for each month (orange lines). Horizontal lines are 10th (cover target) and 50th percentiles.
- Water erosion protection time series: percentage of the area of the region with greater than 70% cover for each month (blue line). Horizontal lines are 10th (cover target) and 50th percentiles.

## Rainfall

• Millimetres rainfall each month (black line).

Each time series is also stacked by year. The black line shows the current year of data.

Water erosion protection for higher rainfall and steeper slopes:

Water erosion protection on higher slopes. As slope increases, more cover is required to control water erosion. The thresholds reported are:

- the percentage area with pixels greater than 80% total cover.
- the percentage area with pixels greater than 90% total cover.
- the percentage area with pixels greater than 95% total cover.

## **Acknowledgment of data:**

- 1. http://www.agriculture.gov.au/abares/aclump/land-use/alum-classification
- 2. http://www.agriculture.gov.au/abares/forestsaustralia/sofr/sofr-2018
- 3. https://www.dpi.nsw.gov.au/agriculture/pastures-and-rangelands/establishment-mgmt/production-management2/groundcover
- 4. MODIS Fractional cover algorithm:

https://doi.org/10.4225/08/5848a3f19a7b3









**Date: October 2025** 

## **Vegetation Cover Oct 2025**

## Land use and forest cover

Catchment Scale

of Australia (2018)

Derived from

Use of Australia

(2018) and Forests

of Australia (2018)

Anomaly show how many percetage points each

pixel is from

the mean. That

is, red pixels are about 20%

lower than the


using baseline from 2001 to

2019.


mean of that pixel. The mean is only for the month of the map

## Legend with land class forest cover and number, i.e. Forests is 12 1 Conservation and natural environments - Non-forest 2 Conservation and natural environments - Woodland forest 3 Conservation and natural environments - Non-Woodland forest Land Use and Forests 4 Agriculture - Grazing - Non-forest 5 Agriculture - Grazing - Woodland forest Catchment Scale Land 6 Agriculture - Grazing - Non-woodland forest 7 Agriculture - Grazing - Irrigated 8 Agriculture - Cropping - Non-irrigated 9 Agriculture - Cropping - Irrigated 10 Agriculture - Horticulture - Non-irrigated 11 Agriculture - Horticulture - Irrigated 12 Production native forests and plantation forests 13 Other uses


## Proportion of each land class in area




## **Total Vegetation Cover [%]**




**Proportion of vegetation cover class in area** 







% Area protected from wind erosion (>50%)



## **Total Vegetation Cover Anomaly [%]**



Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.
















## **Conservation and natural environments**

# Catchment Scale Land Use and Forests of Australia (2018) Derived from Catchment Scale Land Use of Australia (2018) and Forests of Australia (2018) Tonservation and natural environments - Nonforest 2 Conservation and natural environments - Woodland forest 3 Conservation and natural environments - Nonwoodland forest Tonservation and natural environments - Nonwoodland forest


## Proportion of each land class in area




**Total Vegetation Cover [%]** 




Proportion of vegetation cover class in area



% Area protected from water erosion (>70%)



% Area protected from wind erosion (>50%)



Total Vegetation Cover Anomaly [%]

Anomaly show how many percetage points each

pixel is from


is, red pixels are about 20% lower than the mean of that

the mean. That


pixel. The mean

using baseline from 2001 to 2019.

is only for the month of the map



Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.













## **Conservation and natural environments timeseries**






## **Conservation and natural environments non forest**

# Land use and forest cover Catchment Scale Land Use and Forests of Australia (2018) Derived from Catchment Scale Land Use of Australia (2018) and Forests of Australia (2018) 1 Conservation and natural environments - Non-

# **Total Vegetation Cover [%]**

# % Area protected from water erosion (>70%) Area not protected 5.6% of region (1,582 ha) Area protected 94.4% of region (26,668 ha)



Anomaly show how many percetage points each pixel is from the mean. That


is, red pixels


are about 20% lower than the mean of that pixel. The mean


is only for the month of the map

using baseline from 2001 to 2019.

Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.



















**-**20

## **Conservation and natural environments non forest timeseries**











## **Conservation and natural environments Woodland forest**

# Catchment Scale Land Use and Forests of Australia (2018) Derived from Catchment Scale Land Use of Australia (2018) and Forests of Australia (2018) I Conservation and natural environments - Woodland forest Tonservation and natural environments - Woodland forest

## **Total Vegetation Cover [%]**



## % Area protected from water erosion (>70%)



## **Total Vegetation Cover Anomaly [%]**

Anomaly show how many percetage points each pixel is from


the mean. That

pixel. The mean

using baseline from 2001 to 2019.


is only for the month of the map

is, red pixels are about 20% lower than the mean of that





Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.

## Proportion of vegetation cover class in area



## % Area protected from wind erosion (>50%)

















## **Conservation and natural environments Woodland forest timeseries**











## **Conservation and natural environments Forest (non woodland)**


# Land use and forest cover Catchment Scale Land Use and Forests of Australia (2018) Derived from 1 Conservation and natural environments - Non-Catchment Scale Land Use of Australia (2018) and Forests of Australia (2018)


# **Total Vegetation Cover [%]**







**Proportion of vegetation cover class in area** 







Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the man using baseline. the map using baseline from 2001 to 2019.















## Conservation and natural environments Forest (non woodland) timeseries










## **Agriculture**

## Land use and forest cover Catchment Scale Land Use and Forests of Australia (2018) 1 Agriculture - Grazing - Non forest 2 Agriculture - Grazing - Woodland forest 3 Agriculture - Grazing - Non-woodland forest Derived from 4 Agriculture - Grazing - Irrigated Catchment Scale Land 5 Agriculture - Cropping - Non-irrigated Use of Australia 6 Agriculture - Cropping - Irrigated (2018) and Forests of Australia (2018) 7 Agriculture - Horticulture - Non-irrigated 8 Agriculture - Horticulture - Irrigated

## 56.2% 50 39.3% 40 Area (%) 20 -10


## **Total Vegetation Cover [%]**




Proportion of vegetation cover class in area

Land use class


Proportion of each land class in area



## % Area protected from water erosion (>70%)



% Area protected from wind erosion (>50%)



## **Total Vegetation Cover Anomaly [%]**


the mean. That

pixel. The mean


using baseline from 2001 to 2019.

is only for the month of the map

is, red pixels are about 20% lower than the mean of that



Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.















## **Agriculture timeseries**










## **Grazing**

# Land use and forest cover Catchment Scale Land Use and Forests of Australia (2018) Derived from 1 Agriculture - Grazing - Non forest 2 Agriculture - Grazing - Woodland forest Catchment Scale Land 3 Agriculture - Grazing - Non-woodland forest Use of Australia (2018) and Forests of Australia (2018)


## Proportion of each land class in area 60 -57.4% 50 40.1% 40 Area (%) 20 10 0.5 1.0 -0.5 1.5 0.0 2.0 Land use class

# **Total Vegetation Cover [%]**





## % Area protected from water erosion (>70%)




% Area protected from wind erosion (>50%)

Total Vegetation Cover class

0.0%

31%-50%

0-30%



51%-70%


71%-100%

## **Total Vegetation Cover Anomaly [%]**

is, red pixels are about 20% lower than the mean of that pixel. The mean

is only for the month of the map

using baseline from 2001 to 2019.



Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.













## **Grazing timeseries**










## **Grazing non forest**


## Land use and forest cover




using baseline from 2001 to 2019.




## **Total Vegetation Cover [%]**



## % Area protected from water erosion (>70%)




## **Total Vegetation Cover Anomaly [%]**





Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the man using baseline. the map using baseline from 2001 to 2019.

## Proportion of vegetation cover class in area



## % Area protected from wind erosion (>50%)

















## **Grazing non forest timeseries**






Wind erosion historical monthly area protected (Total Veg Cov >50%)






## **Grazing Woodland forest**

## Land use and forest cover




are about 20% lower than the mean of that


using baseline from 2001 to 2019.




## **Total Vegetation Cover [%]**



## % Area protected from water erosion (>70%)




## **Total Vegetation Cover Anomaly [%]**





Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the man using baseline. the map using baseline from 2001 to 2019.

## Proportion of vegetation cover class in area



## % Area protected from wind erosion (>50%)

















## **Grazing Woodland forest timeseries**











## **Grazing - Forest (non woodland)**


# Land use and forest cover Catchment Scale Land Use and Forests of Australia (2018) Derived from 1 Agriculture - Grazing - Non-woodland forest Catchment Scale Land Use of Australia (2018) and Forests of Australia (2018)


# **Total Vegetation Cover [%]**






Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.






















→ 2007


**→** 2024 **→** 2025

## **Irrigation**

# Land use and forest cover Catchment Scale Land Use and Forests of Australia (2018) Derived from 1 Agriculture - Grazing - Irrigated 2 Agriculture - Cropping - Irrigated Catchment Scale Land Use of Australia (2018) and Forests of Australia (2018) 3 Agriculture - Horticulture - Irrigated



% Area protected from water erosion (>70%)




**Total Vegetation Cover Anomaly [%]** 

is, red pixels are about 20% lower than the mean of that

pixel. The mean

using baseline from 2001 to 2019.

is only for the month of the map




Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.

## 70 · 67.8% 60 50 Area (%) 00 00 30.9% 20 10 1.0 1.5 2.0 2.5 0.0 0.5 -0.5


Proportion of each land class in area

Proportion of vegetation cover class in area


Land use class



% Area protected from wind erosion (>50%)



**Total Vegetation Cover Decile [%]** 















## Irrigation timeseries











## **Production native forests and plantation forests**


# Catchment Scale Land Use and Forests of Australia (2018) Derived from Catchment Scale Land Use of Australia (2018) and Forests of Australia (2018)

# Total Vegetation Cover [%]

# % Area protected from water erosion (>70%) Area protected 100.0% of region (25,100 ha)








Area protected from wind erosion (>50%)

Area protected 100.0% of region (25,100 ha)















## **Production native forests and plantation forests timeseries**





month





# Whitsunday\_(R) (2,355,350 ha and no data 26,526 ha) Percentage area and hectares protected with TVC threshold 30,50,70,80,90 and 95%

Land use and forest cover Class	area(ha)	above_30	above_50	above_70	above_80	above_90	above_95
Entire region	2,355,350	100.0% 2,354,625	99.8% 2,351,325	97.9% 2,305,475	92.0% 2,167,350	68.6% 1,615,250	41.2% 969,725
Conservation and natural environments	168,025	99.8% 167,675	99.4% 166,950	97.2% 163,250	90.2% 151,600	62.5% 105,000	36.1% 60,575
Conservation and natural environments non forest	28,250	99.6% 28,150	99.0% 27,975	94.4% 26,675	72.7% 20,550	26.5% 7,500	9.6% 2,725
Conservation and natural environments Woodland forest	56,675	99.8% 56,575	99.8% 56,550	98.5% 55,850	94.5% 53,550	74.1% 41,975	51.3% 29,075
natural environments Forest (non woodland)	83,100	99.8% 82,950	99.2% 82,425	97.1% 80,725	93.3% 77,500	66.8% 55,525	34.6% 28,775
Agriculture	2,084,900	100.0% 2,084,825	100.0% 2,083,875	98.4% 2,050,900	93.0% 1,939,625	70.2% 1,463,975	42.4% 883,800
Grazing	2,042,475	100.0% 2,042,425	100.0% 2,041,625	98.6% 2,013,450	93.6% 1,910,975	71.0% 1,449,925	42.9% 876,775
Grazing non forest	1,171,800	100.0% 1,171,750	99.9% 1,170,975	97.6% 1,144,200	89.9% 1,053,100	61.3% 718,675	32.6% 381,775
Grazing Woodland forest	819,825	100.0% 819,825	100.0% 819,825	99.9% 818,675	98.7% 809,225	84.8% 695,425	57.7% 473,225
Grazing - Forest (non woodland)	50,850	100.0% 50,850	100.0% 50,825	99.5% 50,575	95.7% 48,650	70.5% 35,825	42.8% 21,775
Irrigation	42,125	99.9% 42,100	99.6% 41,950	88.2% 37,150	67.4% 28,375	32.8% 13,825	16.3% 6,850
Production native forests and plantation forests	25,100	100.0% 25,100	100.0% 25,100	100.0% 25,100	99.5% 24,975	82.1% 20,600	52.2% 13,100







