## Total vegetation cover soil protection Region:LGA Alexandrina (DC) SA

This report describes vegetation protecting the soil surface from erosion during a chosen month compared to previous years. This report has been generated using MODIS fractional vegetation cover information available in Rangelands and Pasture Productivity (RAPP) map tool https://map.geo-rapp.org/#australia. The report is based on 500 metre pixel data on monthly time steps.

Land use forest cover:

Date: August 2021

Results can be shown for the whole region (polygon), and separated by land use and forest cover classes which are likely to show different cover patterns and targets. Land use is divided into four broad classes: Conservation and natural environments, Agriculture, production native forests and plantation forests (no report), and other (no report). Agriculture is divided into grazing, crops and horticulture which are sub-divided into non-irrigated and irrigated. If forest is present land use is further divided into: non-forest, woodland forest and non-woodland forest. The area of each land use and forest class are shown as a map and chart. The report content is repeated for each land use and forest cover class that covers at least 1% of the area of the chosen region. Total vegetation Cover:

The total vegetation cover indicates where soil is likely to be protected from wind and or water hillslope erosion. Total vegetation cover for this month is shown on a map and chart classified into 4 classes.

- 71-100% High cover protected from wind and usually water erosion (high rainfall, steep slopes, and erodible soils may need greater than 80, 90, 95 and up to 100% cover)
  - 51-70% Moderate cover protected from wind erosion
  - 31-50% Low cover not protected
  - 0-30% Very Low cover not protected

Erosion protection: Wind erosion 50% total vegetation cover

The vegetation cover threshold required to prevent soil erosion is usually 50% to reduce wind erosion, 70% or 80% to reduce water (hillslope) erosion depending on the steepness and rainfall. Areas protected from erosion for the month:

- Map: water erosion protection (>70% cover) percentage area and hectares.
- Map: wind erosion protection (>50% cover) percentage area and hectares.

Comparison with previous years:

- Map: anomaly comparing this month to the average cover from the same month in previous years.
- Map: deciles rank of month against the same month in previous years.

Anomalies and deciles until September 2019 are calculated comparing to the same months 2001 to 2019. Extra monthly data will be used to calculate anomalies and deciles post September 2019 as they become available. Time series monthly from January 2001 to current:

## **Erosion protection**

- Wind erosion protection time series: percentage of the area of the region with greater than 50% cover for each month (orange lines). Horizontal lines are 10th (cover target) and 50th percentiles.
- Water erosion protection time series: percentage of the area of the region with greater than 70% cover for each month (blue line). Horizontal lines are 10th (cover target) and 50th percentiles.

## Rainfall

• Millimetres rainfall each month (black line).

Each time series is also stacked by year. The black line shows the current year of data.

Water erosion protection for higher rainfall and steeper slopes:

Water erosion protection on higher slopes. As slope increases, more cover is required to control water erosion. The thresholds reported are:

- the percentage area with pixels greater than 80% total cover.
- the percentage area with pixels greater than 90% total cover.
- the percentage area with pixels greater than 95% total cover.

## **Acknowledgment of data:**

- 1. http://www.agriculture.gov.au/abares/aclump/land-use/alum-classification
- 2. http://www.agriculture.gov.au/abares/forestsaustralia/sofr/sofr-2018
- 3. https://www.dpi.nsw.gov.au/agriculture/pastures-and-rangelands/establishment-mgmt/production-management2/groundcover
- 4. MODIS Fractional cover algorithm:

https://doi.org/10.4225/08/5848a3f19a7b3









## **Vegetation Cover Aug 2021**

### Land use and forest cover

Catchment Scale

of Australia (2018)

(2018) and Forests

of Australia (2018)

Anomaly show how many percetage points each

pixel is from

mean of that pixel. The mean is only for the

month of the map

using baseline from 2001 to

2019.


the mean. That is, red pixels are about 20% lower than the

Derived from


Use of Australia

## Legend with land class forest cover and number, i.e. Forests is 12 1 Conservation and natural environments - Non-forest 2 Conservation and natural environments - Woodland forest 3 Conservation and natural environments - Non-Woodland forest Land Use and Forests 4 Agriculture - Grazing - Non-forest 5 Agriculture - Grazing - Woodland forest Catchment Scale Land 6 Agriculture - Grazing - Non-woodland forest 7 Agriculture - Grazing - Irrigated 8 Agriculture - Cropping - Non-irrigated 9 Agriculture - Cropping - Irrigated 10 Agriculture - Horticulture - Non-irrigated 11 Agriculture - Horticulture - Irrigated 12 Production native forests and plantation forests 13 Other uses


## Proportion of each land class in area




## **Total Vegetation Cover [%]**




Proportion of vegetation cover class in area







% Area protected from wind erosion (>50%)



## **Total Vegetation Cover Anomaly [%]**



Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.














## **Conservation and natural environments**

## Land use and forest cover **Proportion of each land class in area** 59.1% 60 50 Catchment Scale 40 Land Use and Forests ${\bf 1}$ Conservation and natural environments - Nonforest of Australia (2018) Area (%) .0 Derived from 2 Conservation and natural environments – Woodland 29.5% Catchment Scale Land Use of Australia (2018) and Forests of Australia (2018) 3 Conservation and natural environments – Non-woodland forest 20 11.4% 10 3 2 Land use class **Total Vegetation Cover [%]** Proportion of vegetation cover class in area 100 96.7% 80 60 20 0.0% 0-30% 31%-50% 51%-70% 71%-100% **Total Vegetation Cover class** % Area protected from water erosion (>70%) % Area protected from wind erosion (>50%) Area not protected 3.3% of Area region protected 100.0% of (224 ha) Area region (6,800 ha) protected 96.7% of region (6,575 ha) **Total Vegetation Cover Anomaly [%] Total Vegetation Cover Decile [%]** - 20 Anomaly show how many percetage points each pixel is from the mean. That Deciles show where the pixel value lies in the - 10 record, from highest to lowest, for that month. That is, red pixels are is, red pixels are about 20% lower than the mean of that in the lowest 10% of pixel. The mean records for that month of is only for the month of the map the map using baseline from 2001 to 2019. using baseline from 2001 to 2019. -10**-**20 **National**


Australian Government


Ecosystem Research Infrastructure

Landcare


Programme


## **Conservation and natural environments timeseries**






Wind erosion historical monthly area protected (Total Veg Cov >50%)






## **Conservation and natural environments non forest**


## Land use and forest cover



## **Total Vegetation Cover [%]**



## % Area protected from water erosion (>70%)



## **Total Vegetation Cover Anomaly [%]**


is, red pixels

are about 20% lower than the

mean of that pixel. The mean


using baseline from 2001 to 2019.

is only for the month of the map





Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.

## Proportion of vegetation cover class in area



## % Area protected from wind erosion (>50%)

















## **Conservation and natural environments non forest timeseries**










## **Conservation and natural environments Woodland forest**

## Land use and forest cover Catchment Scale Land Use and Forests of Australia (2018) Derived from 1 Conservation and natural environments – Woodland forest Catchment Scale Land Use of Australia (2018) and Forests of Australia (2018)

# **Total Vegetation Cover [%]**


## % Area protected from water erosion (>70%) Area protected 100.0% of region (4,400 ha)





is, red pixels are about 20% lower than the


mean of that

using baseline from 2001 to 2019.













Deciles show where the pixel value lies in the

record, from highest to lowest, for that month. That is, red pixels are


in the lowest 10% of


records for that month of

the map using baseline from 2001 to 2019.












month







## **Agriculture**

## Land use and forest cover






## % Area protected from water erosion (>70%)




## **Total Vegetation Cover Anomaly [%]**




Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.


## Proportion of each land class in area




Proportion of vegetation cover class in area



## % Area protected from wind erosion (>50%)



## **Total Vegetation Cover Decile [%]**





is, red pixels are about 20% lower than the mean of that

pixel. The mean

using baseline from 2001 to 2019.

is only for the month of the map













## **Agriculture timeseries**





→ 2001

<del>----</del> 2012

→ 2015 → 2016 → 2017


**---** 2021


## **Grazing**


# Catchment Scale Land Use and Forests of Australia (2018) Derived from Catchment Scale Land Use of Australia (2018) and Forests of Australia (2018) 3 Agriculture - Grazing - Non-woodland forest Australia (2018)

## 100 - 99.2% 80 - 60 - 20 - 20 - 1 2 2 3 Land use class


Proportion of each land class in area









% Area protected from wind erosion (>50%)







Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.













## **Grazing timeseries**











## **Grazing non forest**


## Land use and forest cover




## **Total Vegetation Cover [%]**



## % Area protected from water erosion (>70%)




## **Total Vegetation Cover Anomaly [%]**




Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the man using baseline. the map using baseline from 2001 to 2019.


## Proportion of vegetation cover class in area



## % Area protected from wind erosion (>50%)



## **Total Vegetation Cover Decile [%]**





pixel. The mean is only for the month of the map using baseline from 2001 to 2019.















## **Grazing non forest timeseries**











## **Cropping**


## Land use and forest cover



## **Total Vegetation Cover [%]**




## % Area protected from water erosion (>70%)




## **Total Vegetation Cover Anomaly [%]**

pixel. The mean is only for the month of the map using baseline from 2001 to 2019.





Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the man using baseline. the map using baseline from 2001 to 2019.

## Proportion of vegetation cover class in area



## % Area protected from wind erosion (>50%)

















## **Cropping timeseries**





Wind erosion historical monthly area protected (Total Veg Cov >50%)







Water erosion historical monthly area protected (Total Veg Cov>70%)


## **Irrigation**


## Land use and forest cover Catchment Scale Land Use and Forests of Australia (2018) Derived from Catchment Scale Land Use of Australia (2018) and Forests of Australia (2018) 1 Agriculture - Grazing - Irrigated 2 Agriculture - Cropping - Irrigated 3 Agriculture - Horticulture - Irrigated

# **Total Vegetation Cover [%]**











% Area protected from wind erosion (>50%)


**Total Vegetation Cover class** 









**Total Vegetation Cover Decile [%]** 





Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.














## Irrigation timeseries






## **Production native forests and plantation forests**


## Land use and forest cover



## **Total Vegetation Cover [%]**



## % Area protected from water erosion (>70%)



## **Total Vegetation Cover Anomaly [%]**

Anomaly show how many percetage points each pixel is from the mean. That


is, red pixels

are about 20% lower than the mean of that

pixel. The mean


using baseline from 2001 to 2019.

is only for the month of the map





Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.

## Proportion of vegetation cover class in area



## % Area protected from wind erosion (>50%)

















## **Production native forests and plantation forests timeseries**









## Alexandrina\_(DC) (159,625 ha and no data 23,030 ha) Percentage area and hectares protected with TVC threshold 30,50,70,80,90 and 95%

Land use and forest cover Class	area(ha)	above_30	above_50	above_70	above_80	above_90	above_95
Entire region	159,625	99.9% 159,450	99.5% 158,825	97.4% 155,475	90.1% 143,850	29.2% 46,550	4.7% 7,425
Conservation and natural environments	6,800	100.0% 6,800	100.0% 6,800	96.7% 6,575	93.8% 6,375	70.6% 4,800	26.5% 1,800
Conservation and natural environments non forest	1,550	100.0% 1,550	100.0% 1,550	87.1% 1,350	74.2% 1,150	37.1% 575	9.7% 150
Conservation and natural environments Woodland forest	4,400	100.0% 4,400	100.0% 4,400	100.0% 4,400	100.0% 4,400	80.7% 3,550	34.7% 1,525
Agriculture	131,900	100.0% 131,900	99.9% 131,825	99.6% 131,325	93.4% 123,175	27.7% 36,500	3.1% 4,150
Grazing	82,175	100.0% 82,175	99.9% 82,100	99.5% 81,800	95.3% 78,275	33.2% 27,275	3.3% 2,700
Grazing non forest	81,550	100.0% 81,550	99.9% 81,475	99.5% 81,175	95.2% 77,650	33.0% 26,950	3.2% 2,650
Cropping	36,200	100.0% 36,200	100.0% 36,200	99.7% 36,075	91.0% 32,925	19.5% 7,050	3.4% 1,225
Irrigation	13,525	100.0% 13,525	100.0% 13,525	99.4% 13,450	88.5% 11,975	16.1% 2,175	1.7% 225
Production native forests and plantation forests	2,150	100.0% 2,150	100.0% 2,150	100.0% 2,150	100.0% 2,150	79.1% 1,700	38.4% 825







