# Total vegetation cover soil protection Region:LGA Alexandrina\_(DC) SA

This report describes vegetation protecting the soil surface from erosion during a chosen month compared to previous years. This report has been generated using MODIS fractional vegetation cover information available in Rangelands and Pasture Productivity (RAPP) map tool https://map.geo-rapp.org/#australia. The report is based on 500 metre pixel data on monthly time steps.

Land use forest cover:

**Date: May 2022** 

Results can be shown for the whole region (polygon), and separated by land use and forest cover classes which are likely to show different cover patterns and targets. Land use is divided into four broad classes: Conservation and natural environments, Agriculture, production native forests and plantation forests (no report), and other (no report). Agriculture is divided into grazing, crops and horticulture which are sub-divided into non-irrigated and irrigated. If forest is present land use is further divided into: non-forest, woodland forest and non-woodland forest. The area of each land use and forest class are shown as a map and chart. The report content is repeated for each land use and forest cover class that covers at least 1% of the area of the chosen region. Total vegetation Cover:

The total vegetation cover indicates where soil is likely to be protected from wind and or water hillslope erosion. Total vegetation cover for this month is shown on a map and chart classified into 4 classes.

- 71-100% High cover protected from wind and usually water erosion (high rainfall, steep slopes, and erodible soils may need greater than 80, 90, 95 and up to 100% cover)
  - 51-70% Moderate cover protected from wind erosion
  - 31-50% Low cover not protected
  - 0-30% Very Low cover not protected

Erosion protection: Wind erosion 50% total vegetation cover

The vegetation cover threshold required to prevent soil erosion is usually 50% to reduce wind erosion, 70% or 80% to reduce water (hillslope) erosion depending on the steepness and rainfall. Areas protected from erosion for the month:

- Map: water erosion protection (>70% cover) percentage area and hectares.
- Map: wind erosion protection (>50% cover) percentage area and hectares.

Comparison with previous years:

- Map: anomaly comparing this month to the average cover from the same month in previous years.
- Map: deciles rank of month against the same month in previous years.

Anomalies and deciles until September 2019 are calculated comparing to the same months 2001 to 2019. Extra monthly data will be used to calculate anomalies and deciles post September 2019 as they become available. Time series monthly from January 2001 to current:

# **Erosion protection**

- Wind erosion protection time series: percentage of the area of the region with greater than 50% cover for each month (orange lines). Horizontal lines are 10th (cover target) and 50th percentiles.
- Water erosion protection time series: percentage of the area of the region with greater than 70% cover for each month (blue line). Horizontal lines are 10th (cover target) and 50th percentiles.

# Rainfall

• Millimetres rainfall each month (black line).

Each time series is also stacked by year. The black line shows the current year of data.

Water erosion protection for higher rainfall and steeper slopes:

Water erosion protection on higher slopes. As slope increases, more cover is required to control water erosion. The thresholds reported are:

- the percentage area with pixels greater than 80% total cover.
- the percentage area with pixels greater than 90% total cover.
- the percentage area with pixels greater than 95% total cover.

# **Acknowledgment of data:**

- 1. http://www.agriculture.gov.au/abares/aclump/land-use/alum-classification
- 2. http://www.agriculture.gov.au/abares/forestsaustralia/sofr/sofr-2018
- 3. https://www.dpi.nsw.gov.au/agriculture/pastures-and-rangelands/establishment-mgmt/production-management2/groundcover
- 4. MODIS Fractional cover algorithm:

https://doi.org/10.4225/08/5848a3f19a7b3









# **Vegetation Cover May 2022**

### Land use and forest cover

Catchment Scale

of Australia (2018)

(2018) and Forests

of Australia (2018)

Derived from

pixel is from

mean of that pixel. The mean is only for the


using baseline from 2001 to 2019.

month of the map

the mean. That is, red pixels are about 20% lower than the


Use of Australia

### Legend with land class forest cover and number, i.e. Forests is 12 1 Conservation and natural environments - Non-forest 2 Conservation and natural environments - Woodland forest 3 Conservation and natural environments - Non-Woodland forest Land Use and Forests 4 Agriculture - Grazing - Non-forest 5 Agriculture - Grazing - Woodland forest Catchment Scale Land 6 Agriculture - Grazing - Non-woodland forest 7 Agriculture - Grazing - Irrigated 8 Agriculture - Cropping - Non-irrigated 9 Agriculture - Cropping - Irrigated 10 Agriculture - Horticulture - Non-irrigated 11 Agriculture - Horticulture - Irrigated 12 Production native forests and plantation forests 13 Other uses




Proportion of each land class in area


**Total Vegetation Cover [%]** 



**Proportion of vegetation cover class in area** 




# % Area protected from water erosion (>70%)




% Area protected from wind erosion (>50%)



# **Total Vegetation Cover Anomaly [%]**



Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.
















# **Conservation and natural environments**

# Land use and forest cover Catchment Scale Land Use and Forests ${\bf 1}$ Conservation and natural environments - Nonforest of Australia (2018) Derived from 2 Conservation and natural environments - Woodland Catchment Scale Land Use of Australia (2018) and Forests 3 Conservation and natural environments - Non-woodland forest of Australia (2018)


### **Proportion of each land class in area**




**Total Vegetation Cover [%]** 




Proportion of vegetation cover class in area




# % Area protected from water erosion (>70%)



% Area protected from wind erosion (>50%)




# **Total Vegetation Cover Anomaly [%]**



Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.

**Total Vegetation Cover Decile [%]** 





the mean. That

are about 20% lower than the mean of that

pixel. The mean

using baseline from 2001 to 2019.

is, red pixels















# **Conservation and natural environments timeseries**






month






# **Conservation and natural environments non forest**


### Land use and forest cover



### **Total Vegetation Cover [%]**



### % Area protected from water erosion (>70%)




# **Total Vegetation Cover Anomaly [%]**

is, red pixels

are about 20% lower than the


mean of that pixel. The mean

using baseline from 2001 to 2019.





Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.

### Proportion of vegetation cover class in area



# % Area protected from wind erosion (>50%)

















# **Conservation and natural environments non forest timeseries**





Wind erosion historical monthly area protected (Total Veg Cov >50%)








# **Conservation and natural environments Woodland forest**


# Catchment Scale Land Use and Forests of Australia (2018) Derived from Catchment Scale Land Use of Australia (2018) (2018) and Forests of Australia (2018)


# Total Vegetation Cover [%]


























# **Conservation and natural environments Woodland forest timeseries**











# **Agriculture**


### Land use and forest cover



### **Total Vegetation Cover [%]**



### % Area protected from water erosion (>70%)



# **Total Vegetation Cover Anomaly [%]**


are about 20% lower than the

mean of that

pixel. The mean


using baseline from 2001 to 2019.

is only for the month of the map




Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.


### Proportion of each land class in area




Proportion of vegetation cover class in area



### % Area protected from wind erosion (>50%)















# **Agriculture timeseries**







→ 2015 → 2016 → 2017

2018 2019 2020 2021

2022




20020020020030040050060010080090120120120130140150160170180190202022023




month

# **Grazing**


# Land use and forest cover




### Proportion of each land class in area




### **Total Vegetation Cover [%]**




Proportion of vegetation cover class in area




# % Area protected from water erosion (>70%)



% Area protected from wind erosion (>50%)




# **Total Vegetation Cover Anomaly [%]**



pixel. The mean is only for the month of the map

using baseline from 2001 to 2019.

Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.













# **Grazing timeseries**


97.0






month


Wind erosion historical monthly area protected (Total Veg Cov >50%)






# **Grazing non forest**


### Land use and forest cover




# Total Vegetation Cover [%]



### % Area protected from water erosion (>70%)




# Total Vegetation Cover Anomaly [%]





Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.

### Proportion of vegetation cover class in area



# % Area protected from wind erosion (>50%)

















# **Grazing non forest timeseries**






month






# **Cropping**


### Land use and forest cover




# **Total Vegetation Cover [%]**



# % Area protected from water erosion (>70%)




# **Total Vegetation Cover Anomaly [%]**




pixel. The mean is only for the month of the map using baseline from 2001 to 2019.


Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the man using baseline. the map using baseline from 2001 to 2019.

### Proportion of vegetation cover class in area



### % Area protected from wind erosion (>50%)

















# **Cropping timeseries**












# **Irrigation**

# Land use and forest cover






### % Area protected from water erosion (>70%)



# **Total Vegetation Cover Anomaly [%]**




lower than the mean of that

using baseline from 2001 to 2019.


pixel. The mean is only for the month of the map

Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.


### Proportion of each land class in area




Proportion of vegetation cover class in area



### % Area protected from wind erosion (>50%)















# Irrigation timeseries







--- 2018 --- 2019

# **Production native forests and plantation forests**


### Land use and forest cover



### **Total Vegetation Cover [%]**



# % Area protected from water erosion (>70%)



# **Total Vegetation Cover Anomaly [%]**


is, red pixels

are about 20% lower than the mean of that

pixel. The mean


using baseline from 2001 to 2019.

is only for the month of the map





Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.

### Proportion of vegetation cover class in area



# % Area protected from wind erosion (>50%)

















# **Production native forests and plantation forests timeseries**





month





# Alexandrina\_(DC) (158,750 ha and no data 23,905 ha) Percentage area and hectares protected with TVC threshold 30,50,70,80,90 and 95%

Land use and forest cover Class	area(ha)	above_30	above_50	above_70	above_80	above_90	above_95
Entire region	158,750	99.7% 158,250	99.3% 157,575	95.5% 151,625	80.2% 127,325	40.0% 63,575	15.2% 24,075
Conservation and natural environments	6,500	100.0% 6,500	100.0% 6,500	98.8% 6,425	95.8% 6,225	68.1% 4,425	25.0% 1,625
Conservation and natural environments non forest	1,250	100.0% 1,250	100.0% 1,250	94.0% 1,175	84.0% 1,050	32.0% 400	8.0% 100
Conservation and natural environments Woodland forest	4,400	100.0% 4,400	100.0% 4,400	100.0% 4,400	98.9% 4,350	77.3% 3,400	29.5% 1,300
Agriculture	131,925	99.9% 131,825	99.7% 131,575	97.1% 128,050	81.4% 107,400	39.7% 52,425	14.9% 19,600
Grazing	82,200	99.9% 82,150	99.8% 82,025	98.1% 80,675	88.7% 72,950	53.3% 43,825	21.1% 17,350
Grazing non forest	81,575	99.9% 81,525	99.8% 81,400	98.2% 80,125	88.8% 72,450	53.3% 43,500	21.1% 17,225
Cropping	36,200	99.9% 36,150	99.6% 36,050	95.2% 34,450	65.7% 23,800	16.0% 5,800	4.1% 1,475
Irrigation	13,525	100.0% 13,525	99.8% 13,500	95.6% 12,925	78.7% 10,650	20.7% 2,800	5.7% 775
Production native forests and plantation forests	2,150	100.0% 2,150	100.0% 2,150	98.8% 2,125	97.7% 2,100	73.3% 1,575	36.0% 775







