# Total vegetation cover soil protection Region:LGA Alexandrina\_(DC) SA

This report describes vegetation protecting the soil surface from erosion during a chosen month compared to previous years. This report has been generated using MODIS fractional vegetation cover information available in Rangelands and Pasture Productivity (RAPP) map tool https://map.geo-rapp.org/#australia. The report is based on 500 metre pixel data on monthly time steps.

Land use forest cover:

**Date: May 2025** 

Results can be shown for the whole region (polygon), and separated by land use and forest cover classes which are likely to show different cover patterns and targets. Land use is divided into four broad classes: Conservation and natural environments, Agriculture, production native forests and plantation forests (no report), and other (no report). Agriculture is divided into grazing, crops and horticulture which are sub-divided into non-irrigated and irrigated. If forest is present land use is further divided into: non-forest, woodland forest and non-woodland forest. The area of each land use and forest class are shown as a map and chart. The report content is repeated for each land use and forest cover class that covers at least 1% of the area of the chosen region. Total vegetation Cover:

The total vegetation cover indicates where soil is likely to be protected from wind and or water hillslope erosion. Total vegetation cover for this month is shown on a map and chart classified into 4 classes.

- 71-100% High cover protected from wind and usually water erosion (high rainfall, steep slopes, and erodible soils may need greater than 80, 90, 95 and up to 100% cover)
  - 51-70% Moderate cover protected from wind erosion
  - 31-50% Low cover not protected
  - 0-30% Very Low cover not protected

Erosion protection: Wind erosion 50% total vegetation cover

The vegetation cover threshold required to prevent soil erosion is usually 50% to reduce wind erosion, 70% or 80% to reduce water (hillslope) erosion depending on the steepness and rainfall. Areas protected from erosion for the month:

- Map: water erosion protection (>70% cover) percentage area and hectares.
- Map: wind erosion protection (>50% cover) percentage area and hectares.

Comparison with previous years:

- Map: anomaly comparing this month to the average cover from the same month in previous years.
- Map: deciles rank of month against the same month in previous years.

Anomalies and deciles until September 2019 are calculated comparing to the same months 2001 to 2019. Extra monthly data will be used to calculate anomalies and deciles post September 2019 as they become available. Time series monthly from January 2001 to current:

# **Erosion protection**

- Wind erosion protection time series: percentage of the area of the region with greater than 50% cover for each month (orange lines). Horizontal lines are 10th (cover target) and 50th percentiles.
- Water erosion protection time series: percentage of the area of the region with greater than 70% cover for each month (blue line). Horizontal lines are 10th (cover target) and 50th percentiles.

# Rainfall

• Millimetres rainfall each month (black line).

Each time series is also stacked by year. The black line shows the current year of data.

Water erosion protection for higher rainfall and steeper slopes:

Water erosion protection on higher slopes. As slope increases, more cover is required to control water erosion. The thresholds reported are:

- the percentage area with pixels greater than 80% total cover.
- the percentage area with pixels greater than 90% total cover.
- the percentage area with pixels greater than 95% total cover.

# **Acknowledgment of data:**

- 1. http://www.agriculture.gov.au/abares/aclump/land-use/alum-classification
- 2. http://www.agriculture.gov.au/abares/forestsaustralia/sofr/sofr-2018
- 3. https://www.dpi.nsw.gov.au/agriculture/pastures-and-rangelands/establishment-mgmt/production-management2/groundcover
- 4. MODIS Fractional cover algorithm:

https://doi.org/10.4225/08/5848a3f19a7b3









# **Vegetation Cover May 2025**

#### Land use and forest cover

Catchment Scale

of Australia (2018)

(2018) and Forests

of Australia (2018)

Derived from

pixel is from

mean of that pixel. The mean is only for the


using baseline from 2001 to

2019.

the mean. That is, red pixels are about 20% lower than the

Use of Australia


### Legend with land class forest cover and number, i.e. Forests is 12 1 Conservation and natural environments - Non-forest 2 Conservation and natural environments - Woodland forest 3 Conservation and natural environments - Non-Woodland forest Land Use and Forests 4 Agriculture - Grazing - Non-forest 5 Agriculture - Grazing - Woodland forest Catchment Scale Land 6 Agriculture - Grazing - Non-woodland forest 7 Agriculture - Grazing - Irrigated 8 Agriculture - Cropping - Non-irrigated 9 Agriculture - Cropping - Irrigated 10 Agriculture - Horticulture - Non-irrigated 11 Agriculture - Horticulture - Irrigated 12 Production native forests and plantation forests 13 Other uses



### % Area protected from water erosion (>70%)




# **Total Vegetation Cover Anomaly [%]**




Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.

# Proportion of each land class in area




**Proportion of vegetation cover class in area** 



### % Area protected from wind erosion (>50%)

















# **Conservation and natural environments**

# Land use and forest cover Catchment Scale Land Use and Forests ${\bf 1}$ Conservation and natural environments - Nonforest of Australia (2018) Derived from 2 Conservation and natural environments - Woodland Catchment Scale Land Use of Australia (2018) and Forests 3 Conservation and natural environments - Non-woodland forest of Australia (2018)

# 59.1% 60 50 40 Area (%) 80 29.5% 20 11.4% 10

**Proportion of each land class in area** 

### **Total Vegetation Cover [%]**



Proportion of vegetation cover class in area

1.0

Land use class

1.5


2.0

2.5


0.5

-0.5


0.0



# % Area protected from water erosion (>70%)



% Area protected from wind erosion (>50%)




# **Total Vegetation Cover Anomaly [%]**

the mean. That is, red pixels


are about 20% lower than the mean of that

pixel. The mean

using baseline from 2001 to 2019.



Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.















# **Conservation and natural environments timeseries**






month






# **Conservation and natural environments non forest**


### Land use and forest cover



### **Total Vegetation Cover [%]**



### % Area protected from water erosion (>70%)



# **Total Vegetation Cover Anomaly [%]**


is, red pixels

are about 20% lower than the

mean of that pixel. The mean


using baseline from 2001 to 2019.

is only for the month of the map





Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.

### Proportion of vegetation cover class in area



### % Area protected from wind erosion (>50%)

















# **Conservation and natural environments non forest timeseries**









Water erosion historical monthly area protected (Total Veg Cov>70%)

# **Conservation and natural environments Woodland forest**


# Land use and forest cover Catchment Scale Land Use and Forests of Australia (2018) Derived from 1 Conservation and natural environments - Woodland forest Catchment Scale Land Use of Australia (2018) and Forests of Australia (2018)

# **Total Vegetation Cover [%]**


# Area not protected 4.0% of region (176 ha) Area protected 96.0% of

% Area protected from water erosion (>70%)


# region (4,224 ha)



Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.



# % Area protected from wind erosion (>50%) Area protected 100.0% of region (4,400 ha)















# **Conservation and natural environments Woodland forest timeseries**






month






# **Agriculture**


### Land use and forest cover




# **Total Vegetation Cover [%]**



### % Area protected from water erosion (>70%)




# **Total Vegetation Cover Anomaly [%]**




Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.


### **Proportion of each land class in area**




Proportion of vegetation cover class in area



### % Area protected from wind erosion (>50%)



# **Total Vegetation Cover Decile [%]**





is, red pixels are about 20% lower than the

mean of that pixel. The mean

using baseline from 2001 to 2019.















# **Agriculture timeseries**



# Wind erosion historical monthly area protected (Total Veg Cov >50%)









# **Grazing**

# Land use and forest cover Catchment Scale Land Use and Forests of Australia (2018) Derived from Catchment Scale Land Use of Australia (2018) and Forests of Australia (2018) 1 Agriculture - Grazing - Non forest 2 Agriculture - Grazing - Woodland forest 3 Agriculture - Grazing - Non-woodland forest



% Area protected from water erosion (>70%)




**Total Vegetation Cover Anomaly [%]** 

lower than the


mean of that

using baseline from 2001 to 2019.




Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.


### Proportion of each land class in area




Proportion of vegetation cover class in area



% Area protected from wind erosion (>50%)



**Total Vegetation Cover Decile [%]** 













# **Grazing timeseries**

97.0







month

2025


Wind erosion historical monthly area protected (Total Veg Cov >50%)






# **Grazing non forest**


### Land use and forest cover




### **Total Vegetation Cover [%]**



### % Area protected from water erosion (>70%)




# **Total Vegetation Cover Anomaly [%]**





Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.

### Proportion of vegetation cover class in area



# % Area protected from wind erosion (>50%)



















# **Grazing non forest timeseries**






month






# **Cropping**


#### Land use and forest cover




### **Total Vegetation Cover [%]**



### % Area protected from water erosion (>70%)




# **Total Vegetation Cover Anomaly [%]**




using baseline from 2001 to 2019.


Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the man using baseline. the map using baseline from 2001 to 2019.

### Proportion of vegetation cover class in area



### % Area protected from wind erosion (>50%)

















# **Cropping timeseries**











# **Irrigation**


# Land use and forest cover




### **Total Vegetation Cover [%]**



### % Area protected from water erosion (>70%)



# **Total Vegetation Cover Anomaly [%]**




lower than the mean of that pixel. The mean is only for the month of the map


using baseline from 2001 to 2019.

Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the man using baseling. the map using baseline from 2001 to 2019.


### Proportion of each land class in area




Proportion of vegetation cover class in area



### % Area protected from wind erosion (>50%)

















# Irrigation timeseries






month






# **Production native forests and plantation forests**


### Land use and forest cover



### **Total Vegetation Cover [%]**



# % Area protected from water erosion (>70%)



# **Total Vegetation Cover Anomaly [%]**


is, red pixels

are about 20% lower than the mean of that

pixel. The mean


using baseline from 2001 to 2019.

is only for the month of the map





Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.

### Proportion of vegetation cover class in area



# % Area protected from wind erosion (>50%)















# **Production native forests and plantation forests timeseries**






month

Water erosion historical monthly area protected (Total Veg Cov>70%)





# Alexandrina\_(DC) (157,825 ha and no data 24,830 ha) Percentage area and hectares protected with TVC threshold 30,50,70,80,90 and 95%

Land use and forest cover Class	area(ha)	above_30	above_50	above_70	above_80	above_90	above_95
Entire region	157,825	99.5% 156,975	96.3% 152,025	77.2% 121,850	52.8% 83,375	17.8% 28,025	6.5% 10,200
Conservation and natural environments	6,525	99.6% 6,500	98.5% 6,425	92.0% 6,000	83.9% 5,475	38.3% 2,500	13.0% 850
Conservation and natural environments non forest	1,275	98.0% 1,250	92.2% 1,175	72.5% 925	51.0% 650	21.6% 275	5.9% 75
Conservation and natural environments Woodland forest	4,400	100.0% 4,400	100.0% 4,400	96.0% 4,225	90.3% 3,975	41.5% 1,825	15.3% 675
Agriculture	131,700	99.6% 131,225	96.7% 127,300	77.0% 101,450	51.6% 67,975	16.7% 21,950	6.2% 8,150
Grazing	82,025	99.8% 81,875	97.8% 80,250	82.8% 67,900	60.4% 49,550	22.4% 18,375	8.4% 6,850
Grazing non forest	81,400	99.8% 81,250	97.8% 79,625	82.7% 67,325	60.3% 49,050	22.3% 18,150	8.4% 6,800
Cropping	36,175	99.1% 35,850	93.3% 33,750	61.0% 22,050	31.2% 11,300	7.6% 2,750	3.1% 1,125
Irrigation	13,500	100.0% 13,500	98.5% 13,300	85.2% 11,500	52.8% 7,125	6.1% 825	1.3% 175
Production native forests and plantation forests	2,150	100.0% 2,150	100.0% 2,150	97.7% 2,100	82.6% 1,775	36.0% 775	12.8% 275







