### Total vegetation cover soil protection Region:LGA Barossa\_(DC) SA

## Date: June 2024

This report describes vegetation protecting the soil surface from erosion during a chosen month compared to previous years. This report has been generated using MODIS fractional vegetation cover information available in Rangelands and Pasture Productivity (RAPP) map tool https://map.geo-rapp.org/#australia. The report is based on 500 metre pixel data on monthly time steps. Land use forest cover:

Results can be shown for the whole region (polygon), and separated by land use and forest cover classes which are likely to show different cover patterns and targets. Land use is divided into four broad classes: Conservation and natural environments, Agriculture, production native forests and plantation forests (no report), and other (no report). Agriculture is divided into grazing, crops and horticulture which are sub-divided into non-irrigated and irrigated. If forest is present land use is further divided into: non-forest, woodland forest and non-woodland forest. The area of each land use and forest class are shown as a map and chart. The report content is repeated for each land use and forest covers at least 1% of the area of the chosen region. Total vegetation Cover:

The total vegetation cover indicates where soil is likely to be protected from wind and or water hillslope erosion. Total vegetation cover for this month is shown on a map and chart classified into 4 classes.

• 71-100% High cover - protected from wind and usually water erosion (high rainfall, steep slopes, and erodible soils may need greater than 80, 90, 95 and up to 100% cover)

- 51-70% Moderate cover protected from wind erosion
- 31-50% Low cover not protected
- 0-30% Very Low cover not protected

Erosion protection: Wind erosion 50% total vegetation cover

The vegetation cover threshold required to prevent soil erosion is usually 50% to reduce wind erosion, 70% or 80% to reduce water (hillslope) erosion depending on the steepness and rainfall. Areas protected from erosion for the month:

- Map: water erosion protection (>70% cover) percentage area and hectares.
- Map: wind erosion protection (>50% cover) percentage area and hectares. Comparison with previous years:
  - Map: anomaly comparing this month to the average cover from the same month in previous years.
  - Map: deciles rank of month against the same month in previous years.

Anomalies and deciles until September 2019 are calculated comparing to the same months 2001 to 2019. Extra monthly data will be used to calculate anomalies and deciles post September 2019 as they become available. Time series monthly from January 2001 to current:

#### **Erosion protection**

- Wind erosion protection time series: percentage of the area of the region with greater than 50% cover for each month (orange lines). Horizontal lines are 10th (cover target) and 50th percentiles.
- Water erosion protection time series: percentage of the area of the region with greater than 70% cover for each month (blue line). Horizontal lines are 10th (cover target) and 50th percentiles.

#### Rainfall

• Millimetres rainfall each month (black line).

Each time series is also stacked by year. The black line shows the current year of data. Water erosion protection for higher rainfall and steeper slopes:

Water erosion protection on higher slopes. As slope increases, more cover is required to control water erosion. The thresholds reported are:

- the percentage area with pixels greater than 80% total cover.
- the percentage area with pixels greater than 90% total cover.
- the percentage area with pixels greater than 95% total cover.

### Acknowledgment of data:

- 1. http://www.agriculture.gov.au/abares/aclump/land-use/alum-classification
- 2. http://www.agriculture.gov.au/abares/forestsaustralia/sofr/sofr-2018
- 3. https://www.dpi.nsw.gov.au/agriculture/pastures-and-rangelands/establishment-mgmt/production-management2/groundcover
- 4. MODIS Fractional cover algorithm:


https://doi.org/10.4225/08/5848a3f19a7b3



### **Vegetation Cover Jun 2024**

#### Land use and forest cover






120/07/00

52010


3201050


0.30%

#### **Total Vegetation Cover [%]**




#### % Area protected from water erosion (>70%)







#### Proportion of vegetation cover class in area




#### % Area protected from wind erosion (>50%)



**Total Vegetation Cover Anomaly [%]** 



Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019. **Total Vegetation Cover Decile [%]** 





Anomaly show how many percetage points each pixel is from the mean. That is, red pixels are about 20% lower than the mean of that pixel. The mean is only for the month of the map using baseline from 2001 to 2019.

Catchment Scale

of Australia (2018)

(2018) and Forests

of Australia (2018)


Derived from


Use of Australia


Land Use and Forests

Catchment Scale Land












#### **Conservation and natural environments**

Catchment Scale Land Use and Forests of Australia (2018) Derived from Catchment Scale Land Use of Australia (2018) and Forests of Australia (2018)




**Total Vegetation Cover [%]** 





% Area protected from water erosion (>70%)





0.0

0 -

-0.5

#### Proportion of each land class in area

Proportion of vegetation cover class in area

1.0

Land use class


1.5

0.5

6.1%


2.5

2.0




% Area protected from wind erosion (>50%)







**Total Vegetation Cover Anomaly [%]** 

Anomaly show how many percetage points each pixel is from the mean. That is, red pixels are about 20% lower than the mean of that pixel. The mean is only for the month of the map using baseline from 2001 to 2019.





Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.
















Proportion of the area protected from water erosion (Total Vegetation Cover > 70%)





#### **Conservation and natural environments non forest**

Catchment Scale Land Use and Forests of Australia (2018) Derived from Catchment Scale Land Use of Australia (2018) and Forests of Australia (2018)



**Total Vegetation Cover [%]** 






% Area protected from water erosion (>70%)









% Area protected from wind erosion (>50%)







Total Vegetation Cover Anomaly [%]



Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.





Total Vegetation Cover Decile [%]






### **Conservation and natural environments non forest timeseries**







Proportion of the area protected from water erosion (Total Vegetation Cover > 70%)




Water erosion historical monthly area protected (Total Veg Cov>70%)

Australian Government












#### **Conservation and natural environments Woodland forest**

Catchment Scale Land Use and Forests of Australia (2018) Derived from Catchment Scale Land Use of Australia (2018) and Forests of Australia (2018)



**Total Vegetation Cover [%]** 






% Area protected from water erosion (>70%)




Proportion of vegetation cover class in area




% Area protected from wind erosion (>50%)







Total Vegetation Cover Anomaly [%]

Anomaly show how many percetage points each pixel is from the mean. That is, red pixels are about 20% lower than the mean of that pixel. The mean is only for the month of the map using baseline from 2001 to 2019.




Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.









#### **Conservation and natural environments Woodland forest timeseries**







Water erosion historical monthly area protected (Total Veg Cov>70%)



#### Agriculture

Catchment Scale Land Use and Forests of Australia (2018) Derived from Catchment Scale Land Use of Australia (2018) and Forests of Australia (2018)

Anomaly show how many percetage points each

pixel is from the mean. That

is, red pixels are about 20%

lower than the


pixel. The mean

using baseline


from 2001 to 2019.

is only for the month of the map


mean of that





**Total Vegetation Cover [%]** 



% Area protected from water erosion (>70%)







Proportion of vegetation cover class in area

3

Land use class

0 3%

4

0.1%

6

5

0 5%


2

0.79

1

0


0




% Area protected from wind erosion (>50%)



**Total Vegetation Cover Anomaly [%]** 




Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.




Area protected 100.0% of region (70,350 ha)


**Total Vegetation Cover Decile [%]** 






124









Proportion of the area protected from water erosion (Total Vegetation Cover > 70%)


Wind erosion historical monthly area protected (Total Veg Cov >50%)

100 95 \_95\_( ---- above\_70 **——** 10th **——** 50th **——** 2024 Jun 90 85 80 4eb Jan hill Mai May 291 month tern Ecosystem Research Infrastructure Australian Government

Water erosion historical monthly area protected (Total Veg Cov>70%)











#### Grazing


Catchment Scale Land Use and Forests of Australia (2018) Derived from Catchment Scale Land Use of Australia (2018) and Forests of Australia (2018)




**Total Vegetation Cover [%]** 




% Area protected from water erosion (>70%)





#### Proportion of each land class in area


Proportion of vegetation cover class in area




% Area protected from wind erosion (>50%)



**Total Vegetation Cover Anomaly [%]** 




Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.



Area protected 100.0% of region (50,400 ha)

**Total Vegetation Cover Decile [%]** 






12%-200

52%70

320050

0.30%







above\_70

Proportion of the area protected from wind erosion (Total Vegetation Cover > 50%)









Wind erosion historical monthly area protected (Total Veg Cov >50%)

Water erosion historical monthly area protected (Total Veg Cov>70%)





#### **Grazing non forest**


120/07200

52%70


320050

0.30%


Land use and forest cover




Total Vegetation Cover [%]



% Area protected from water erosion (>70%)



Proportion of vegetation cover class in area




% Area protected from wind erosion (>50%)




Catchment Scale Land Use and Forests of Australia (2018) Derived from Catchment Scale Land Use of Australia (2018) and Forests of Australia (2018)


Total Vegetation Cover Anomaly [%]



Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.




Total Vegetation Cover Decile [%]











above\_70

Proportion of the area protected from wind erosion (Total Vegetation Cover > 50%)






Wind erosion historical monthly area protected (Total Veg Cov >50%)



Water erosion historical monthly area protected (Total Veg Cov>70%)



#### Cropping

Catchment Scale Land Use and Forests of Australia (2018) Derived from Catchment Scale Land Use of Australia (2018) and Forests of Australia (2018)

Anomaly show how many percetage points each pixel is from the mean. That


is, red pixels are about 20%

lower than the


using baseline from 2001 to 2019.


pixel. The mean is only for the month of the map

mean of that




**Total Vegetation Cover [%]** 






% Area protected from water erosion (>70%)




Proportion of vegetation cover class in area




% Area protected from wind erosion (>50%)




Total Vegetation Cover Anomaly [%]




Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.











Proportion of the area protected from wind erosion (Total Vegetation Cover > 50%)






### **Cropping timeseries**

Water erosion historical monthly area protected (Total Veg Cov>70%)



2**3** 



#### Irrigation


120001

52%70


320050

0.30%


Catchment Scale Land Use and Forests of Australia (2018) Derived from Catchment Scale Land Use of Australia (2018) and Forests of Australia (2018)



**Total Vegetation Cover [%]** 








100 98.2% 80 60 Area (%) 40 20 1.8% 0 0.00 0.50 0.75 1.00 1.25 0.25 -0.25 Land use class

Proportion of vegetation cover class in area




% Area protected from wind erosion (>50%)




#### Proportion of each land class in area


**Total Vegetation Cover Anomaly [%]** 



Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.




**Total Vegetation Cover Decile [%]** 








20



Proportion of the area protected from wind erosion (Total Vegetation Cover > 50%)





Proportion of the area protected from water erosion (Total Vegetation Cover > 70%)


### Irrigation timeseries

100-90-80 70 60 50 40 4eb In May Jan Wal 12 291 month tern Ecosystem Research Infrastructure Australian Government

Water erosion historical monthly area protected (Total Veg Cov>70%)








### **Production native forests and plantation forests**

Catchment Scale Land Use and Forests of Australia (2018) Derived from Catchment Scale Land Use of Australia (2018) and Forests of Australia (2018)




12%100

52%70

320/0-

0.30%


**Total Vegetation Cover [%]** 













% Area protected from wind erosion (>50%)







Total Vegetation Cover Anomaly [%]

Anomaly show how many percetage points each pixel is from the mean. That is, red pixels are about 20% lower than the mean of that pixel. The mean is only for the month of the map using baseline from 2001 to 2019.




Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.








### Production native forests and plantation forests timeseries









Water erosion historical monthly area protected (Total Veg Cov>70%)

30





# Barossa\_(DC) (89,150 ha and no data 198 ha) Percentage area and hectares protected with TVC threshold 30,50,70,80,90 and 95%

Land use and forest cover Class	area(ha)	above_30	above_50	above_70	above_80	above_90	above_95
Entire region	89,150	100.0% 89,125	99.8% 88,950	93.7% 83,550	80.2% 71,525	46.8% 41,725	26.6% 23,675
Conservation and natural environments	5,700	100.0% 5,700	100.0% 5,700	100.0% 5,700	94.3% 5,375	67.5% 3,850	36.8% 2,100
Conservation and natural environments non forest	1,125	100.0% 1,125	100.0% 1,125	100.0% 1,125	86.7% 975	62.2% 700	33.3% 375
Conservation and natural environments Woodland forest	4,225	100.0% 4,225	100.0% 4,225	100.0% 4,225	97.0% 4,100	71.0% 3,000	38.5% 1,625
Agriculture	70,350	100.0% 70,350	100.0% 70,350	94.0% 66,125	79.7% 56,100	45.6% 32,075	26.1% 18,350
Grazing	50,400	100.0% 50,400	100.0% 50,400	97.3% 49,025	87.7% 44,200	54.6% 27,525	31.6% 15,925
Grazing non forest	49,575	100.0% 49,575	100.0% 49,575	97.2% 48,200	87.6% 43,450	54.4% 26,975	31.4% 15,575
Cropping	8,675	100.0% 8,675	100.0% 8,675	75.8% 6,575	43.5% 3,775	15.3% 1,325	7.8% 675
Irrigation	11,225	100.0% 11,225	100.0% 11,225	93.3% 10,475	71.9% 8,075	28.5% 3,200	15.6% 1,750
Production native forests and plantation forests	6,075	100.0% 6,075	100.0% 6,075	100.0% 6,075	96.7% 5,875	63.8% 3,875	34.6% 2,100

