# LGA Ceduna\_(DC) (SA) - Vegetation cover soil protection report Aug 2019

This report provides information about vegetation covering the soil surface for a region during a single month with comparison to previous years. Vegetation cover indicates where soil is likely to be protected from wind and or water (hillslope) erosion. Results are shown for the whole region (polygon) and also separated by land use and tree cover. Different land uses are likely to have different cover patterns and targets. Reporting is most reliable with less than 20% tree cover.

Ceduna\_(DC)

• Context

o Map: Land use and forest cover

- o Chart: Land use and forest cover area
- Total vegetation cover for this month

   Map: vegetation cover classified into 4 classes
   Chart: vegetation cover area classified into 4 classes
- Areas protected from erosion for the month

o Map: wind erosion protection (>50% cover)

- o Map: water erosion protection (>70% cover)
- Comparison with previous years
  - o Map: anomaly compare this month to the average cover from the same month in previous years
  - o Map: deciles rank this month against the same month in previous years
- Time series
  - o Wind erosion protection time series: percentage of the area of the region with greater than 50% cover for each month in the archive (orange lines)
  - o Water erosion protection time series: percentage of the area of the region with greater than 70% cover for each month of the archive (blue lines).
  - o Rainfall: millimetres rainfall each month (black lines)
- Time series stacked by year
  - o Wind erosion protection time series: percentage of the area of the region with greater than 50% cover for each month in the archive (orange lines) in case of 5th percentile is less than 80i
  - o Water erosion protection time series: percentage of the area of the region with greater than 70% cover for each month of the archive (blue lines). in case of 5th percentile is less than 80
- Water erosion protection on higher slopes. As slope increases, more cover is required to control water erosion. The thresholds reported are:
  - o the percentage area with pixels greater than 80% total clover
  - o the percentage area with pixels greater than 90% total clover
  - o the percentage area with pixels greater than 95% total clover

The following pages repeat the above sequence for each land use and forest cover class. For example

- All agricultural lands, that is grazing, cropping plus Horticulture (depending on what land use is present)
- Grazing lands by forest classes if present
- Cropping lands
- Irrigation lands
- - Protected areas by forest classes if present
  - Explanatory notes:

This report has been generated using MODIS fractional vegetation cover information available in Rangelands and Pasture Productivity (RAPP) map tool. The report is based on an analysis of 500 metre pixels. Pixels with greater than or equal to 50% vegetation cover are generally considered to be protected from or have reduced soil loss by wind erosion, and pixels with greater than or equal to 70% vegetation cover are generally considered to also be protected from or have reduced soil loss from water (hillslope) erosion. Report used baseline from 2001 to 2019 for each month to generate anomalies and deciles. And it used threshold of 1% to create land use forest cover reports. Higher cover thresholds may be required for erosion protection in some regions. This report will be less applicable in areas with sparse forest (20-50% tree cover) or dense forest (> 50% tree cover). Therefore land use classes are divided by tree cover: 1) No forest is when there is less than 20% tree cover 2) Sparse forest, is when there is less than 20 to 50 % tree cover 3) Dense forest is greater than 50% tree cover

## Acknowledgment of data:

- 1. http://www.agriculture.gov.au/abares/aclump/land-use/alum-classification
- 2. http://www.agriculture.gov.au/abares/forestsaustralia/sofr/sofr-2018
- 3. https://www.dpi.nsw.gov.au/agriculture/pastures-and-rangelands/establishment-mgmt/production-management2/groundcover
- 4. MODIS Fractional cover algorithm:


https://doi.org/10.4225/08/5848a3f19a7b3




# **Vegetation Cover Aug 2019**

### Land use and forest cover


### Proportion of each land class in area




**Total Vegetation Cover [%]** 




% Area protected from water erosion (>70%)







### Proportion of vegetation cover class in area




### % Area protected from wind erosion (>50%)









## **Conservation and natural environments**




**Total Vegetation Cover [%]** 




% Area protected from water erosion (>70%)




Proportion of vegetation cover class in area



% Area protected from wind erosion (>50%)




**Total Vegetation Cover Anomaly [%]** 




Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.


**Total Vegetation Cover Decile [%]** 






SO






100-80-60-40-20-0 -4eb May In Sal 291 Mai 1/2/ month TERN CSIRO Australian Government

Water erosion historical monthly area protected (Total Veg Cov>70%)






### **Conservation and natural environments non forest**




Land use and forest cover


**Total Vegetation Cover [%]** 



% Area protected from water erosion (>70%)




Proportion of vegetation cover class in area




% Area protected from wind erosion (>50%)


Planning, Industry & Environment








Proportion of the area protected from water erosion (Total Vegetation Cover > 70%)




Water erosion historical monthly area protected (Total Veg Cov>70%)




3


## **Conservation and natural environments Woodland forest**




**Total Vegetation Cover [%]** 




% Area protected from water erosion (>70%)




Proportion of vegetation cover class in area






**Total Vegetation Cover Anomaly [%]** 



Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.


**Total Vegetation Cover Decile [%]** 






8


Anomaly show how many percetage -points each pixel is from the mean. That is, red pixels are about 20% lower than the mean of that pixel. The mean -is only for the month of the map \_ using baseline from 2001 to 2019. -






100-80 60-40 20-0 -4eb May In Sal 291 1/2/ NSI month TERN CSIRO Australian Government

Water erosion historical monthly area protected (Total Veg Cov>70%)






# Conservation and natural environments Forest (non woodland)




Land use and forest cover


Total Vegetation Cover [%]




% Area protected from water erosion (>70%)




Proportion of vegetation cover class in area




% Area protected from wind erosion (>50%)






Total Vegetation Cover Anomaly [%]





Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.

Total Vegetation Cover Decile [%]











Water erosion historical monthly area protected (Total Veg Cov>70%)




**\_\_\_** 2001 --- 2002 ---- 2003 **---** 2004 \_\_\_\_ 2005 **----** 2006 **---** 2007 2008 ---- 2009 **—** 2010 2011 2013 <mark>→</mark> 2014 <mark>→</mark> 2015 <mark>→</mark> 2016 <u>→</u> 2017 **→** 2018 ---- 2019 404 AUG Sel Dec OČ


## Agriculture




**Total Vegetation Cover [%]** 




% Area protected from water erosion (>70%)







Proportion of vegetation cover class in area



### % Area protected from wind erosion (>50%)




Total Vegetation Cover Anomaly [%]




Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the man using baseline the map using baseline from 2001 to 2019.

Total Vegetation Cover Decile [%]






12




Proportion of the area protected from wind erosion (Total Vegetation Cover > 50%)






# **Agriculture timeseries**


Water erosion historical monthly area protected (Total Veg Cov>70%)




## Grazing




**Total Vegetation Cover [%]** 




% Area protected from water erosion (>70%)









### % Area protected from wind erosion (>50%)




**Total Vegetation Cover Anomaly [%]** 



Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019. Total Vegetation Cover Decile [%]









Proportion of the area protected from wind erosion (Total Vegetation Cover > 50%)






# Grazing timeseries

Water erosion historical monthly area protected (Total Veg Cov>70%)




15


## **Grazing non forest**




**Total Vegetation Cover [%]** 




% Area protected from water erosion (>70%)




Proportion of vegetation cover class in area






**Total Vegetation Cover Anomaly [%]** 




Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.


Total Vegetation Cover Decile [%]













# Grazing non forest timeseries


Water erosion historical monthly area protected (Total Veg Cov>70%)



## Cropping




**Total Vegetation Cover [%]** 




% Area protected from water erosion (>70%)




Proportion of vegetation cover class in area




% Area protected from wind erosion (>50%)




**Total Vegetation Cover Decile [%]** 





**Total Vegetation Cover Anomaly [%]** 




Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline the map using baseline from 2001 to 2019.



Anomaly show how many percetage -points each pixel is from the mean. That is, red pixels are about 20% lower than the mean of that pixel. The mean is only for the month of the map using baseline from 2001 to 2019.


-10

Area not




**——** 10th





# **Cropping timeseries**

Water erosion historical monthly area protected (Total Veg Cov>70%)



# Ceduna\_(DC) (536,700 ha and no data 5,549 ha) Percentage area and hectares protected with TVC threshold 30,50,70,80,90 and 95%

Land use and forest cover Class	area(ha)	above_30	above_50	above_70	above_80	above_90	above_95
Entire region	536,700	99.9% 535,950	97.1% 521,125	55.1% 295,475	10.0% 53,800	0.8% 4,275	0.2% 1,275
Conservation and natural environments	157,253	99.8% 156,896	97.9% 153,992	51.6% 81,097	2.9% 4,584	0.2% 305	0.1% 152
Conservation and natural environments non forest	44,546	99.2% 44,190	93.7% 41,729	30.6% 13,618	4.1% 1,804	0.7% 300	0.4% 164
Conservation and natural environments Woodland forest	106,803	100.0% 106,803	99.5% 106,233	58.9% 62,921	2.6% 2,727	0.0% 24	0.0% 0
Conservation and natural environments Forest (non woodland)	5,903	99.6% 5,878	99.2% 5,853	62.4% 3,686	1.7% 99	0.0% 0	0.0% 0
Agriculture	371,396	99.9% 371,024	96.7% 359,258	56.4% 209,540	12.7% 47,040	0.9% 3,368	0.2% 842
Grazing	48,303	99.9% 48,278	98.2% 47,435	56.8% 27,460	15.0% 7,261	0.9% 421	0.2% 74
Grazing non forest	47,229	99.9% 47,204	98.2% 46,390	57.3% 27,058	15.3% 7,233	0.9% 419	0.2% 74
Cropping	323,093	99.9% 322,746	96.5% 311,823	56.4% 182,080	12.3% 39,779	0.9% 2,947	0.2% 767

