Total vegetation cover soil protection Region:LGA Light_(RegC) SA

Date: July 2021

This report describes vegetation protecting the soil surface from erosion during a chosen month compared to previous years. This report has been generated using MODIS fractional vegetation cover information available in Rangelands and Pasture Productivity (RAPP) map tool https://map.geo-rapp.org/#australia. The report is based on 500 metre pixel data on monthly time steps. Land use forest cover:

Results can be shown for the whole region (polygon), and separated by land use and forest cover classes which are likely to show different cover patterns and targets. Land use is divided into four broad classes: Conservation and natural environments, Agriculture, production native forests and plantation forests (no report), and other (no report). Agriculture is divided into grazing, crops and horticulture which are sub-divided into non-irrigated and irrigated. If forest is present land use is further divided into: non-forest, woodland forest and non-woodland forest. The area of each land use and forest class are shown as a map and chart. The report content is repeated for each land use and forest covers at least 1% of the area of the chosen region. Total vegetation Cover:

The total vegetation cover indicates where soil is likely to be protected from wind and or water hillslope erosion. Total vegetation cover for this month is shown on a map and chart classified into 4 classes.

• 71-100% High cover – protected from wind and usually water erosion (high rainfall, steep slopes, and erodible soils may need greater than 80, 90, 95 and up to 100% cover)

- 51-70% Moderate cover protected from wind erosion
- 31-50% Low cover not protected
- 0-30% Very Low cover not protected

Erosion protection: Wind erosion 50% total vegetation cover

The vegetation cover threshold required to prevent soil erosion is usually 50% to reduce wind erosion, 70% or 80% to reduce water (hillslope) erosion depending on the steepness and rainfall. Areas protected from erosion for the month:

- Map: water erosion protection (>70% cover) percentage area and hectares.
- Map: wind erosion protection (>50% cover) percentage area and hectares. Comparison with previous years:
 - Map: anomaly comparing this month to the average cover from the same month in previous years.
 - Map: deciles rank of month against the same month in previous years.

Anomalies and deciles until September 2019 are calculated comparing to the same months 2001 to 2019. Extra monthly data will be used to calculate anomalies and deciles post September 2019 as they become available. Time series monthly from January 2001 to current:

Erosion protection

- Wind erosion protection time series: percentage of the area of the region with greater than 50% cover for each month (orange lines). Horizontal lines are 10th (cover target) and 50th percentiles.
- Water erosion protection time series: percentage of the area of the region with greater than 70% cover for each month (blue line). Horizontal lines are 10th (cover target) and 50th percentiles.

Rainfall

• Millimetres rainfall each month (black line).

Each time series is also stacked by year. The black line shows the current year of data. Water erosion protection for higher rainfall and steeper slopes:

Water erosion protection on higher slopes. As slope increases, more cover is required to control water erosion. The thresholds reported are:

- the percentage area with pixels greater than 80% total cover.
- the percentage area with pixels greater than 90% total cover.
- the percentage area with pixels greater than 95% total cover.

Acknowledgment of data:

- 1. http://www.agriculture.gov.au/abares/aclump/land-use/alum-classification
- 2. http://www.agriculture.gov.au/abares/forestsaustralia/sofr/sofr-2018
- 3. https://www.dpi.nsw.gov.au/agriculture/pastures-and-rangelands/establishment-mgmt/production-management2/groundcover
- 4. MODIS Fractional cover algorithm:


https://doi.org/10.4225/08/5848a3f19a7b3




Vegetation Cover Jul 2021

Land use and forest cover


Proportion of each land class in area




Total Vegetation Cover [%]




% Area protected from water erosion (>70%)






Proportion of vegetation cover class in area



% Area protected from wind erosion (>50%)



 $\hat{\mathcal{O}}$

e S

A-1

2?

protected 96.0% of region (122,760


12%200%


520/070010

3201050010


0.30%

Total Vegetation Cover Anomaly [%]





Total Vegetation Cover Decile [%]






Deciles show where the

pixel value lies in the record, from highest to lowest, for that month.

That is, red pixels are

in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.






Agriculture


Catchment Scale Land Use and Forests of Australia (2018) 1 Agriculture - Grazing - Non forest 2 Agriculture - Grazing - Woodland forest 3 Agriculture - Grazing - Irrigated Derived from 4 Agriculture - Cropping - Non-irrigated Catchment Scale Land Use of Australia 5 Agriculture - Cropping - Irrigated 6 Agriculture - Horticulture - Non-irrigated (2018) and Forests of Australia (2018) 7 Agriculture - Horticulture - Irrigated


Land use and forest cover

Total Vegetation Cover [%]



% Area protected from water erosion (>70%)








Deciles show where the pixel value lies in the


record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of

the map using baseline from 2001 to 2019.


Proportion of each land class in area



Proportion of vegetation cover class in area



% Area protected from wind erosion (>50%)




\$

ଚ୍ଚ


A.1

2?

Total Vegetation Cover Anomaly [%]




- 20 - 10 0 -10-20 Total Vegetation Cover Decile [%]










---- above_70

—— 2021 Jul

—— 10th


-- 50th

Proportion of the area protected from wind erosion (Total Vegetation Cover > 50%)




Proportion of the area protected from water erosion (Total Vegetation Cover > 70%)


Agriculture timeseries




Grazing

Proportion of each land class in area Land use and forest cover 98.8% 100 80 Catchment Scale Land Use and Forests of Australia (2018) Derived from Catchment Scale Land Use of Australia (2018) and Forests of Australia (2018) Area (%) 60 1 Agriculture - Grazing - Non forest 2 Agriculture - Grazing - Woodland forest 40 20 1.2% 0 1 2 Land use class **Total Vegetation Cover [%]** Proportion of vegetation cover class in area 12%100% 100 80 · 52% 70% Area (%) 60 · 32°10'50°10 40 0.30% 20 2.4% 0.0% 0.0% 0 51%-70% 0-30% 31%-50% 71%-100% Total Vegetation Cover class % Area protected from wind erosion (>50%)






Total Vegetation Cover Anomaly [%]



- 10 0 -10

-20

- 20



97.6%


~

ଚ୍ଚ

A-1

2?

Total Vegetation Cover Decile [%]







Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the man using baseline

the map using baseline from 2001 to 2019.





Proportion of the area protected from wind erosion (Total Vegetation Cover > 50%)




Proportion of the area protected from water erosion (Total Vegetation Cover > 70%)

Grazing timeseries



Wind erosion historical monthly area protected (Total Veg Cov >50%)




Grazing non forest

12%100%

· 52°1070°10


3201050010

0.30%




Total Vegetation Cover [%]


Land use and forest cover




% Area protected from water erosion (>70%)



Proportion of vegetation cover class in area



% Area protected from wind erosion (>50%)



~


ଚ୍ଚ

A-1

2?3

Catchment Scale Land Use and Forests of Australia (2018) Derived from Catchment Scale Land Use of Australia (2018) and Forests of Australia (2018)

Total Vegetation Cover Anomaly [%]




- 10 0 -10

-20

- 20

Total Vegetation Cover Decile [%]







Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the man using baseline

the map using baseline from 2001 to 2019.






Proportion of the area protected from wind erosion (Total Vegetation Cover > 50%)




Proportion of the area protected from water erosion (Total Vegetation Cover > 70%)


Grazing non forest timeseries




Cropping



Total Vegetation Cover [%]



% Area protected from water erosion (>70%)




12/02/001

52°10010


· 32°10'50°10

0.30%

Proportion of vegetation cover class in area



% Area protected from wind erosion (>50%)




~


ଚ୍ଚ


A-1

2?3


Total Vegetation Cover Anomaly [%]









Total Vegetation Cover Decile [%]








Proportion of the area protected from wind erosion (Total Vegetation Cover > 50%)



Cropping timeseries



Wind erosion historical monthly area protected (Total Veg Cov >50%)




Irrigation


Catchment Scale Land Use and Forests of Australia (2018) Derived from Catchment Scale Land Use of Australia (2018) and Forests of Australia (2018)


Land use and forest cover

Total Vegetation Cover [%]




% Area protected from water erosion (>70%)





Proportion of each land class in area


Proportion of vegetation cover class in area





% Area protected from wind erosion (>50%)



Total Vegetation Cover Anomaly [%]








12/02/00%

· 52°10'70°10

1 32°10'50010

0.30%




Total Vegetation Cover Decile [%]

 $\sqrt{2}$

ଚ୍ଚ

A.1

2³⁵







Deciles show where the pixel value lies in the

record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of

the map using baseline from 2001 to 2019.




Proportion of the area protected from wind erosion (Total Vegetation Cover > 50%)




Irrigation timeseries



Wind erosion historical monthly area protected (Total Veg Cov >50%)





Light_(RegC) (total 127,875 ha) Percentage area and hectares protected with TVC threshold 30,50,70,80,90 and 95%

Land use and forest cover Class	area(ha)	above_30	above_50	above_70	above_80	above_90	above_95
Entire region	127,875	100.0% 127,875	100.0% 127,825	96.0% 122,725	69.7% 89,100	17.2% 21,975	6.4% 8,125
Agriculture	122,150	100.0% 122,150	100.0% 122,100	96.4% 117,775	70.4% 85,950	17.2% 20,975	6.4% 7,775
Grazing	27,600	100.0% 27,600	100.0% 27,600	97.6% 26,950	80.1% 22,100	27.8% 7,675	10.6% 2,925
Grazing non forest	27,275	100.0% 27,275	100.0% 27,275	97.6% 26,625	79.8% 21,775	27.6% 7,525	10.6% 2,900
Cropping	85,225	100.0% 85,225	99.9% 85,175	95.8% 81,625	66.4% 56,625	12.8% 10,950	4.7% 4,025
Irrigation	9,300	100.0% 9,300	100.0% 9,300	98.7% 9,175	77.7% 7,225	25.3% 2,350	8.9% 825

