Total vegetation cover soil protection Region:LGA Renmark_Paringa_(DC) SA

This report describes vegetation protecting the soil surface from erosion during a chosen month compared to previous years. This report has been generated using MODIS fractional vegetation cover information available in Rangelands and Pasture Productivity (RAPP) map tool https://map.geo-rapp.org/#australia. The report is based on 500 metre pixel data on monthly time steps. Land use forest cover:

Results can be shown for the whole region (polygon), and separated by land use and forest cover classes which are likely to show different cover patterns and targets. Land use is divided into four broad classes: Conservation and natural environments, Agriculture, production native forests and plantation forests (no report), and other (no report). Agriculture is divided into grazing, crops and horticulture which are sub-divided into non-irrigated and irrigated. If forest is present land use is further divided into: non-forest, woodland forest and non-woodland forest. The area of each land use and forest class are shown as a map and chart. The report content is repeated for each land use and forest covers at least 1% of the area of the chosen region. Total vegetation Cover:

The total vegetation cover indicates where soil is likely to be protected from wind and or water hillslope erosion. Total vegetation cover for this month is shown on a map and chart classified into 4 classes.

• 71-100% High cover - protected from wind and usually water erosion (high rainfall, steep slopes, and erodible soils may need greater than 80, 90, 95 and up to 100% cover)

- 51-70% Moderate cover protected from wind erosion
- 31-50% Low cover not protected
- 0-30% Very Low cover not protected

Erosion protection: Wind erosion 50% total vegetation cover

The vegetation cover threshold required to prevent soil erosion is usually 50% to reduce wind erosion, 70% or 80% to reduce water (hillslope) erosion depending on the steepness and rainfall. Areas protected from erosion for the month:

• Map: water erosion protection (>70% cover) percentage area and hectares.

• Map: wind erosion protection (>50% cover) percentage area and hectares. Comparison with previous years:

• Map: anomaly comparing this month to the average cover from the same month in previous years.

• Map: deciles rank of month against the same month in previous years.

Anomalies and deciles until September 2019 are calculated comparing to the same months 2001 to 2019. Extra monthly data will be used to calculate anomalies and deciles post September 2019 as they become available. Time series monthly from January 2001 to current:

Erosion protection

- Wind erosion protection time series: percentage of the area of the region with greater than 50% cover for each month (orange lines). Horizontal lines are 10th (cover target) and 50th percentiles.
- Water erosion protection time series: percentage of the area of the region with greater than 70% cover for each month (blue line). Horizontal lines are 10th (cover target) and 50th percentiles.

Rainfall

• Millimetres rainfall each month (black line).

Each time series is also stacked by year. The black line shows the current year of data. Water erosion protection for higher rainfall and steeper slopes:

Water erosion protection on higher slopes. As slope increases, more cover is required to control water erosion. The thresholds reported are:

- the percentage area with pixels greater than 80% total cover.
- the percentage area with pixels greater than 90% total cover.
- the percentage area with pixels greater than 95% total cover.

Acknowledgment of data:

- 1. http://www.agriculture.gov.au/abares/aclump/land-use/alum-classification
- 2. http://www.agriculture.gov.au/abares/forestsaustralia/sofr/sofr-2018
- 3. https://www.dpi.nsw.gov.au/agriculture/pastures-and-rangelands/establishment-mgmt/production-management2/groundcover
- 4. MODIS Fractional cover algorithm:

https://doi.org/10.4225/08/5848a3f19a7b3



Vegetation Cover May 2025

Land use and forest cover

Catchment Scale

of Australia (2018)

Derived from

Use of Australia

(2018) and Forests

of Australia (2018)

many percetage points each

the mean. That

pixel is from

is, red pixels are about 20%

lower than the


using baseline from 2001 to 2019.

mean of that pixel. The mean is only for the

Land Use and Forests

Catchment Scale Land

Proportion of each land class in area




12%-200'

52°1070°1


32%5001


0.30%

Total Vegetation Cover [%]




% Area protected from water erosion (>70%)






Proportion of vegetation cover class in area



% Area protected from wind erosion (>50%)



Total Vegetation Cover Anomaly [%]


20

10

0


-10

-20





Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.

Total Vegetation Cover Decile [%]










Conservation and natural environments

Catchment Scale Land Use and Forests of Australia (2018) Derived from Catchment Scale Land Use of Australia (2018) and Forests of Australia (2018)




Total Vegetation Cover [%]


Land use and forest cover

 Conservation and natural environments - Nonforest
 Conservation and natural environments - Woodland forest
 Conservation and natural environments - Nonwoodland forest


Proportion of each land class in area




Proportion of vegetation cover class in area




% Area protected from wind erosion (>50%)







% Area protected from water erosion (>70%)



Total Vegetation Cover Anomaly [%]




Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019. **Total Vegetation Cover Decile [%]**






pixel is from the mean. That is, red pixels are about 20% lower than the mean of that pixel. The mean is only for the month of the map using baseline from 2001 to 2019.

Anomaly show how many percetage points each




Proportion of the area protected from wind erosion (Total Vegetation Cover > 50%)






Water erosion historical monthly area protected (Total Veg Cov>70%)



Conservation and natural environments non forest

Land use and forest cover



1 Conservation and natural environments - Nonforest


120/0

520/07/001


32010

0.30%


Total Vegetation Cover [%]








Proportion of vegetation cover class in area




% Area protected from wind erosion (>50%)






Total Vegetation Cover Anomaly [%]



Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.

Total Vegetation Cover Decile [%]





0


Anomaly show how many percetage points each pixel is from the mean. That is, red pixels are about 20% lower than the mean of that pixel. The mean is only for the month of the map using baseline from 2001 to 2019.

Catchment Scale Land Use and Forests of Australia (2018)

Catchment Scale Land


Derived from


Use of Australia (2018) and Forests of Australia (2018)



Proportion of the area protected from wind erosion (Total Vegetation Cover > 50%)







Wind erosion historical monthly area protected (Total Veg Cov >50%)

Conservation and natural environments Woodland forest

Catchment Scale Land Use and Forests of Australia (2018) Derived from Catchment Scale Land Use of Australia (2018) and Forests of Australia (2018)

Anomaly show how many percetage points each

pixel is from

the mean. That is, red pixels


are about 20% lower than the

mean of that

pixel. The mean

using baseline from 2001 to 2019.

is only for the month of the map



Land use and forest cover

1 Conservation and natural environments - Woodland forest

12%200%


52% 70%

5°°


320/0-

0-30%


Total Vegetation Cover [%]









Proportion of vegetation cover class in area



% Area protected from wind erosion (>50%)




Total Vegetation Cover Anomaly [%]




Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.

Total Vegetation Cover Decile [%]









Proportion of the area protected from wind erosion (Total Vegetation Cover > 50%)





80-60-40 20 4eb May In Sal 1/1/ Mai 06, month tern Ecosystem Research Infrastructure Australian Government

Water erosion historical monthly area protected (Total Veg Cov>70%)







Agriculture

1 Agriculture - Grazing - Non forest

3 Agriculture - Grazing - Irrigated

2 Agriculture - Grazing - Woodland forest

4 Agriculture - Cropping - Non-irrigated


12%-2000

52%70%


32005001


0-30%


Catchment Scale Land Use and Forests of Australia (2018) Derived from Catchment Scale Land Use of Australia (2018) and Forests of Australia (2018)



Total Vegetation Cover [%]








<u>52.4</u>% 50 40 Area (%) 00 <u>23.1</u>% 22.0% 20 10 1.3% 1.1%0.0% 0 5 0 1 2 3 4 Land use class

Proportion of vegetation cover class in area




% Area protected from wind erosion (>50%)



Proportion of each land class in area


Total Vegetation Cover Anomaly [%]



Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.


Area not protected 13.0% of region (8,580 ha) Area protected 87.0% of region (57,420 ha)

Total Vegetation Cover Decile [%]






Anomaly show how many percetage points each pixel is from the mean. That is, red pixels are about 20% lower than the mean of that pixel. The mean is only for the month of the map using baseline from 2001 to 2019.



Proportion of the area protected from wind erosion (Total Vegetation Cover > 50%)




Proportion of the area protected from water erosion (Total Vegetation Cover > 70%)

Agriculture timeseries



Wind erosion historical monthly area protected (Total Veg Cov >50%)




—— 10th

—— 50th

—— 2025 May

Water erosion historical monthly area protected (Total Veg Cov>70%)



Grazing

1 Agriculture - Grazing - Non forest

2 Agriculture - Grazing - Woodland forest


12%200%

52%70%


320050010

0-30%


Catchment Scale Land Use and Forests of Australia (2018) Derived from Catchment Scale Land Use of Australia (2018) and Forests of Australia (2018)




Total Vegetation Cover [%]




% Area protected from water erosion (>70%)






Proportion of each land class in area


Proportion of vegetation cover class in area



% Area protected from wind erosion (>50%)




Total Vegetation Cover Anomaly [%]





Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.

Total Vegetation Cover Decile [%]










Proportion of the area protected from wind erosion (Total Vegetation Cover > 50%)






Grazing timeseries




Wind erosion historical monthly area protected (Total Veg Cov >50%)



— 2001 → 2002→ 2003 **—** 2004 **___** 2005 ---- 2006 **___** 2007 ---- 2008 **---** 2009 --- 2010 **----** 2011 → 2012→ 2013 ---- 2014 ---- 2015 ---- 2016 **—** 2017 ---- 2018 **----** 2019 ---- 2020 → 2021
→ 2022
→ 2023 **---** 2024 - 2025 OČ 404 AUD Dec Sel

Grazing non forest

Land use and forest cover



1 Agriculture - Grazing - Non forest


12%2000

52% TO%


320050010

0.30%


Total Vegetation Cover [%]




% Area protected from water erosion (>70%)




Proportion of vegetation cover class in area




% Area protected from wind erosion (>50%)



Total Vegetation Cover Anomaly [%]



Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019. **Total Vegetation Cover Decile [%]**








Anomaly show how many percetage points each pixel is from the mean. That is, red pixels are about 20% lower than the mean of that pixel. The mean is only for the month of the map using baseline from 2001 to 2019.

Catchment Scale Land Use and Forests of Australia (2018)


Catchment Scale Land Use of Australia (2018) and Forests of Australia (2018)

Derived from



Proportion of the area protected from wind erosion (Total Vegetation Cover > 50%)






Grazing non forest timeseries




Wind erosion historical monthly area protected (Total Veg Cov >50%)




Cropping


Land use and forest cover




1 Agriculture - Cropping - Non-irrigated

Total Vegetation Cover [%]







% Area protected from water erosion (>70%)




Proportion of vegetation cover class in area



% Area protected from wind erosion (>50%)




Total Vegetation Cover Anomaly [%]



Area not protected 20.0% of region (6,915 ha) Area protected 80.0% of region (27,660 ha)

Total Vegetation Cover Decile [%]





Anomaly show how many percetage points each pixel is from the mean That the mean. That is, red pixels are about 20% lower than the mean of that pixel. The mean is only for the month of the map using baseline from 2001 to 2019.

Catchment Scale Land Use and Forests of Australia (2018) Derived from

Catchment Scale Land Use of Australia (2018) and Forests of Australia (2018)


Deciles show where the pixel value lies in the

record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of

records for that month of the map using baseline from 2001 to 2019.








---- above_70

—— 2025 May

—— 10th

—— 50th

Proportion of the area protected from wind erosion (Total Vegetation Cover > 50%)




Proportion of the area protected from water erosion (Total Vegetation Cover > 70%)

Cropping timeseries



Wind erosion historical monthly area protected (Total Veg Cov >50%)



Irrigation

1 Agriculture - Grazing - Irrigated

2 Agriculture - Cropping - Irrigated

3 Agriculture - Horticulture - Irrigated


120/0

52% 70%


32010

0.30%


Catchment Scale Land Use and Forests of Australia (2018) Derived from Catchment Scale Land Use of Australia (2018) and Forests of Australia (2018)




Total Vegetation Cover [%]




% Area protected from water erosion (>70%)






Proportion of each land class in area

Proportion of vegetation cover class in area




% Area protected from wind erosion (>50%)






Total Vegetation Cover Anomaly [%]




Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.

Total Vegetation Cover Decile [%]






Anomaly show how many percetage points each pixel is from the mean. That is, red pixels are about 20% lower than the mean of that pixel. The mean is only for the month of the map using baseline from 2001 to 2019.




Proportion of the area protected from wind erosion (Total Vegetation Cover > 50%)



Irrigation timeseries

100 { 80 60-40 20 4eb In Jan way 1/1/ War 26, month tern Ecosystem Research Infrastructure Australian Government







Renmark_Paringa_(DC) (91,500 ha and no data 21 ha) Percentage area and hectares protected with TVC threshold 30,50,70,80,90 and 95%

Land use and forest cover Class	area(ha)	above_30	above_50	above_70	above_80	above_90	above_95
Entire region	91,500	99.6% 91,175	89.3% 81,750	42.4% 38,775	16.1% 14,725	2.8% 2,600	0.6% 525
Conservation and natural environments	17,725	99.4% 17,625	94.9% 16,825	56.6% 10,025	13.8% 2,450	3.1% 550	0.6% 100
Conservation and natural environments non forest	12,775	99.2% 12,675	93.3% 11,925	48.3% 6,175	10.6% 1,350	2.0% 250	0.2% 25
Conservation and natural environments Woodland forest	4,400	100.0% 4,400	98.9% 4,350	79.0% 3,475	22.2% 975	5.7% 250	1.7% 75
Agriculture	66,000	99.9% 65,950	87.4% 57,675	37.1% 24,500	16.6% 10,950	2.5% 1,625	0.5% 325
Grazing	15,250	99.8% 15,225	92.6% 14,125	40.5% 6,175	11.6% 1,775	2.0% 300	1.0% 150
Grazing non forest	14,550	99.8% 14,525	92.3% 13,425	39.3% 5,725	11.3% 1,650	1.7% 250	1.0% 150
Cropping	34,575	99.9% 34,550	79.5% 27,475	12.9% 4,450	2.7% 950	0.1% 50	0.0% 0
Irrigation	16,175	100.0% 16,175	99.4% 16,075	85.8% 13,875	50.9% 8,225	7.9% 1,275	1.1% 175

