Total vegetation cover soil protection Region:LGA Wakefield_(DC) SA

Date: February 2024

This report describes vegetation protecting the soil surface from erosion during a chosen month compared to previous years. This report has been generated using MODIS fractional vegetation cover information available in Rangelands and Pasture Productivity (RAPP) map tool https://map.geo-rapp.org/#australia. The report is based on 500 metre pixel data on monthly time steps. Land use forest cover:

Results can be shown for the whole region (polygon), and separated by land use and forest cover classes which are likely to show different cover patterns and targets. Land use is divided into four broad classes: Conservation and natural environments, Agriculture, production native forests and plantation forests (no report), and other (no report). Agriculture is divided into grazing, crops and horticulture which are sub-divided into non-irrigated and irrigated. If forest is present land use is further divided into: non-forest, woodland forest and non-woodland forest. The area of each land use and forest class are shown as a map and chart. The report content is repeated for each land use and forest covers at least 1% of the area of the chosen region. Total vegetation Cover:

The total vegetation cover indicates where soil is likely to be protected from wind and or water hillslope erosion. Total vegetation cover for this month is shown on a map and chart classified into 4 classes.

• 71-100% High cover - protected from wind and usually water erosion (high rainfall, steep slopes, and erodible soils may need greater than 80, 90, 95 and up to 100% cover)

- 51-70% Moderate cover protected from wind erosion
- 31-50% Low cover not protected
- 0-30% Very Low cover not protected

Erosion protection: Wind erosion 50% total vegetation cover

The vegetation cover threshold required to prevent soil erosion is usually 50% to reduce wind erosion, 70% or 80% to reduce water (hillslope) erosion depending on the steepness and rainfall. Areas protected from erosion for the month:

• Map: water erosion protection (>70% cover) percentage area and hectares.

• Map: wind erosion protection (>50% cover) percentage area and hectares. Comparison with previous years:

• Map: anomaly comparing this month to the average cover from the same month in previous years.

• Map: deciles rank of month against the same month in previous years.

Anomalies and deciles until September 2019 are calculated comparing to the same months 2001 to 2019. Extra monthly data will be used to calculate anomalies and deciles post September 2019 as they become available. Time series monthly from January 2001 to current:

Erosion protection

- Wind erosion protection time series: percentage of the area of the region with greater than 50% cover for each month (orange lines). Horizontal lines are 10th (cover target) and 50th percentiles.
- Water erosion protection time series: percentage of the area of the region with greater than 70% cover for each month (blue line). Horizontal lines are 10th (cover target) and 50th percentiles.

Rainfall

• Millimetres rainfall each month (black line).

Each time series is also stacked by year. The black line shows the current year of data. Water erosion protection for higher rainfall and steeper slopes:

Water erosion protection on higher slopes. As slope increases, more cover is required to control water erosion. The thresholds reported are:

- the percentage area with pixels greater than 80% total cover.
- the percentage area with pixels greater than 90% total cover.
- the percentage area with pixels greater than 95% total cover.

Acknowledgment of data:

- 1. http://www.agriculture.gov.au/abares/aclump/land-use/alum-classification
- 2. http://www.agriculture.gov.au/abares/forestsaustralia/sofr/sofr-2018
- 3. https://www.dpi.nsw.gov.au/agriculture/pastures-and-rangelands/establishment-mgmt/production-management2/groundcover
- 4. MODIS Fractional cover algorithm:

https://doi.org/10.4225/08/5848a3f19a7b3



Vegetation Cover Feb 2024

Land use and forest cover

Proportion of each land class in area

<u>76</u>.9%

0.0%0.0%0.1%0

8

10

12



	 Legend with land class forest cover and humber, i.e. Forests is 12 Conservation and natural environments - Non-forest Conservation and natural environments - Woodland forest Conservation and natural environments - Non-Woodland forest Conservation and natural environments - Non-Woodland forest Agriculture - Grazing - Non-forest Agriculture - Grazing - Non-woodland forest Agriculture - Grazing - Non-woodland forest Agriculture - Grazing - Non-woodland forest Agriculture - Grazing - Irrigated Agriculture - Cropping - Invigated Agriculture - Horticulture - Non-irrigated Agriculture - Horticulture - Irrigated Production native forests and plantation forests Other uses
--	---

Total Vegetation Cover [%]



% Area protected from water erosion (>70%)







80

70

60

50

Proportion of vegetation cover class in area

6

Land use class

0.0%0.0%0.0

4



% Area protected from wind erosion (>50%)



Total Vegetation Cover Anomaly [%]

Anomaly show how many percetage points each pixel is from the mean. That is, red pixels are about 20% lower than the mean of that pixel. The mean is only for the month of the map using baseline from 2001 to 2019.



Total Vegetation Cover Decile [%]





Deciles show where the

pixel value lies in the record, from highest to lowest, for that month.

That is, red pixels are

records for that month of the map using baseline from 2001 to 2019.

in the lowest 10% of







Conservation and natural environments

Land use and forest cover

1 Conservation and natural environments - Non-forest
 2 Conservation and natural environments - Woodland forest
 3 Conservation and natural environments - Non-woodland forest

Total Vegetation Cover [%]



% Area protected from water erosion (>70%)





_





% Area protected from wind erosion (>50%)



Proportion of each land class in area

Total Vegetation Cover Decile [%]



Total Vegetation Cover Anomaly [%]

Anomaly show how many percetage points each pixel is from the mean. That is, red pixels are about 20% lower than the mean of that pixel. The mean is only for the month of the map using baseline from 2001 to 2019.

Catchment Scale Land Use and Forests

of Australia (2018)

(2018) and Forests of Australia (2018)

Catchment Scale Land

Derived from

Use of Australia



Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.







Proportion of the area protected from wind erosion (Total Vegetation Cover > 50%)



Proportion of the area protected from water erosion (Total Vegetation Cover > 70%)

Wind erosion historical monthly area protected (Total Veg Cov >50%)

Water erosion historical monthly area protected (Total Veg Cov>70%)



Conservation and natural environments non forest

Land use and forest cover



Derived from



Total Vegetation Cover [%]





% Area protected from water erosion (>70%)



Proportion of vegetation cover class in area



% Area protected from wind erosion (>50%)



Total Vegetation Cover Anomaly [%]

Anomaly show how many percetage points each pixel is from the mean. That is, red pixels are about 20% lower than the mean of that pixel. The mean is only for the month of the map using baseline from 2001 to 2019.



Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.

Total Vegetation Cover Decile [%]





Conservation and natural environments non forest timeseries



Proportion of the area protected from wind erosion (Total Vegetation Cover > 50%)



Proportion of the area protected from water erosion (Total Vegetation Cover > 70%)

Water erosion historical monthly area protected (Total Veg Cov>70%)



Agriculture

Land use and forest cover



Total Vegetation Cover [%]











Proportion of vegetation cover class in area



% Area protected from wind erosion (>50%)



Area not

Total Vegetation Cover Anomaly [%]

Anomaly show how many percetage points each pixel is from the mean. That is, red pixels are about 20% lower than the mean of that pixel. The mean is only for the month of the map using baseline from 2001 to 2019.

Catchment Scale Land Use and Forests of Australia (2018)

Catchment Scale Land

Derived from

Use of Australia

(2018) and Forests

of Australia (2018)



protected 6.0% of region (19,834 ha) Area protected 94.0% of region (310,740 ha)

Total Vegetation Cover Decile [%]





Deciles show where the

pixel value lies in the

in the lowest 10% of

records for that month of the map using baseline from 2001 to 2019.

record, from highest to lowest, for that month. That is, red pixels are

8



Proportion of the area protected from wind erosion (Total Vegetation Cover > 50%)



Proportion of the area protected from water erosion (Total Vegetation Cover > 70%)

Agriculture timeseries



Wind erosion historical monthly area protected (Total Veg Cov >50%)

Water erosion historical monthly area protected (Total Veg Cov>70%)

Grazing

Land use and forest cover

Catchment Scale Land Use and Forests of Australia (2018) Derived from Catchment Scale Land Use of Australia (2018) and Forests of Australia (2018)



Total Vegetation Cover [%]



% Area protected from water erosion (>70%)



12%-200% 52°1070°10 32%50% 0.30%

1 Agriculture - Grazing - Non forest





Proportion of vegetation cover class in area



% Area protected from wind erosion (>50%)



Proportion of each land class in area

Total Vegetation Cover Anomaly [%]

Anomaly show how many percetage points each pixel is from the mean. That is, red pixels are about 20% lower than the mean of that pixel. The mean is only for the month of the map using baseline from 2001 to 2019.



Total Vegetation Cover Decile [%]





Deciles show where the

pixel value lies in the

in the lowest 10% of

records for that month of

the map using baseline from 2001 to 2019.

record, from highest to lowest, for that month. That is, red pixels are



Proportion of the area protected from wind erosion (Total Vegetation Cover > 50%)





Wind erosion historical monthly area protected (Total Veg Cov >50%)

Water erosion historical monthly area protected (Total Veg Cov>70%)



Grazing non forest

Land use and forest cover



1 Agriculture - Grazing - Non forest

Total Vegetation Cover [%]





% Area protected from water erosion (>70%)



Proportion of vegetation cover class in area



% Area protected from wind erosion (>50%)



Catchment Scale Land Use and Forests of Australia (2018) Derived from Catchment Scale Land Use of Australia (2018) and Forests of Australia (2018)

Total Vegetation Cover Anomaly [%]

Anomaly show how many percetage points each pixel is from the mean. That is, red pixels are about 20% lower than the mean of that pixel. The mean is only for the month of the map using baseline from 2001 to 2019.



Total Vegetation Cover Decile [%]





Deciles show where the pixel value lies in the

record, from highest to lowest, for that month. That is, red pixels are

records for that month of

the map using baseline from 2001 to 2019.

in the lowest 10% of



Proportion of the area protected from wind erosion (Total Vegetation Cover > 50%)



Wind erosion historical monthly area protected (Total Veg Cov >50%)

Water erosion historical monthly area protected (Total Veg Cov>70%)



Cropping

Land use and forest cover



1 Agriculture - Cropping - Non-irrigated

Total Vegetation Cover [%]



% Area protected from water erosion (>70%)







Proportion of vegetation cover class in area



% Area protected from wind erosion (>50%)



Area not

protected 6.0% of region (16,008 Area protected 94.0% of region (250,792

Total Vegetation Cover Decile [%]



Total Vegetation Cover Anomaly [%]

Anomaly show how many percetage points each pixel is from the mean. That is, red pixels are about 20% lower than the mean of that pixel. The mean is only for the month of the map using baseline from 2001 to 2019.

Catchment Scale Land Use and Forests of Australia (2018)

Catchment Scale Land

Derived from

Use of Australia (2018) and Forests of Australia (2018)



Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.







Proportion of the area protected from wind erosion (Total Vegetation Cover > 50%)



Proportion of the area protected from water erosion (Total Vegetation Cover > 70%)

Cropping timeseries

Water erosion historical monthly area protected (Total Veg Cov>70%)



Wind erosion historical monthly area protected (Total Veg Cov >50%)

Wakefield_(DC) (346,050 ha and no data 957 ha) Percentage area and hectares protected with TVC threshold 30,50,70,80,90 and 95%

Land use and forest cover Class	area(ha)	above_30	above_50	above_70	above_80	above_90	above_95
Entire region	346,050	99.9% 345,800	93.6% 323,975	39.3% 136,150	14.8% 51,325	2.6% 9,000	0.6% 2,200
Conservation and natural environments	4,900	100.0% 4,900	85.7% 4,200	30.6% 1,500	18.9% 925	5.1% 250	2.0% 100
Conservation and natural environments non forest	4,200	100.0% 4,200	83.3% 3,500	22.0% 925	13.7% 575	5.4% 225	2.4% 100
Agriculture	330,575	100.0% 330,475	93.9% 310,475	39.8% 131,525	14.9% 49,375	2.6% 8,475	0.6% 1,975
Grazing	63,350	100.0% 63,325	92.4% 58,550	40.3% 25,525	20.9% 13,250	4.7% 3,000	1.2% 775
Grazing non forest	63,325	100.0% 63,300	92.4% 58,525	40.3% 25,525	20.9% 13,250	4.7% 3,000	1.2% 775
Cropping	266,800	100.0% 266,725	94.3% 251,500	39.7% 105,975	13.5% 36,125	2.1% 5,475	0.4% 1,200

