Total vegetation cover soil protection Region:LGA Whyalla_(C) SA

Date: July 2022

This report describes vegetation protecting the soil surface from erosion during a chosen month compared to previous years. This report has been generated using MODIS fractional vegetation cover information available in Rangelands and Pasture Productivity (RAPP) map tool https://map.geo-rapp.org/#australia. The report is based on 500 metre pixel data on monthly time steps. Land use forest cover:

Results can be shown for the whole region (polygon), and separated by land use and forest cover classes which are likely to show different cover patterns and targets. Land use is divided into four broad classes: Conservation and natural environments, Agriculture, production native forests and plantation forests (no report), and other (no report). Agriculture is divided into grazing, crops and horticulture which are sub-divided into non-irrigated and irrigated. If forest is present land use is further divided into: non-forest, woodland forest and non-woodland forest. The area of each land use and forest class are shown as a map and chart. The report content is repeated for each land use and forest covers at least 1% of the area of the chosen region. Total vegetation Cover:

The total vegetation cover indicates where soil is likely to be protected from wind and or water hillslope erosion. Total vegetation cover for this month is shown on a map and chart classified into 4 classes.

• 71-100% High cover - protected from wind and usually water erosion (high rainfall, steep slopes, and erodible soils may need greater than 80, 90, 95 and up to 100% cover)

- 51-70% Moderate cover protected from wind erosion
- 31-50% Low cover not protected
- 0-30% Very Low cover not protected

Erosion protection: Wind erosion 50% total vegetation cover

The vegetation cover threshold required to prevent soil erosion is usually 50% to reduce wind erosion, 70% or 80% to reduce water (hillslope) erosion depending on the steepness and rainfall. Areas protected from erosion for the month:

- Map: water erosion protection (>70% cover) percentage area and hectares.
- Map: wind erosion protection (>50% cover) percentage area and hectares. Comparison with previous years:
 - Map: anomaly comparing this month to the average cover from the same month in previous years.
 - Map: deciles rank of month against the same month in previous years.

Anomalies and deciles until September 2019 are calculated comparing to the same months 2001 to 2019. Extra monthly data will be used to calculate anomalies and deciles post September 2019 as they become available. Time series monthly from January 2001 to current:

Erosion protection

- Wind erosion protection time series: percentage of the area of the region with greater than 50% cover for each month (orange lines). Horizontal lines are 10th (cover target) and 50th percentiles.
- Water erosion protection time series: percentage of the area of the region with greater than 70% cover for each month (blue line). Horizontal lines are 10th (cover target) and 50th percentiles.

Rainfall

• Millimetres rainfall each month (black line).

Each time series is also stacked by year. The black line shows the current year of data. Water erosion protection for higher rainfall and steeper slopes:

Water erosion protection on higher slopes. As slope increases, more cover is required to control water erosion. The thresholds reported are:

- the percentage area with pixels greater than 80% total cover.
- the percentage area with pixels greater than 90% total cover.
- the percentage area with pixels greater than 95% total cover.

Acknowledgment of data:

- 1. http://www.agriculture.gov.au/abares/aclump/land-use/alum-classification
- 2. http://www.agriculture.gov.au/abares/forestsaustralia/sofr/sofr-2018
- 3. https://www.dpi.nsw.gov.au/agriculture/pastures-and-rangelands/establishment-mgmt/production-management2/groundcover
- 4. MODIS Fractional cover algorithm:


https://doi.org/10.4225/08/5848a3f19a7b3



Vegetation Cover Jul 2022

Land use and forest cover

Proportion of each land class in area




12%20001

52% 70%


32%50%


0.30%

Total Vegetation Cover [%]




% Area protected from water erosion (>70%)






Proportion of vegetation cover class in area




% Area protected from wind erosion (>50%)



Total Vegetation Cover Anomaly [%]

Total Vegetation Cover Decile [%]



Catchment Scale

Derived from


Use of Australia

(2018) and Forests


of Australia (2018)

Land Use and Forests of Australia (2018)


Catchment Scale Land



Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.








Conservation and natural environments

12%100%

52%70%


32%50%

0.30%




Land use and forest cover


Proportion of each land class in area



Proportion of vegetation cover class in area



% Area protected from wind erosion (>50%)



Catchment Scale Land Use and Forests of Australia (2018) Derived from Catchment Scale Land Use of Australia (2018) and Forests of Australia (2018)

Anomaly show how many percetage

points each pixel is from

the mean. That

is, red pixels

mean of that


pixel. The mean is only for the month of the map

using baseline


from 2001 to 2019.

are about 20% lower than the


Total Vegetation Cover [%]




% Area protected from water erosion (>70%)



Total Vegetation Cover Anomaly [%]




Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019. **Total Vegetation Cover Decile [%]**






from 2001 to 2019.




Proportion of the area protected from wind erosion (Total Vegetation Cover > 50%)






Water erosion historical monthly area protected (Total Veg Cov>70%)



___ 2001 --- 2002 **---** 2003 **---** 2004 ____ 2005 **----** 2006 --- 2007 ____ 2008 **---** 2009 **---** 2010 2011 --- 2013 --- 2014 → 2015 --- 2016 <mark>→</mark> 2017 <mark>→</mark> 2018 **—** 2019 → 2020 ---- 2022 404 AUD Dec Sel OČ

Conservation and natural environments non forest



12%100%

52%70%


32%50%

0.30%


Land Use and Forests of Australia (2018) Derived from Catchment Scale Land Use of Australia (2018) and Forests of Australia (2018)

Total Vegetation Cover [%]


Land use and forest cover




% Area protected from water erosion (>70%)




Proportion of vegetation cover class in area



% Area protected from wind erosion (>50%)




Total Vegetation Cover Anomaly [%]



Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.


Total Vegetation Cover Decile [%]






Anomaly show how many percetage points each pixel is from the mean. That is, red pixels are about 20% lower than the mean of that pixel. The mean is only for the month of the map using baseline from 2001 to 2019.





Proportion of the area protected from wind erosion (Total Vegetation Cover > 50%)





80

60-

40-

20-


0 -



Wind erosion historical monthly area protected (Total Veg Cov >50%)

___ 2001 --- 2002 **---** 2003 **---** 2004 ____ 2005 **----** 2006 --- 2007 ____ 2008 ---- 2009 **---** 2010 2011 --- 2013 ← 2014 → 2015 --- 2016 <mark>→</mark> 2017 <mark>→</mark> 2018 **—** 2019 → 2020 ---- 2022 404 AUD OČ Dec Sel

Water erosion historical monthly area protected (Total Veg Cov>70%)








Conservation and natural environments Forest (non woodland)

Land use and forest cover




Total Vegetation Cover [%]

12%200%


52¹⁰¹7091

· 320050010


· 0.30%



% Area protected from water erosion (>70%)



Proportion of vegetation cover class in area





% Area protected from wind erosion (>50%)




Area protected 100.0% of region (2,875 ha)

Total Vegetation Cover Decile [%]






Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.





8




---- above_70


— 10th

—— 50th

Proportion of the area protected from wind erosion (Total Vegetation Cover > 50%)



year



Agriculture


120/070000

· 52% 70%


32905001

0.30%


Catchment Scale Land Use and Forests of Australia (2018) Derived from Catchment Scale Land Use of Australia (2018) and Forests of Australia (2018)



Total Vegetation Cover [%]









100 98.0% 80 60 Area (%) 40 20 1.9% 0.1% 0 -0.5 1.0 2.0 2.5 0.5 0.0 1.5 Land use class

Proportion of vegetation cover class in area




% Area protected from wind erosion (>50%)




Proportion of each land class in area

Total Vegetation Cover Anomaly [%]



Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.


Total Vegetation Cover Decile [%]






10

Anomaly show how many percetage points each pixel is from the mean. That is, red pixels are about 20% lower than the mean of that pixel. The mean is only for the month of the map using baseline from 2001 to 2019.



Proportion of the area protected from wind erosion (Total Vegetation Cover > 50%)

Proportion of the area protected from water erosion (Total Vegetation Cover > 70%)




Agriculture timeseries

80 60 40 20-0 4eb Jan In May hy War *V*6, month tern Ecosystem Research Infrastructure Australian Government

13

Wind erosion historical monthly area protected (Total Veg Cov >50%)

Water erosion historical monthly area protected (Total Veg Cov>70%)



Grazing

120/070000

· 52% 70°


320/05001

0.30%


Catchment Scale Land Use and Forests of Australia (2018) Derived from Catchment Scale Land Use of Australia (2018) and Forests of Australia (2018)


Land use and forest cover

Total Vegetation Cover [%]











Proportion of each land class in area


Proportion of vegetation cover class in area




% Area protected from wind erosion (>50%)



Total Vegetation Cover Anomaly [%]




Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019. **Total Vegetation Cover Decile [%]**





Anomaly show how many percetage points each pixel is from the mean. That is, red pixels are about 20% lower than the mean of that pixel. The mean is only for the month of the map using baseline from 2001 to 2019.






—— 10th

—— 50th

—— 2022 Jul

Proportion of the area protected from wind erosion (Total Vegetation Cover > 50%)

Proportion of the area protected from water erosion (Total Vegetation Cover > 70%)




Grazing timeseries

80 60 40 20-0 4eb Jan In May hy War *V*6, month tern Ecosystem Research Infrastructure Australian Government

13

Water erosion historical monthly area protected (Total Veg Cov>70%)



Grazing non forest


12%-100%

52%70%


32905001

0.30%


Land use and forest cover




Total Vegetation Cover [%]









Proportion of vegetation cover class in area




% Area protected from wind erosion (>50%)



Total Vegetation Cover Anomaly [%]



Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019. Total Vegetation Cover Decile [%]






Anomaly show how many percetage points each pixel is from the mean. That is, red pixels are about 20% lower than the mean of that pixel. The mean is only for the month of the map using baseline from 2001 to 2019.

Catchment Scale Land Use and Forests of Australia (2018)

Catchment Scale Land Use of Australia (2018) and Forests of Australia (2018)


Derived from






Proportion of the area protected from wind erosion (Total Vegetation Cover > 50%)

Proportion of the area protected from water erosion (Total Vegetation Cover > 70%)




Grazing non forest timeseries




Water erosion historical monthly area protected (Total Veg Cov>70%)


Grazing Woodland forest

Land use and forest cover




Total Vegetation Cover [%]







% Area protected from water erosion (>70%)



Proportion of vegetation cover class in area



% Area protected from wind erosion (>50%)



Catchment Scale Land Use and Forests of Australia (2018) Derived from Catchment Scale Land Use of Australia (2018) and Forests of Australia (2018)

Anomaly show how many percetage points each

pixel is from

is, red pixels

mean of that

pixel. The mean

using baseline


from 2001 to 2019.

is only for the month of the map

the mean. That


are about 20% lower than the

Total Vegetation Cover Anomaly [%]




Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.

Total Vegetation Cover Decile [%]





Grazing Woodland forest timeseries




---- above_70

------ 2022 Jul

—— 10th


—— 50th



Proportion of the area protected from water erosion (Total Vegetation Cover > 70%)

100-80-60-40-20-0 -4eb May In Jan 1 m DQ1 Ma, month tern Ecosystem Research Infrastructure Australian Government

Water erosion historical monthly area protected (Total Veg Cov>70%)



Whyalla_(C) (104,325 ha and no data 2,815 ha) Percentage area and hectares protected with TVC threshold 30,50,70,80,90 and 95%

Land use and forest cover Class	area(ha)	above_30	above_50	above_70	above_80	above_90	above_95
Entire region	104,325	100.0% 104,325	98.2% 102,475	32.7% 34,075	1.6% 1,700	0.7% 775	0.3% 275
Conservation and natural environments	25,825	100.0% 25,825	98.6% 25,475	53.3% 13,775	1.4% 350	0.5% 125	0.1% 25
Conservation and natural environments non forest	22,900	100.0% 22,900	98.5% 22,550	54.6% 12,500	1.4% 325	0.5% 125	0.1% 25
Conservation and natural environments Forest (non woodland)	2,875	100.0% 2,875	100.0% 2,875	44.3% 1,275	0.9% 25	0.0% 0	0.0% 0
Agriculture	73,825	100.0% 73,825	99.2% 73,250	25.7% 18,975	0.8% 575	0.2% 125	0.0% 25
Grazing	73,825	100.0% 73,825	99.2% 73,250	25.7% 18,975	0.8% 575	0.2% 125	0.0% 25
Grazing non forest	72,375	100.0% 72,375	99.2% 71,800	24.7% 17,900	0.8% 575	0.2% 125	0.0% 25
Grazing Woodland forest	1,400	100.0% 1,400	100.0% 1,400	76.8% 1,075	0.0% 0	0.0% 0	0.0% 0

