Total vegetation cover soil protection Region:LGA Whyalla_(C) SA

Date: July 2023

This report describes vegetation protecting the soil surface from erosion during a chosen month compared to previous years. This report has been generated using MODIS fractional vegetation cover information available in Rangelands and Pasture Productivity (RAPP) map tool https://map.geo-rapp.org/#australia. The report is based on 500 metre pixel data on monthly time steps. Land use forest cover:

Results can be shown for the whole region (polygon), and separated by land use and forest cover classes which are likely to show different cover patterns and targets. Land use is divided into four broad classes: Conservation and natural environments, Agriculture, production native forests and plantation forests (no report), and other (no report). Agriculture is divided into grazing, crops and horticulture which are sub-divided into non-irrigated and irrigated. If forest is present land use is further divided into: non-forest, woodland forest and non-woodland forest. The area of each land use and forest class are shown as a map and chart. The report content is repeated for each land use and forest covers at least 1% of the area of the chosen region. Total vegetation Cover:

The total vegetation cover indicates where soil is likely to be protected from wind and or water hillslope erosion. Total vegetation cover for this month is shown on a map and chart classified into 4 classes.

• 71-100% High cover - protected from wind and usually water erosion (high rainfall, steep slopes, and erodible soils may need greater than 80, 90, 95 and up to 100% cover)

- 51-70% Moderate cover protected from wind erosion
- 31-50% Low cover not protected
- 0-30% Very Low cover not protected

Erosion protection: Wind erosion 50% total vegetation cover

The vegetation cover threshold required to prevent soil erosion is usually 50% to reduce wind erosion, 70% or 80% to reduce water (hillslope) erosion depending on the steepness and rainfall. Areas protected from erosion for the month:

• Map: water erosion protection (>70% cover) percentage area and hectares.

• Map: wind erosion protection (>50% cover) percentage area and hectares. Comparison with previous years:

• Map: anomaly comparing this month to the average cover from the same month in previous years.

• Map: deciles rank of month against the same month in previous years.

Anomalies and deciles until September 2019 are calculated comparing to the same months 2001 to 2019. Extra monthly data will be used to calculate anomalies and deciles post September 2019 as they become available. Time series monthly from January 2001 to current:

Erosion protection

- Wind erosion protection time series: percentage of the area of the region with greater than 50% cover for each month (orange lines). Horizontal lines are 10th (cover target) and 50th percentiles.
- Water erosion protection time series: percentage of the area of the region with greater than 70% cover for each month (blue line). Horizontal lines are 10th (cover target) and 50th percentiles.

Rainfall

• Millimetres rainfall each month (black line).

Each time series is also stacked by year. The black line shows the current year of data. Water erosion protection for higher rainfall and steeper slopes:

Water erosion protection on higher slopes. As slope increases, more cover is required to control water erosion. The thresholds reported are:

- the percentage area with pixels greater than 80% total cover.
- the percentage area with pixels greater than 90% total cover.
- the percentage area with pixels greater than 95% total cover.

Acknowledgment of data:

- 1. http://www.agriculture.gov.au/abares/aclump/land-use/alum-classification
- 2. http://www.agriculture.gov.au/abares/forestsaustralia/sofr/sofr-2018
- 3. https://www.dpi.nsw.gov.au/agriculture/pastures-and-rangelands/establishment-mgmt/production-management2/groundcover
- 4. MODIS Fractional cover algorithm:


https://doi.org/10.4225/08/5848a3f19a7b3



Vegetation Cover Jul 2023

Land use and forest cover

Proportion of each land class in area




120/02000

52% 70%


32005001


0.30%

Total Vegetation Cover [%]




% Area protected from water erosion (>70%)






Proportion of vegetation cover class in area




% Area protected from wind erosion (>50%)



Total Vegetation Cover Anomaly [%]

Total Vegetation Cover Decile [%]



Catchment Scale

of Australia (2018)

(2018) and Forests


of Australia (2018)

Derived from


Use of Australia

Land Use and Forests


Catchment Scale Land



Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.







Conservation and natural environments

12%100%

52%70%

32%50%

0.30%

Land Use and Forests of Australia (2018) 1 Conservation and natural environments - Non-forest 2 Conservation and natural environments - Woodland forest Catchment Scale Land 3 Conservation and natural environments - Nonwoodland forest (2018) and Forests of Australia (2018)

Land use and forest cover

Catchment Scale

Derived from

Use of Australia

Anomaly show how many percetage

points each pixel is from

the mean. That

is, red pixels


mean of that

pixel. The mean is only for the month of the map


using baseline


from 2001 to 2019.

are about 20% lower than the **Total Vegetation Cover [%]**




% Area protected from water erosion (>70%)






Proportion of each land class in area


Proportion of vegetation cover class in area




% Area protected from wind erosion (>50%)




Total Vegetation Cover Anomaly [%]



Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.









Proportion of the area protected from wind erosion (Total Vegetation Cover > 50%)





Water erosion historical monthly area protected (Total Veg Cov>70%)



Conservation and natural environments non forest

Catchment Scale Land Use and Forests of Australia (2018) Derived from Catchment Scale Land Use of Australia (2018) and Forests of Australia (2018)


12%100%

52%70%


32905001

0.30%


Total Vegetation Cover [%]








Proportion of vegetation cover class in area




% Area protected from wind erosion (>50%)




Land use and forest cover

Total Vegetation Cover Anomaly [%]




Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.

Total Vegetation Cover Decile [%]






Anomaly show how many percetage points each pixel is from the mean. That is, red pixels are about 20% lower than the mean of that pixel. The mean is only for the month of the map using baseline from 2001 to 2019.




Proportion of the area protected from wind erosion (Total Vegetation Cover > 50%)






Water erosion historical monthly area protected (Total Veg Cov>70%)



Conservation and natural environments Forest (non woodland)

Land use and forest cover




12%200%

52¹⁰¹7091


· 32005001

· 0.30%


Total Vegetation Cover [%]




% Area protected from water erosion (>70%)



Proportion of vegetation cover class in area




% Area protected from wind erosion (>50%)




Total Vegetation Cover Anomaly [%]

Anomaly show how many percetage points each pixel is from the mean. That is, red pixels are about 20% lower than the mean of that pixel. The mean is only for the month of the map using baseline from 2001 to 2019.




Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.





Conservation and natural environments Forest (non woodland) timeseries




---- above_70


—— 2023 Jul

—— 10th

—— 50th



Water erosion historical monthly area protected (Total Veg Cov>70%) 100-80 60-40-20-0 feb May In AUG Sep Sal PQ OČ Mai In I month tern National Landcare Ecosystem Research Infrastructure Australian Government Programm



Agriculture


12%200%

53210-10°1


32%50%

0.30%


Catchment Scale Land Use and Forests of Australia (2018) Derived from Catchment Scale Land Use of Australia (2018) and Forests of Australia (2018)




Total Vegetation Cover [%]




% Area protected from water erosion (>70%)




Proportion of each land class in area




Proportion of vegetation cover class in area



% Area protected from wind erosion (>50%)




Total Vegetation Cover Anomaly [%]



Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.


Total Vegetation Cover Decile [%]







Anomaly show how many percetage points each pixel is from the mean. That is, red pixels are about 20% lower than the mean of that pixel. The mean is only for the month of the map using baseline from 2001 to 2019.




—— 10th

—— 50th

—— 2023 Jul

Proportion of the area protected from wind erosion (Total Vegetation Cover > 50%)

Proportion of the area protected from water erosion (Total Vegetation Cover > 70%)




Agriculture timeseries

80 60 40 20-0-4eb lan In May 1/2/ War 26, month tern Ecosystem Research Infrastructure Australian Government

Water erosion historical monthly area protected (Total Veg Cov>70%)

Wind erosion historical monthly area protected (Total Veg Cov >50%)



Grazing


12% 1000k

53210-10°1


32%50%

0.30%


Catchment Scale Land Use and Forests of Australia (2018) Derived from Catchment Scale Land Use of Australia (2018) and Forests of Australia (2018)



Total Vegetation Cover [%]









100 98.0% 80 60 Area (%) 40 20 1.9% 0.1% 0 · 1.0 -0.5 0.5 2.5 0.0 1.5 2.0 Land use class

-




% Area protected from wind erosion (>50%)




Proportion of each land class in area

Total Vegetation Cover Anomaly [%]




Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019. **Total Vegetation Cover Decile [%]**






Anomaly show how many percetage points each pixel is from the mean. That is, red pixels are about 20% lower than the mean of that pixel. The mean is only for the month of the map using baseline from 2001 to 2019.




Proportion of the area protected from wind erosion (Total Vegetation Cover > 50%)

Proportion of the area protected from water erosion (Total Vegetation Cover > 70%)



Grazing timeseries

Water erosion historical monthly area protected (Total Veg Cov>70%)



Wind erosion historical monthly area protected (Total Veg Cov >50%)

Grazing non forest

Land use and forest cover

Catchment Scale Land Use and Forests of Australia (2018)

Catchment Scale Land Use of Australia (2018) and Forests of Australia (2018)

Anomaly show how many percetage points each


pixel is from the mean. That

is, red pixels are about 20% lower than the


mean of that


pixel. The mean is only for the month of the map using baseline from 2001 to 2019.

Derived from




Total Vegetation Cover [%]







% Area protected from water erosion (>70%)




Proportion of vegetation cover class in area




% Area protected from wind erosion (>50%)




Total Vegetation Cover Anomaly [%]



Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.








Proportion of the area protected from wind erosion (Total Vegetation Cover > 50%)

Proportion of the area protected from water erosion (Total Vegetation Cover > 70%)




Grazing non forest timeseries

80 60 40 20-0feb lan In May 1/2/ Mai P6, month

tern Ecosystem Research Infrastructure Australian Government

Water erosion historical monthly area protected (Total Veg Cov>70%)



Grazing Woodland forest

Land use and forest cover

Catchment Scale Land Use and Forests of Australia (2018)

Derived from

Use of Australia (2018) and Forests of Australia (2018)

Anomaly show how many percetage points each

pixel is from

is, red pixels

mean of that


pixel. The mean is only for the month of the map

using baseline


from 2001 to 2019.


the mean. That

are about 20% lower than the




Total Vegetation Cover [%]







% Area protected from water erosion (>70%)




Proportion of vegetation cover class in area




% Area protected from wind erosion (>50%)



Total Vegetation Cover Anomaly [%]




Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.






Grazing Woodland forest timeseries








100-80-60-40-20-0 -4eb way In Jan 1¹₁ 291 Ma, month tern Ecosystem Research Infrastructure Australian Government

Water erosion historical monthly area protected (Total Veg Cov>70%)



Whyalla_(C) (105,100 ha and no data 2,040 ha) Percentage area and hectares protected with TVC threshold 30,50,70,80,90 and 95%

Land use and forest cover Class	area(ha)	above_30	above_50	above_70	above_80	above_90	above_95
Entire region	105,100	100.0% 105,050	98.6% 103,600	35.1% 36,925	3.0% 3,125	0.9% 900	0.4% 400
Conservation and natural environments	26,150	99.9% 26,125	98.5% 25,750	71.5% 18,700	7.9% 2,075	0.7% 175	0.4% 100
Conservation and natural environments non forest	23,225	99.9% 23,200	98.4% 22,850	74.2% 17,225	8.4% 1,950	0.8% 175	0.4% 100
Conservation and natural environments Forest (non woodland)	2,875	100.0% 2,875	99.1% 2,850	49.6% 1,425	4.3% 125	0.0% 0	0.0%
Agriculture	73,875	100.0% 73,850	99.5% 73,500	22.6% 16,700	0.2% 125	$\begin{array}{c} 0.1\% \\ 50 \end{array}$	0.1% 50
Grazing	73,875	100.0% 73,850	99.5% 73,500	22.6% 16,700	0.2% 125	0.1% 50	0.1% 50
Grazing non forest	72,425	100.0% 72,400	99.5% 72,050	21.8% 15,800	0.1% 100	0.1% 50	0.1% 50
Grazing Woodland forest	1,400	100.0% 1,400	100.0% 1,400	64.3% 900	1.8% 25	0.0% 0	0.0% 0

