Total vegetation cover soil protection Region:LGA Wudinna (DC) SA

This report describes vegetation protecting the soil surface from erosion during a chosen month compared to previous years. This report has been generated using MODIS fractional vegetation cover information available in Rangelands and Pasture Productivity (RAPP) map tool https://map.geo-rapp.org/#australia. The report is based on 500 metre pixel data on monthly time steps.

Land use forest cover:

Date: May 2022

Results can be shown for the whole region (polygon), and separated by land use and forest cover classes which are likely to show different cover patterns and targets. Land use is divided into four broad classes: Conservation and natural environments, Agriculture, production native forests and plantation forests (no report), and other (no report). Agriculture is divided into grazing, crops and horticulture which are sub-divided into non-irrigated and irrigated. If forest is present land use is further divided into: non-forest, woodland forest and non-woodland forest. The area of each land use and forest class are shown as a map and chart. The report content is repeated for each land use and forest cover class that covers at least 1% of the area of the chosen region. Total vegetation Cover:

The total vegetation cover indicates where soil is likely to be protected from wind and or water hillslope erosion. Total vegetation cover for this month is shown on a map and chart classified into 4 classes.

- 71-100% High cover protected from wind and usually water erosion (high rainfall, steep slopes, and erodible soils may need greater than 80, 90, 95 and up to 100% cover)
 - 51-70% Moderate cover protected from wind erosion
 - 31-50% Low cover not protected
 - 0-30% Very Low cover not protected

Erosion protection: Wind erosion 50% total vegetation cover

The vegetation cover threshold required to prevent soil erosion is usually 50% to reduce wind erosion, 70% or 80% to reduce water (hillslope) erosion depending on the steepness and rainfall. Areas protected from erosion for the month:

- Map: water erosion protection (>70% cover) percentage area and hectares.
- Map: wind erosion protection (>50% cover) percentage area and hectares.

Comparison with previous years:

- Map: anomaly comparing this month to the average cover from the same month in previous years.
- Map: deciles rank of month against the same month in previous years.

Anomalies and deciles until September 2019 are calculated comparing to the same months 2001 to 2019. Extra monthly data will be used to calculate anomalies and deciles post September 2019 as they become available. Time series monthly from January 2001 to current:

Erosion protection

- Wind erosion protection time series: percentage of the area of the region with greater than 50% cover for each month (orange lines). Horizontal lines are 10th (cover target) and 50th percentiles.
- Water erosion protection time series: percentage of the area of the region with greater than 70% cover for each month (blue line). Horizontal lines are 10th (cover target) and 50th percentiles.

Rainfall

• Millimetres rainfall each month (black line).

Each time series is also stacked by year. The black line shows the current year of data.

Water erosion protection for higher rainfall and steeper slopes:

Water erosion protection on higher slopes. As slope increases, more cover is required to control water erosion. The thresholds reported are:

- the percentage area with pixels greater than 80% total cover.
- the percentage area with pixels greater than 90% total cover.
- the percentage area with pixels greater than 95% total cover.

Acknowledgment of data:

- 1. http://www.agriculture.gov.au/abares/aclump/land-use/alum-classification
- 2. http://www.agriculture.gov.au/abares/forestsaustralia/sofr/sofr-2018
- 3. https://www.dpi.nsw.gov.au/agriculture/pastures-and-rangelands/establishment-mgmt/production-management2/groundcover
- 4. MODIS Fractional cover algorithm:

https://doi.org/10.4225/08/5848a3f19a7b3











Vegetation Cover May 2022


Land use and forest cover




Proportion of each land class in area




Total Vegetation Cover [%]




Proportion of vegetation cover class in area




% Area protected from water erosion (>70%)




% Area protected from wind erosion (>50%)



Total Vegetation Cover Anomaly [%]



Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.














Conservation and natural environments

Land use and forest cover Proportion of each land class in area 73.2% 70 60 Catchment Scale 50 Land Use and Forests of Australia (2018) 1 Conservation and natural environments - Nonforest Area (%) Derived from 2 Conservation and natural environments - Woodland Catchment Scale Lar Use of Australia (2018) and Forests 3 Conservation and natural environments - Non-woodland forest 30 of Australia (2018) 20 13.5% 13.2% 10 1.0 1.5 0.0 0.5 2.0 2.5 -0.5Land use class **Total Vegetation Cover [%]** Proportion of vegetation cover class in area 88.0% 80 60 20 11.8% 0.3% 0-30% 31%-50% 51%-70% 71%-100% **Total Vegetation Cover class** % Area protected from water erosion (>70%) % Area protected from wind erosion (>50%) Area not Area not protected protected 12.0% of 0.0% of region (17,709 region (0 ha) ha) Area Area protected protected 100.0% of 88.0% of region (147,575 region (129,866 ha) ha) **Total Vegetation Cover Anomaly [%] Total Vegetation Cover Decile [%]** 20 Anomaly show how many percetage points each pixel is from Deciles show where the 10 pixel value lies in the the mean. That is, red pixels record, from highest to lowest, for that month. That is, red pixels are are about 20% lower than the 0 mean of that in the lowest 10% of pixel. The mean records for that month of the map using baseline from 2001 to 2019. is only for the month of the map using baseline from 2001 to 2019. -10**-**20 **National**


Australian Government


Ecosystem Research Infrastructure


Landcare


Programme

Conservation and natural environments timeseries











Water erosion historical monthly area protected (Total Veg Cov>70%)

Conservation and natural environments non forest


Land use and forest cover




Total Vegetation Cover [%]



% Area protected from water erosion (>70%)




Total Vegetation Cover Anomaly [%]





Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.

Proportion of vegetation cover class in area



% Area protected from wind erosion (>50%)

















Conservation and natural environments non forest timeseries











Conservation and natural environments Woodland forest


Land use and forest cover



Total Vegetation Cover [%]




% Area protected from water erosion (>70%)



Total Vegetation Cover Anomaly [%]


pixel is from

is, red pixels





Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the man using baseling. the map using baseline from 2001 to 2019.

Proportion of vegetation cover class in area



% Area protected from wind erosion (>50%)

















Conservation and natural environments Woodland forest timeseries










Conservation and natural environments Forest (non woodland)


Land use and forest cover Catchment Scale Land Use and Forests of Australia (2018) Derived from 1 Conservation and natural environments - Non-woodland forest Catchment Scale Lar Use of Australia (2018) and Forests of Australia (2018)


Total Vegetation Cover [%]

87.1% 80 60 Area (%) 20 12.9% 0.0% 31%-50% 0-30% 51%-70% 71%-100% **Total Vegetation Cover class**


Proportion of vegetation cover class in area







Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.















Conservation and natural environments Forest (non woodland) timeseries











Agriculture

Catchment Scale Land Use and Forests of Australia (2018) Derived from Catchment Scale Lard Use of Australia (2018) A griculture - Grazing - Non forest 2 Agriculture - Grazing - Non forest 2 Agriculture - Grazing - Non-woodland forest 3 Agriculture - Grazing - Non-woodland forest 4 Agriculture - Cropping - Non-irrigated


Proportion of each land class in area




Total Vegetation Cover [%]




Proportion of vegetation cover class in area




% Area protected from water erosion (>70%)



% Area protected from wind erosion (>50%)



Total Vegetation Cover Anomaly [%]



Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.

Total Vegetation Cover Decile [%]


tern Ecosystem Research Infrastructure










Agriculture timeseries











Grazing

Catchment Scale Land Use and Forests of Australia (2018) Derived from Catchment Scale Lard Use of Australia (2018) and Forests of Australia (2018) 1 Agriculture - Grazing - Non forest 2 Agriculture - Grazing - Woodland forest 3 Agriculture - Grazing - Non-woodland forest of Australia (2018)


Proportion of each land class in area




Total Vegetation Cover [%]




Proportion of vegetation cover class in area




% Area protected from water erosion (>70%)




% Area protected from wind erosion (>50%)



Total Vegetation Cover Anomaly [%]



Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.















Grazing timeseries











Grazing non forest

Land use and forest cover




Total Vegetation Cover [%]



% Area protected from water erosion (>70%)




Total Vegetation Cover Anomaly [%]





Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.

Proportion of vegetation cover class in area



% Area protected from wind erosion (>50%)

















Grazing non forest timeseries











Cropping


Land use and forest cover




Total Vegetation Cover [%]



% Area protected from water erosion (>70%)




Total Vegetation Cover Anomaly [%]





Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.

Proportion of vegetation cover class in area



% Area protected from wind erosion (>50%)

















Cropping timeseries









Wudinna_(DC) (total 507,875 ha) Percentage area and hectares protected with TVC threshold 30,50,70,80,90 and 95%

Land use and forest cover Class	area(ha)	above_30	above_50	above_70	above_80	above_90	above_95
Entire region	507,875	100.0% 507,650	95.6% 485,425	38.2% 194,250	18.0% 91,450	0.8% 3,950	0.6% 2,875
Conservation and natural environments	147,575	100.0% 147,575	99.7% 147,200	88.0% 129,825	55.6% 82,125	0.5% 750	0.0% 25
Conservation and natural environments non forest	20,000	100.0% 20,000	98.2% 19,650	61.2% 12,250	5.0% 1,000	0.2% 50	0.0%
Conservation and natural environments Woodland forest	108,075	100.0% 108,075	100.0% 108,050	93.1% 100,600	65.7% 70,975	0.6% 700	0.0% 25
Conservation and natural environments Forest (non woodland)	19,500	100.0% 19,500	100.0% 19,500	87.1% 16,975	52.1% 10,150	0.0%	0.0%
Agriculture	350,575	99.9% 350,350	93.7% 328,625	16.7% 58,700	1.5% 5,250	0.0% 150	0.0% 125
Grazing	9,325	100.0% 9,325	96.2% 8,975	23.6% 2,200	2.9% 275	0.0% 0	0.0%
Grazing non forest	9,200	100.0% 9,200	96.2% 8,850	22.8% 2,100	2.7% 250	0.0% 0	0.0%
Cropping	341,250	99.9% 341,025	93.7% 319,650	16.6% 56,500	1.5% 4,975	0.0% 150	0.0% 125







