Total vegetation cover soil protection Region:LGA Brighton_(M) TAS

Date: April 2021

This report describes vegetation protecting the soil surface from erosion during a chosen month compared to previous years. This report has been generated using MODIS fractional vegetation cover information available in Rangelands and Pasture Productivity (RAPP) map tool https://map.geo-rapp.org/#australia. The report is based on 500 metre pixel data on monthly time steps. Land use forest cover:

Results can be shown for the whole region (polygon), and separated by land use and forest cover classes which are likely to show different cover patterns and targets. Land use is divided into four broad classes: Conservation and natural environments, Agriculture, production native forests and plantation forests (no report), and other (no report). Agriculture is divided into grazing, crops and horticulture which are sub-divided into non-irrigated and irrigated. If forest is present land use is further divided into: non-forest, woodland forest and non-woodland forest. The area of each land use and forest class are shown as a map and chart. The report content is repeated for each land use and forest covers at least 1% of the area of the chosen region. Total vegetation Cover:

The total vegetation cover indicates where soil is likely to be protected from wind and or water hillslope erosion. Total vegetation cover for this month is shown on a map and chart classified into 4 classes.

• 71-100% High cover – protected from wind and usually water erosion (high rainfall, steep slopes, and erodible soils may need greater than 80, 90, 95 and up to 100% cover)

- 51-70% Moderate cover protected from wind erosion
- 31-50% Low cover not protected
- 0-30% Very Low cover not protected

Erosion protection: Wind erosion 50% total vegetation cover

The vegetation cover threshold required to prevent soil erosion is usually 50% to reduce wind erosion, 70% or 80% to reduce water (hillslope) erosion depending on the steepness and rainfall. Areas protected from erosion for the month:

- Map: water erosion protection (>70% cover) percentage area and hectares.
- Map: wind erosion protection (>50% cover) percentage area and hectares. Comparison with previous years:
 - Map: anomaly comparing this month to the average cover from the same month in previous years.
 - Map: deciles rank of month against the same month in previous years.

Anomalies and deciles until September 2019 are calculated comparing to the same months 2001 to 2019. Extra monthly data will be used to calculate anomalies and deciles post September 2019 as they become available. Time series monthly from January 2001 to current:

Erosion protection

- Wind erosion protection time series: percentage of the area of the region with greater than 50% cover for each month (orange lines). Horizontal lines are 10th (cover target) and 50th percentiles.
- Water erosion protection time series: percentage of the area of the region with greater than 70% cover for each month (blue line). Horizontal lines are 10th (cover target) and 50th percentiles.

Rainfall

• Millimetres rainfall each month (black line).

Each time series is also stacked by year. The black line shows the current year of data. Water erosion protection for higher rainfall and steeper slopes:

Water erosion protection on higher slopes. As slope increases, more cover is required to control water erosion. The thresholds reported are:

- the percentage area with pixels greater than 80% total cover.
- the percentage area with pixels greater than 90% total cover.
- the percentage area with pixels greater than 95% total cover.

Acknowledgment of data:

- 1. http://www.agriculture.gov.au/abares/aclump/land-use/alum-classification
- 2. http://www.agriculture.gov.au/abares/forestsaustralia/sofr/sofr-2018
- 3. https://www.dpi.nsw.gov.au/agriculture/pastures-and-rangelands/establishment-mgmt/production-management2/groundcover
- 4. MODIS Fractional cover algorithm:


https://doi.org/10.4225/08/5848a3f19a7b3




Vegetation Cover Apr 2021


Proportion of each land class in area

Land use and forest cover







Proportion of vegetation cover class in area




% Area protected from wind erosion (>50%)





Total Vegetation Cover [%]




% Area protected from water erosion (>70%)

























Proportion of each land class in area






Total Vegetation Cover Anomaly [%]


Anomaly show how many percetage points each pixel is from the mean. That is, red pixels are about 20% lower than the mean of that pixel. The mean is only for the month of the map using baseline from 2001 to 2019.




Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.














<u> 1</u>0.0 100 98 ---- above_70 — 10th **——** 50th 96 **—** 2021 Apr 94 92 4eb May In Par POL hy War month VIII. tern Ecosystem Research Infrastructure Australian Government

Water erosion historical monthly area protected (Total Veg Cov>70%)












Conservation and natural environments non forest




Total Vegetation Cover [%]




% Area protected from water erosion (>70%)



Proportion of vegetation cover class in area




% Area protected from wind erosion (>50%)



Total Vegetation Cover Anomaly [%] - 20 Anomaly show how many percetage points each pixel is from the mean. That - 10 is, red pixels are about 20% 商う lower than the - 0 mean of that pixel. The mean is only for the month of the map using baseline from 2001 to 2019. -10


Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.







-20


Conservation and natural environments non forest timeseries




Proportion of the area protected from wind erosion (Total Vegetation Cover > 50%)







Water erosion historical monthly area protected (Total Veg Cov>70%)




Australian Government


Ecosystem Research Infrastructure

— 2001 **—** 2002 **—** 2003 **---** 2004 - 2005 **---** 2006 --- 2007 2008 **-** 2009 401 AUG Sel OČ **---** 2010 2011 → 2012 → 2013 2014 2015 - 2016 <mark>→</mark> 2017 --- 2018 **—** 2019 → 2020 **---** 2021 401 Dec 0^C AUG sel 404 Dec OČ National Landcare Programm


Conservation and natural environments Woodland forest




Total Vegetation Cover [%]




% Area protected from water erosion (>70%)



Proportion of vegetation cover class in area




% Area protected from wind erosion (>50%)




Total Vegetation Cover Anomaly [%]

Anomaly show how many percetage points each pixel is from the mean. That is, red pixels are about 20% lower than the mean of that pixel. The mean is only for the month of the map using baseline from 2001 to 2019.




Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.






Conservation and natural environments Woodland forest timeseries





Proportion of the area protected from water erosion (Total Vegetation Cover > 70%)




<u>__1</u>\$0.0 100 98 ---- above_70 96 **—** 10th **——** 50th **—** 2021 Apr 94 92 90 May In 4eb PQ Jan hy War month tern Ecosystem Research Infrastructure Australian Government

Water erosion historical monthly area protected (Total Veg Cov>70%)






Agriculture





Proportion of each land class in area

% Area protected from water erosion (>70%)




% Area protected from wind erosion (>50%)










Proportion of the area protected from wind erosion (Total Vegetation Cover > 50%)

Proportion of the area protected from water erosion (Total Vegetation Cover > 70%)




Agriculture timeseries


Water erosion historical monthly area protected (Total Veg Cov>70%)

May


PQ


In







Proportion of the area protected from water erosion (Total Vegetation Cover > 80%)










Grazing




Proportion of each land class in area













Proportion of the area protected from wind erosion (Total Vegetation Cover > 50%)


Proportion of the area protected from water erosion (Total Vegetation Cover > 70%)






Wind erosion historical monthly area protected (Total Veg Cov >50%)


Water erosion historical monthly area protected (Total Veg Cov>70%)




Proportion of the area protected from water erosion (Total Vegetation Cover > 80%)









Grazing non forest




Total Vegetation Cover [%]




% Area protected from water erosion (>70%)




Proportion of vegetation cover class in area




% Area protected from wind erosion (>50%)











Proportion of the area protected from wind erosion (Total Vegetation Cover > 50%)






Water erosion historical monthly area protected (Total Veg Cov>70%)


Wind erosion historical monthly area protected (Total Veg Cov >50%)




Proportion of the area protected from water erosion (Total Vegetation Cover > 80%)









Grazing Woodland forest




Total Vegetation Cover [%]




% Area protected from water erosion (>70%)




Proportion of vegetation cover class in area




% Area protected from wind erosion (>50%)












Proportion of the area protected from water erosion (Total Vegetation Cover > 70%)




Grazing Woodland forest timeseries

Water erosion historical monthly area protected (Total Veg Cov>70%)









Programm




Irrigation






Proportion of each land class in area


Proportion of vegetation cover class in area



% Area protected from wind erosion (>50%)









Total Vegetation Cover Anomaly [%] Total Vegetation Cover Decile [%] $\hat{\mathbf{v}}$ - 20 Anomaly show how many percetage points each pixel is from the mean. That ଚ୍ଚ) Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline - 10 x^1 is, red pixels are about 20% lower than the - 0 mean of that pixel. The mean is only for the month of the map using baseline from 2001 to _ 2019. the map using baseline from 2001 to 2019. -102³⁵ -20





Proportion of the area protected from water erosion (Total Vegetation Cover > 70%)





Irrigation timeseries

100 90 80-70 60 50-40-4eb lar War way In Pla In In month

Ecosystem Research Infrastructure Australian Government

Water erosion historical monthly area protected (Total Veg Cov>70%)





Brighton_(M) (16,850 ha and no data 265 ha) Percentage area and hectares protected with TVC threshold 30,50,70,80,90 and 95%

Land use and forest cover Class	area(ha)	above_30	above_50	above_70	above_80	above_90	above_95
Entire region	16,850	100.0% 16,850	100.0% 16,850	99.1% 16,700	90.9% 15,325	54.7% 9,225	25.4% 4,275
Conservation and natural environments	2,800	100.0% 2,800	100.0% 2,800	100.0% 2,800	98.2% 2,750	72.3% 2,025	42.0% 1,175
Conservation and natural environments non forest	700	100.0% 700	100.0% 700	100.0% 700	100.0% 700	50.0% 350	21.4% 150
Conservation and natural environments Woodland forest	2,025	100.0% 2,025	100.0% 2,025	100.0% 2,025	97.5% 1,975	80.2% 1,625	50.6% 1,025
Agriculture	7,050	100.0% 7,050	100.0% 7,050	100.0% 7,050	94.0% 6,625	61.0% 4,300	28.0% 1,975
Grazing	6,450	100.0% 6,450	100.0% 6,450	100.0% 6,450	95.7% 6,175	64.7% 4,175	30.2% 1,950
Grazing non forest	6,100	100.0% 6,100	100.0% 6,100	100.0% 6,100	95.9% 5,850	65.2% 3,975	30.3% 1,850
Grazing Woodland forest	325	100.0% 325	100.0% 325	100.0% 325	92.3% 300	61.5% 200	30.8% 100
Irrigation	450	100.0% 450	100.0% 450	100.0% 450	66.7% 300	22.2% 100	5.6% 25

