Total vegetation cover soil protection Region:LGA Brighton (M) TAS

This report describes vegetation protecting the soil surface from erosion during a chosen month compared to previous years. This report has been generated using MODIS fractional vegetation cover information available in Rangelands and Pasture Productivity (RAPP) map tool https://map.geo-rapp.org/#australia. The report is based on 500 metre pixel data on monthly time steps.

Land use forest cover:

Date: October 2023

Results can be shown for the whole region (polygon), and separated by land use and forest cover classes which are likely to show different cover patterns and targets. Land use is divided into four broad classes: Conservation and natural environments, Agriculture, production native forests and plantation forests (no report), and other (no report). Agriculture is divided into grazing, crops and horticulture which are sub-divided into non-irrigated and irrigated. If forest is present land use is further divided into: non-forest, woodland forest and non-woodland forest. The area of each land use and forest class are shown as a map and chart. The report content is repeated for each land use and forest cover class that covers at least 1% of the area of the chosen region. Total vegetation Cover:

The total vegetation cover indicates where soil is likely to be protected from wind and or water hillslope erosion. Total vegetation cover for this month is shown on a map and chart classified into 4 classes.

- 71-100% High cover protected from wind and usually water erosion (high rainfall, steep slopes, and erodible soils may need greater than 80, 90, 95 and up to 100% cover)
 - 51-70% Moderate cover protected from wind erosion
 - 31-50% Low cover not protected
 - 0-30% Very Low cover not protected

Erosion protection: Wind erosion 50% total vegetation cover

The vegetation cover threshold required to prevent soil erosion is usually 50% to reduce wind erosion, 70% or 80% to reduce water (hillslope) erosion depending on the steepness and rainfall. Areas protected from erosion for the month:

- Map: water erosion protection (>70% cover) percentage area and hectares.
- Map: wind erosion protection (>50% cover) percentage area and hectares.

Comparison with previous years:

- Map: anomaly comparing this month to the average cover from the same month in previous years.
- Map: deciles rank of month against the same month in previous years.

Anomalies and deciles until September 2019 are calculated comparing to the same months 2001 to 2019. Extra monthly data will be used to calculate anomalies and deciles post September 2019 as they become available. Time series monthly from January 2001 to current:

Erosion protection

- Wind erosion protection time series: percentage of the area of the region with greater than 50% cover for each month (orange lines). Horizontal lines are 10th (cover target) and 50th percentiles.
- Water erosion protection time series: percentage of the area of the region with greater than 70% cover for each month (blue line). Horizontal lines are 10th (cover target) and 50th percentiles.

Rainfall

• Millimetres rainfall each month (black line).

Each time series is also stacked by year. The black line shows the current year of data.

Water erosion protection for higher rainfall and steeper slopes:

Water erosion protection on higher slopes. As slope increases, more cover is required to control water erosion. The thresholds reported are:

- the percentage area with pixels greater than 80% total cover.
- the percentage area with pixels greater than 90% total cover.
- the percentage area with pixels greater than 95% total cover.

Acknowledgment of data:

- 1. http://www.agriculture.gov.au/abares/aclump/land-use/alum-classification
- 2. http://www.agriculture.gov.au/abares/forestsaustralia/sofr/sofr-2018
- 3. https://www.dpi.nsw.gov.au/agriculture/pastures-and-rangelands/establishment-mgmt/production-management2/groundcover
- 4. MODIS Fractional cover algorithm:

https://doi.org/10.4225/08/5848a3f19a7b3










Vegetation Cover Oct 2023

Land use and forest cover Legend with land class forest cover and number, i.e. Forests is 12 1 Conservation and natural environments - Non-forest 2 Conservation and natural environments - Woodland forest Catchment Scale 3 Conservation and natural environments - Non-Woodland forest Land Use and Forests of Australia (2018) 4 Agriculture - Grazing - Non-forest Derived from 5 Agriculture - Grazing - Woodland forest Catchment Scale Lar 6 Agriculture - Grazing - Non-woodland forest Use of Australia 7 Agriculture - Grazing - Irrigated (2018) and Forests 8 Agriculture - Cropping - Non-irrigated of Australia (2018) 9 Agriculture - Cropping - Irrigated 10 Agriculture - Horticulture - Non-irrigated 11 Agriculture - Horticulture - Irrigated 12 Production native forests and plantation forests 13 Other uses


40 - 35 - 35.6% 30 - 35 - 35.6% 25 - 20 - 15 - 11.8% 10 - 5 - 4.2% 0 2 4 6 8 10 12

Proportion of each land class in area




Proportion of vegetation cover class in area


Land use class








% Area protected from wind erosion (>50%)



Total Vegetation Cover Anomaly [%]




Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.

















Conservation and natural environments


Proportion of each land class in area Land use and forest cover 71.7% 70 60 Catchment Scale Land Use and Forests of Australia (2018) 50 1 Conservation and natural environments - Nonforest 2 Conservation and natural environments - Woodland Derived from 40 Catchment Scale Lar Use of Australia (2018) and Forests of Australia (2018) 3 Conservation and natural environments - Non-woodland forest 30 25.7% 20 10 1.0 -0.50.5 0.0 1.5 2.0 2.5 Land use class

Total Vegetation Cover [%]










Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.
















Conservation and natural environments timeseries













Conservation and natural environments non forest

Land use and forest cover




Total Vegetation Cover [%]


Proportion of vegetation cover class in area




% Area protected from water erosion (>70%)




% Area protected from wind erosion (>50%)



Total Vegetation Cover Anomaly [%]



Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.














Conservation and natural environments non forest timeseries







Conservation and natural environments Woodland forest

Land use and forest cover Catchment Scale Land Use and Forests of Australia (2018) Derived from 1 Conservation and natural environments - Woodland forest Catchment Scale Lan Use of Australia (2018) and Forests of Australia (2018)


Total Vegetation Cover [%]

Proportion of vegetation cover class in area 100.0% 100 80 Area (%) 60 40 20 0.0%

31%-50%

0-30%


Area protected 100.0% of region (2,025 ha)




51%-70%

Total Vegetation Cover class


71%-100%



% Area protected from water erosion (>70%)



Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.
















Conservation and natural environments Woodland forest timeseries













Agriculture

Catchment Scale Land Use and Forests of Australia (2018) Derived from Catchment Scale Land Use and Forest 2 Agriculture - Grazing - Non forest 2 Agriculture - Grazing - Woodland forest 3 Agriculture - Grazing - Non-woodland forest 4 Agriculture - Cropping - Non-irrigated Use of Australia (2018) 5 Agriculture - Cropping - Irrigated 6 Agriculture - Horticulture - Irrigated


Proportion of each land class in area









Proportion of vegetation cover class in area




% Area protected from water erosion (>70%)




% Area protected from wind erosion (>50%)



Total Vegetation Cover Anomaly [%]



Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.


















Agriculture timeseries













Grazing

Land use and forest cover Catchment Scale Land Use and Forests of Australia (2018) 1 Agriculture - Grazing - Non forest Derived from 2 Agriculture - Grazing - Woodland forest Catchment Scale Lang 3 Agriculture - Grazing - Non-woodland forest Use of Australia (2018) and Forests of Australia (2018)


Proportion of each land class in area









Proportion of vegetation cover class in area




% Area protected from water erosion (>70%)




% Area protected from wind erosion (>50%)



Total Vegetation Cover Anomaly [%]



Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.
















Grazing timeseries









Grazing non forest

Land use and forest cover




Total Vegetation Cover [%] Tolo Idolo To


Proportion of vegetation cover class in area




% Area protected from water erosion (>70%)




% Area protected from wind erosion (>50%)



Total Vegetation Cover Anomaly [%]



Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.














Grazing non forest timeseries









Grazing Woodland forest

Land use and forest cover




Total Vegetation Cover [%]


Proportion of vegetation cover class in area




% Area protected from water erosion (>70%)



% Area protected from wind erosion (>50%)



Total Vegetation Cover Anomaly [%]



Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.












Grazing Woodland forest timeseries




Wind erosion historical monthly area protected (Total Veg Cov >50%)





Water erosion historical monthly area protected (Total Veg Cov>70%) 100 **---** 2002 98-2003 ____ 2005 96 → 2006 ---- 2007 2011 92 **←** 2014 **→** 2015 90 × 2017 88 → 2020 **→** 2021 **---** 2022 86-2023 84 404 month **National** Landcare **Ecosystem Research Infrastructure** Programm





Irrigation

Land use and forest cover Catchment Scale Land Use and Forests of Australia (2018) Derived from 1 Agriculture - Cropping - Irrigated Catchment Scale Lang 2 Agriculture - Horticulture - Irrigated Use of Australia (2018) and Forests of Australia (2018)


Total Vegetation Cover [%]


% Area protected from water erosion (>70%) Area not protected 11.1% of region (50 ha) Area protected 88.9% of region (400 ha)






Proportion of each land class in area 94.4% 80 20 -5.6% 0.50 0.75 1.00 1.25 -0.250.00 0.25 Land use class




























Water erosion historical monthly area protected (Total Veg Cov>70%)



Brighton_(M) (16,825 ha and no data 290 ha) Percentage area and hectares protected with TVC threshold 30,50,70,80,90 and 95%

Land use and forest cover Class	area(ha)	above_30	above_50	above_70	above_80	above_90	above_95
Entire region	16,825	100.0% 16,825	99.1% 16,675	92.3% 15,525	75.5% 12,700	34.3% 5,775	11.9% 2,000
Conservation and natural environments	2,800	100.0% 2,800	100.0% 2,800	97.3% 2,725	89.3% 2,500	43.8% 1,225	12.5% 350
Conservation and natural environments non forest	700	100.0% 700	100.0% 700	89.3% 625	67.9% 475	35.7% 250	14.3% 100
Conservation and natural environments Woodland forest	2,025	100.0% 2,025	100.0% 2,025	100.0% 2,025	96.3% 1,950	46.9% 950	12.3% 250
Agriculture	7,050	100.0% 7,050	99.6% 7,025	95.4% 6,725	79.8% 5,625	40.1% 2,825	18.8% 1,325
Grazing	6,450	100.0% 6,450	99.6% 6,425	96.1% 6,200	82.6% 5,325	41.5% 2,675	19.0% 1,225
Grazing non forest	6,100	100.0% 6,100	99.6% 6,075	95.9% 5,850	81.6% 4,975	39.8% 2,425	17.6% 1,075
Grazing Woodland forest	325	100.0% 325	100.0% 325	100.0% 325	100.0% 325	69.2% 225	46.2% 150
Irrigation	450	100.0% 450	100.0% 450	88.9% 400	55.6% 250	27.8% 125	16.7% 75







